

Kód	Názov	Označenie	Farba	Hmotnosť [kg]	Hmotnosť Brutto [kg]	Výkon [W]
						75°C - 65°C - 20°C (vstup-výstup-teplota miestnosti)
K00103004009016011	10K 300x0400,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x400	RAL9016	2,524	3,357	137,
K00103005009016011	10K 300x0500,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x500	RAL9016	3,155	4,197	171,
K001030050Z9016011	10K 300x0500,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 300x500 Zn	RAL9016	3,155	4,197	171,
K00103006009016011	10K 300x0600,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x600	RAL9016	3,786	5,036	205,
K001030060Z9016011	10K 300x0600,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 300x600 Zn	RAL9016	3,786	5,036	205,
K00103007009016011	10K 300x0700,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x700	RAL9016	4,417	5,875	239,
K00103008009016011	10K 300x0800,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x800	RAL9016	5,048	6,714	274,
K00103009009016011	10K 300x0900,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x900	RAL9016	5,679	7,553	308,
K00103010009016011	10K 300x1000,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x1000	RAL9016	6,31	8,392	342,
K00103011009016011	10K 300x1100,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x1100	RAL9016	6,941	9,231	376,
K00103012009016011	10K 300x1200,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x1200	RAL9016	7,572	10,07	410,
K00103013009016011	10K 300x1300,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x1300	RAL9016	8,203	10,909	445,
K00103014009016011	10K 300x1400,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x1400	RAL9016	8,834	11,748	479,
K00103015009016011	10K 300x1500,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x1500	RAL9016	9,465	12,587	513,
K00103016009016011	10K 300x1600,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x1600	RAL9016	10,096	13,426	547,
K00103017009016011	10K 300x1700,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x1700	RAL9016	10,727	14,265	581,
K00103018009016011	10K 300x1800,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x1800	RAL9016	11,358	15,104	616,
K00103019009016011	10K 300x1900,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x1900	RAL9016	11,989	15,943	650,
K00103020009016011	10K 300x2000,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x2000	RAL9016	12,62	16,782	684,
K00103021009016011	10K 300x2100,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x2100	RAL9016	13,251	17,621	718,
K00103022009016011	10K 300x2200,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x2200	RAL9016	13,882	18,46	752,
K00103023009016011	10K 300x2300,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x2300	RAL9016	14,513	19,299	787,
K00103024009016011	10K 300x2400,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x2400	RAL9016	15,144	20,138	821,
K00103025009016011	10K 300x2500,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x2500	RAL9016	15,775	20,977	855,
K00103026009016011	10K 300x2600,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x2600	RAL9016	16,406	21,816	889,
K00103027009016011	10K 300x2700,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x2700	RAL9016	17,037	22,655	923,
K00103028009016011	10K 300x2800,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x2800	RAL9016	17,668	23,494	958,
K00103029009016011	10K 300x2900,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x2900	RAL9016	18,299	24,333	992,
K00103030009016011	10K 300x3000,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x3000	RAL9016	18,93	25,172	1 026,
K00104004009016011	10K 400x0400,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x400	RAL9016	3,324	4,476	177,
K00104005009016011	10K 400x0500,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x500	RAL9016	4,155	5,595	222,
K001040050Z9016011	10K 400x0500,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 400x500 Zn	RAL9016	4,155	5,595	222,
K00104006009016011	10K 400x0600,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x600	RAL9016	4,986	6,714	266,
K001040060Z9016011	10K 400x0600,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 400x600 Zn	RAL9016	4,986	6,714	266,
K00104007009016011	10K 400x0700,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x700	RAL9016	5,817	7,833	310,
K00104008009016011	10K 400x0800,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x800	RAL9016	6,648	8,952	354,
K00104009009016011	10K 400x0900,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x900	RAL9016	7,479	10,071	399,
K00104010009016011	10K 400x1000,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x1000	RAL9016	8,31	11,19	443,
K00104011009016011	10K 400x1100,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x1100	RAL9016	9,141	12,309	487,
K00104012009016011	10K 400x1200,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x1200	RAL9016	9,972	13,428	532,
K00104013009016011	10K 400x1300,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x1300	RAL9016	10,803	14,547	576,
K00104014009016011	10K 400x1400,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x1400	RAL9016	11,634	15,666	620,
K00104015009016011	10K 400x1500,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x1500	RAL9016	12,465	16,785	665,
K00104016009016011	10K 400x1600,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x1600	RAL9016	13,296	17,904	709,
K00104017009016011	10K 400x1700,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x1700	RAL9016	14,127	19,023	753,
K00104018009016011	10K 400x1800,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x1800	RAL9016	14,958	20,142	797,
K00104019009016011	10K 400x1900,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x1900	RAL9016	15,789	21,261	842,
K00104020009016011	10K 400x2000,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x2000	RAL9016	16,62	22,38	886,
K00104021009016011	10K 400x2100,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x2100	RAL9016	17,451	23,499	930,
K00104022009016011	10K 400x2200,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x2200	RAL9016	18,282	24,618	975,
K00104023009016011	10K 400x2300,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x2300	RAL9016	19,113	25,737	1 019,
K00104024009016011	10K 400x2400,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x2400	RAL9016	19,944	26,856	1 063,
K00104025009016011	10K 400x2500,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x2500	RAL9016	20,775	27,975	1 108,
K00104026009016011	10K 400x2600,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x2600	RAL9016	21,606	29,094	1 152,
K00104027009016011	10K 400x2700,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x2700	RAL9016	22,437	30,213	1 196,
K00104028009016011	10K 400x2800,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x2800	RAL9016	23,268	31,332	1 240,
K00104029009016011	10K 400x2900,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x2900	RAL9016	24,099	32,451	1 285,
K00104030009016011	10K 400x3000,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x3000	RAL9016	24,93	33,57	1 329,
K00105004009016011	10K 500x0400,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x400	RAL9016	3,955	4,826	214,
K001050040Z9016011	10K 500x0400,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 500x400 Zn	RAL9016	3,955	4,826	214,
K00105005009016011	10K 500x0500,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x500	RAL9016	4,944	6,033	268,
K001050050Z9016011	10K 500x0500,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 500x500 Zn	RAL9016	4,944	6,033	268,
K00105006009016011	10K 500x0600,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x600	RAL9016	5,933	7,24	322,
K001050060Z9016011	10K 500x0600,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 500x600 Zn	RAL9016	5,933	7,24	322,
K00105007009016011	10K 500x0700,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x700	RAL9016	6,922	8,448	375,
K001050070Z9016011	10K 500x0700,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 500x700 Zn	RAL9016	6,922	8,448	375,
K00105008009016011	10K 500x0800,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x800	RAL9016	7,91	9,656	429,
K001050080Z9016011	10K 500x0800,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 500x800 Zn	RAL9016	7,91	9,656	429,
K00105009009016011	10K 500x0900,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x900	RAL9016	8,899	10,863	482,

K001050090Z9016011	10K 500x0900,NK, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 500x900 Zn	RAL9016	8,899	10,863	482,
K00105010009016011	10K 500x1000,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x1000	RAL9016	9,888	12,071	536,
K001050100Z9016011	10K 500x1000,NK, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 500x1000 Zn	RAL9016	9,888	12,071	536,
K00105011009016011	10K 500x1100,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x1100	RAL9016	10,877	13,279	590,
K001050110Z9016011	10K 500x1100,NK, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 500x1100 Zn	RAL9016	10,877	13,279	590,
K00105012009016011	10K 500x1200,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x1200	RAL9016	11,866	14,486	643,
K001050120Z9016011	10K 500x1200,NK, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 500x1200 Zn	RAL9016	11,866	14,486	643,
K00105013009016011	10K 500x1300,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x1300	RAL9016	12,854	15,694	697,
K00105014009016011	10K 500x1400,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x1400	RAL9016	13,843	16,902	750,
K001050140Z9016011	10K 500x1400,NK, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 500x1400 Zn	RAL9016	13,843	16,902	750,
K00105015009016011	10K 500x1500,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x1500	RAL9016	14,832	18,109	804,
K00105016009016011	10K 500x1600,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x1600	RAL9016	15,821	19,317	858,
K001050160Z9016011	10K 500x1600,NK, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 500x1600 Zn	RAL9016	15,821	19,317	858,
K00105017009016011	10K 500x1700,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x1700	RAL9016	16,81	20,525	911,
K00105018009016011	10K 500x1800,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x1800	RAL9016	17,798	21,732	965,
K001050180Z9016011	10K 500x1800,NK, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 500x1800 Zn	RAL9016	17,798	21,732	965,
K00105019009016011	10K 500x1900,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x1900	RAL9016	18,787	22,94	1 018,
K00105020009016011	10K 500x2000,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x2000	RAL9016	19,776	24,148	1 072,
K001050200Z9016011	10K 500x2000,NK, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 500x2000 Zn	RAL9016	19,776	24,148	1 072,
K00105021009016011	10K 500x2100,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x2100	RAL9016	20,765	25,356	1 126,
K00105022009016011	10K 500x2200,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x2200	RAL9016	21,754	26,563	1 179,
K00105023009016011	10K 500x2300,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x2300	RAL9016	22,742	27,771	1 233,
K00105024009016011	10K 500x2400,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x2400	RAL9016	23,731	28,979	1 286,
K00105025009016011	10K 500x2500,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x2500	RAL9016	24,72	30,186	1 340,
K00105026009016011	10K 500x2600,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x2600	RAL9016	25,709	31,394	1 394,
K00105027009016011	10K 500x2700,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x2700	RAL9016	26,698	32,602	1 447,
K00105028009016011	10K 500x2800,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x2800	RAL9016	27,686	33,809	1 501,
K00105029009016011	10K 500x2900,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x2900	RAL9016	28,675	35,017	1 554,
K00105030009016011	10K 500x3000,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x3000	RAL9016	29,664	36,225	1 608,
K00105506009016011	10K 550x0600,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 550x600	RAL9016	6,814	8,359	350,
K00105508009016011	10K 550x0800,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 550x800	RAL9016	9,085	11,145	466,
K00106004009016011	10K 600x0400,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x400	RAL9016	4,723	5,794	248,
K001060040Z9016011	10K 600x0400,NK, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 600x400 Zn	RAL9016	4,723	5,794	248,
K00106005009016011	10K 600x0500,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x500	RAL9016	5,904	7,242	311,
K001060050Z9016011	10K 600x0500,NK, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 600x500 Zn	RAL9016	5,904	7,242	311,
K00106006009016011	10K 600x0600,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x600	RAL9016	7,085	8,691	373,
K001060060Z9016011	10K 600x0600,NK, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 600x600 Zn	RAL9016	7,085	8,691	373,
K00106007009016011	10K 600x0700,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x700	RAL9016	8,266	10,14	435,
K001060070Z9016011	10K 600x0700,NK, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 600x700 Zn	RAL9016	8,266	10,14	435,
K00106008009016011	10K 600x0800,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x800	RAL9016	9,446	11,588	497,
K001060080Z9016011	10K 600x0800,NK, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 600x800 Zn	RAL9016	9,446	11,588	497,
K00106009009016011	10K 600x0900,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x900	RAL9016	10,627	13,037	559,
K001060090Z9016011	10K 600x0900,NK, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 600x900 Zn	RAL9016	10,627	13,037	559,
K00106010009016011	10K 600x1000,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x1000	RAL9016	11,808	14,485	621,
K001060100Z9016011	10K 600x1000,NK, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 600x1000 Zn	RAL9016	11,808	14,485	621,
K00106011009016011	10K 600x1100,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x1100	RAL9016	12,989	15,934	683,
K001060110Z9016011	10K 600x1100,NK, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 600x1100 Zn	RAL9016	12,989	15,934	683,
K00106012009016011	10K 600x1200,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x1200	RAL9016	14,17	17,383	745,
K001060120Z9016011	10K 600x1200,NK, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 600x1200 Zn	RAL9016	14,17	17,383	745,
K00106013009016011	10K 600x1300,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x1300	RAL9016	15,35	18,831	807,
K00106014009016011	10K 600x1400,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x1400	RAL9016	16,531	20,28	869,
K001060140Z9016011	10K 600x1400,NK, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 600x1400 Zn	RAL9016	16,531	20,28	869,
K00106015009016011	10K 600x1500,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x1500	RAL9016	17,712	21,729	932,
K00106016009016011	10K 600x1600,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x1600	RAL9016	18,893	23,177	994,
K00106017009016011	10K 600x1700,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x1700	RAL9016	20,074	24,626	1 056,
K00106018009016011	10K 600x1800,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x1800	RAL9016	21,254	26,075	1 118,
K001060180Z9016011	10K 600x1800,NK, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 600x1800 Zn	RAL9016	21,254	26,075	1 118,
K00106019009016011	10K 600x1900,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x1900	RAL9016	22,435	27,523	1 180,
K00106020009016011	10K 600x2000,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x2000	RAL9016	23,616	28,972	1 242,
K001060200Z9016011	10K 600x2000,NK, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 600x2000 Zn	RAL9016	23,616	28,972	1 242,
K00106021009016011	10K 600x2100,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x2100	RAL9016	24,797	30,42	1 304,
K00106022009016011	10K 600x2200,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x2200	RAL9016	25,978	31,869	1 366,
K00106023009016011	10K 600x2300,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x2300	RAL9016	27,158	33,318	1 428,
K00106024009016011	10K 600x2400,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x2400	RAL9016	28,339	34,766	1 490,
K00106025009016011	10K 600x2500,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x2500	RAL9016	29,52	36,215	1 553,
K00106026009016011	10K 600x2600,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x2600	RAL9016	30,701	37,664	1 615,
K00106027009016011	10K 600x2700,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x2700	RAL9016	31,882	39,112	1 677,
K00106028009016011	10K 600x2800,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x2800	RAL9016	33,062	40,561	1 739,
K00106029009016011	10K 600x2900,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x2900	RAL9016	34,243	42,01	1 801,
K00106030009016011	10K 600x3000,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x3000	RAL9016	35,424	43,458	1 863,
K00109004009016011	10K 900x0400,NK, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x400	RAL9016	7,2	9,055	332,
K001090040Z9016011	10K 900x0400,NK, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 900x400 Zn	RAL9016	7,2	9,055	332,

K00109005009016011	10K 900x0500,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x500	RAL9016	9,	11,319	415,
K001090050Z9016011	10K 900x0500,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 900x500 Zn	RAL9016	9,	11,319	415,
K00109006009016011	10K 900x0600,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x600	RAL9016	10,8	13,582	497,
K001090060Z9016011	10K 900x0600,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 900x600 Zn	RAL9016	10,8	13,582	497,
K00109007009016011	10K 900x0700,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x700	RAL9016	12,6	15,845	580,
K001090070Z9016011	10K 900x0700,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 900x700 Zn	RAL9016	12,6	15,845	580,
K00109008009016011	10K 900x0800,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x800	RAL9016	14,4	18,108	663,
K001090080Z9016011	10K 900x0800,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 900x800 Zn	RAL9016	14,4	18,108	663,
K00109009009016011	10K 900x0900,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x900	RAL9016	16,2	20,371	746,
K001090090Z9016011	10K 900x0900,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 900x900 Zn	RAL9016	16,2	20,371	746,
K00109010009016011	10K 900x1000,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x1000	RAL9016	18,	22,634	829,
K001090100Z9016011	10K 900x1000,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 900x1000 Zn	RAL9016	18,	22,634	829,
K00109011009016011	10K 900x1100,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x1100	RAL9016	19,8	24,897	912,
K001090110Z9016011	10K 900x1100,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 900x1100 Zn	RAL9016	19,8	24,897	912,
K00109012009016011	10K 900x1200,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x1200	RAL9016	21,6	27,16	995,
K001090120Z9016011	10K 900x1200,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 900x1200 Zn	RAL9016	21,6	27,16	995,
K00109013009016011	10K 900x1300,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x1300	RAL9016	23,4	29,423	1 078,
K00109014009016011	10K 900x1400,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x1400	RAL9016	25,2	31,686	1 161,
K001090140Z9016011	10K 900x1400,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 900x1400 Zn	RAL9016	25,2	31,686	1 161,
K00109015009016011	10K 900x1500,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x1500	RAL9016	27,	33,949	1 244,
K00109016009016011	10K 900x1600,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x1600	RAL9016	28,8	36,212	1 326,
K001090160Z9016011	10K 900x1600,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	10K 900 x1600 Zn	RAL9016	28,8	36,212	1 326,
K00109017009016011	10K 900x1700,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x1700	RAL9016	30,6	38,475	1 409,
K00109018009016011	10K 900x1800,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x1800	RAL9016	32,4	40,738	1 492,
K00109019009016011	10K 900x1900,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x1900	RAL9016	34,2	43,001	1 575,
K00109020009016011	10K 900x2000,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x2000	RAL9016	36,	45,264	1 658,
K00109021009016011	10K 900x2100,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x2100	RAL9016	37,8	47,527	1 741,
K00109022009016011	10K 900x2200,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x2200	RAL9016	39,6	49,79	1 824,
K00109023009016011	10K 900x2300,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x2300	RAL9016	41,4	52,053	1 907,
K00109024009016011	10K 900x2400,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x2400	RAL9016	43,2	54,316	1 990,
K00109025009016011	10K 900x2500,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x2500	RAL9016	45,	56,579	2 073,
K00109026009016011	10K 900x2600,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x2600	RAL9016	46,8	58,842	2 155,
K00109027009016011	10K 900x2700,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x2700	RAL9016	48,6	61,105	2 238,
K00109028009016011	10K 900x2800,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x2800	RAL9016	50,4	63,368	2 321,
K00109029009016011	10K 900x2900,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x2900	RAL9016	52,2	65,631	2 404,
K00109030009016011	10K 900x3000,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x3000	RAL9016	54,	67,894	2 487,
K00113004009016011	11K 300x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x400	RAL9016	4,189	5,07	218,
K00113005009016011	11K 300x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x500	RAL9016	5,011	5,97	273,
K00113006009016011	11K 300x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x600	RAL9016	5,832	6,806	327,
K00113007009016011	11K 300x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x700	RAL9016	6,654	7,698	382,
K00113007U09016011	11K 300x0700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11KU 300x700	RAL9016	6,654	7,698	382,
K00113008009016011	11K 300x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x800	RAL9016	7,475	8,516	436,
K00113009009016011	11K 300x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x900	RAL9016	8,297	9,405	491,
K00113010009016011	11K 300x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x1000	RAL9016	9,118	10,248	545,
K00113011009016011	11K 300x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x1100	RAL9016	9,939	11,122	600,
K00113012009016011	11K 300x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x1200	RAL9016	10,761	11,976	654,
K00113013009016011	11K 300x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x1300	RAL9016	11,582	12,868	709,
K00113014009016011	11K 300x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x1400	RAL9016	12,404	13,218	763,
K00113015009016011	11K 300x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x1500	RAL9016	13,225	14,663	818,
K00113016009016011	11K 300x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x1600	RAL9016	14,047	15,526	872,
K00113017009016011	11K 300x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x1700	RAL9016	14,941	16,461	927,
K00113018009016011	11K 300x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x1800	RAL9016	15,762	17,324	981,
K00113019009016011	11K 300x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x1900	RAL9016	16,584	18,187	1 036,
K00113020009016011	11K 300x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x2000	RAL9016	17,405	19,05	1 090,
K00113022009016011	11K 300x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x2200	RAL9016	19,048	20,751	1 199,
K00113030009016011	11K 300x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x3000	RAL9016	25,62	27,509	1 635,
K00114004009016011	11K 400x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x400	RAL9016	5,554	6,641	276,
K00114005009016011	11K 400x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x500	RAL9016	6,697	7,815	345,
K00114006009016011	11K 400x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x600	RAL9016	7,84	8,99	413,
K00114007009016011	11K 400x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x700	RAL9016	8,983	10,165	482,
K00114008009016011	11K 400x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x800	RAL9016	10,126	11,34	551,
K00114009009016011	11K 400x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x900	RAL9016	11,269	12,515	620,
K00114010009016011	11K 400x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x1000	RAL9016	12,412	13,689	689,
K00114011009016011	11K 400x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x1100	RAL9016	13,555	14,864	758,
K00114012009016011	11K 400x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x1200	RAL9016	14,698	16,039	827,
K00114013009016011	11K 400x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x1300	RAL9016	15,841	17,214	896,
K00114014009016011	11K 400x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x1400	RAL9016	16,984	17,86	965,
K00114015009016011	11K 400x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x1500	RAL9016	18,127	19,563	1 034,
K00114016009016011	11K 400x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x1600	RAL9016	19,269	20,738	1 102,
K00114017009016011	11K 400x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x1700	RAL9016	20,485	21,985	1 171,
K00114018009016011	11K 400x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x1800	RAL9016	21,628	23,16	1 240,
K00114019009016011	11K 400x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x1900	RAL9016	22,771	24,335	1 309,

K00114020009016011	11K 400x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x2000	RAL9016	23,914	25,51	1 378,
K00114022009016011	11K 400x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x2200	RAL9016	26,199	27,86	1 516,
K00114030009016011	11K 400x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x3000	RAL9016	35,343	37,258	2 067,
K00115004009016011	11K 500x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x400	RAL9016	6,632	7,086	330,
K00115005009016011	11K 500x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x500	RAL9016	8,29	8,858	413,
K00115006009016011	11K 500x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x600	RAL9016	9,948	10,63	496,
K00115007009016011	11K 500x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x700	RAL9016	11,606	12,402	578,
K00115008009016011	11K 500x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x800	RAL9016	13,264	14,174	661,
K00115009009016011	11K 500x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x900	RAL9016	14,922	15,946	743,
K00115010009016011	11K 500x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x1000	RAL9016	16,58	17,718	826,
K00115011009016011	11K 500x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x1100	RAL9016	18,238	19,49	909,
K00115012009016011	11K 500x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x1200	RAL9016	19,896	21,583	991,
K00115013009016011	11K 500x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x1300	RAL9016	21,554	23,381	1 074,
K00115014009016011	11K 500x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x1400	RAL9016	23,212	25,179	1 156,
K00115015009016011	11K 500x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x1500	RAL9016	24,87	26,977	1 239,
K00115016009016011	11K 500x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x1600	RAL9016	26,528	28,775	1 322,
K00115017009016011	11K 500x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x1700	RAL9016	28,186	30,573	1 404,
K00115018009016011	11K 500x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x1800	RAL9016	29,844	32,371	1 487,
K00115019009016011	11K 500x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x1900	RAL9016	31,502	34,169	1 569,
K00115020009016011	11K 500x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x2000	RAL9016	33,16	35,967	1 652,
K00115022009016011	11K 500x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x2200	RAL9016	36,476	39,563	1 817,
K00116004009016011	11K 600x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x400	RAL9016	7,96	8,506	384,
K00116005009016011	11K 600x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x500	RAL9016	9,95	10,632	480,
K00116006009016011	11K 600x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x600	RAL9016	11,94	12,758	576,
K00116007009016011	11K 600x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x700	RAL9016	13,93	14,884	672,
K00116008009016011	11K 600x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x800	RAL9016	15,92	17,01	768,
K00116009009016011	11K 600x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x900	RAL9016	17,91	19,136	864,
K00116010009016011	11K 600x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x1000	RAL9016	19,9	21,262	960,
K00116011009016011	11K 600x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x1100	RAL9016	21,89	23,388	1 056,
K00116012009016011	11K 600x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x1200	RAL9016	23,88	25,9	1 152,
K00116013009016011	11K 600x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x1300	RAL9016	25,87	28,058	1 248,
K00116014009016011	11K 600x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x1400	RAL9016	27,86	30,216	1 344,
K00116015009016011	11K 600x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x1500	RAL9016	29,85	32,374	1 440,
K00116016009016011	11K 600x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x1600	RAL9016	31,84	34,532	1 536,
K00116017009016011	11K 600x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x1700	RAL9016	33,83	36,69	1 632,
K00116018009016011	11K 600x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x1800	RAL9016	35,82	38,848	1 728,
K00116019009016011	11K 600x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x1900	RAL9016	37,81	41,006	1 824,
K00116020009016011	11K 600x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x2000	RAL9016	39,8	43,164	1 920,
K00116022009016011	11K 600x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x2200	RAL9016	43,78	47,48	2 112,
K00119004009016011	11K 900x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 900x400	RAL9016	11,94	12,754	538,
K00119005009016011	11K 900x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 900x500	RAL9016	14,925	15,943	673,
K00119006009016011	11K 900x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 900x600	RAL9016	17,91	19,133	807,
K00119007009016011	11K 900x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 900x700	RAL9016	20,895	22,323	942,
K00119008009016011	11K 900x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 900x800	RAL9016	23,88	25,513	1 076,
K00119009009016011	11K 900x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 900x900	RAL9016	26,865	28,703	1 211,
K00119010009016011	11K 900x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 900x1000	RAL9016	29,85	31,893	1 345,
K00119011009016011	11K 900x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 900x1100	RAL9016	32,835	35,083	1 480,
K00119012009016011	11K 900x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 900x1200	RAL9016	35,82	38,849	1 614,
K00119013009016011	11K 900x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 900x1300	RAL9016	38,805	42,087	1 749,
K00119014009016011	11K 900x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 900x1400	RAL9016	41,79	45,325	1 883,
K00119015009016011	11K 900x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 900x1500	RAL9016	44,775	48,563	2 018,
K00119016009016011	11K 900x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 900x1600	RAL9016	47,76	51,801	2 152,
K00119017009016011	11K 900x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 900x1700	RAL9016	50,745	55,039	2 287,
K00119018009016011	11K 900x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 900x1800	RAL9016	53,73	58,277	2 421,
K00119019009016011	11K 900x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 900x1900	RAL9016	56,715	61,515	2 556,
K00119020009016011	11K 900x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 900x2000	RAL9016	59,7	64,753	2 690,
K00203004009016011	20K 300x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x400	RAL9016	5,06	5,5	245,
K00203005009016011	20K 300x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x500	RAL9016	6,325	6,885	306,
K00203006009016011	20K 300x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x600	RAL9016	7,59	8,263	367,
K00203007009016011	20K 300x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x700	RAL9016	8,855	9,641	428,
K00203008009016011	20K 300x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x800	RAL9016	10,12	11,019	490,
K00203009009016011	20K 300x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x900	RAL9016	11,385	12,397	551,
K00203010009016011	20K 300x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x1000	RAL9016	12,65	13,775	612,
K00203011009016011	20K 300x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x1100	RAL9016	13,915	15,153	673,
K00203012009016011	20K 300x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x1200	RAL9016	15,18	16,531	734,
K00203013009016011	20K 300x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x1300	RAL9016	16,445	17,909	796,
K00203014009016011	20K 300x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x1400	RAL9016	17,71	19,287	857,
K00203015009016011	20K 300x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x1500	RAL9016	18,975	20,665	918,
K00203016009016011	20K 300x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x1600	RAL9016	20,24	22,043	979,
K00203017009016011	20K 300x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x1700	RAL9016	21,505	22,424	1 040,
K00203018009016011	20K 300x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x1800	RAL9016	22,77	23,743	1 102,
K00203019009016011	20K 300x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x1900	RAL9016	24,035	25,062	1 163,

K00203020009016011	20K 300x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x2000	RAL9016	25,3	26,381	1 224,
K00203021009016011	20K 300x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x2100	RAL9016	26,565	27,7	1 174,
K00203022009016011	20K 300x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x2200	RAL9016	27,83	29,019	1 346,
K00203023009016011	20K 300x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x2300	RAL9016	29,095	30,338	1 408,
K00203024009016011	20K 300x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x2400	RAL9016	30,36	31,657	1 469,
K00203025009016011	20K 300x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x2500	RAL9016	31,625	32,976	1 530,
K00203026009016011	20K 300x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x2600	RAL9016	32,89	36,583	1 591,
K00203027009016011	20K 300x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x2700	RAL9016	34,155	37,99	1 652,
K00203028009016011	20K 300x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x2800	RAL9016	35,42	39,397	1 714,
K00203029009016011	20K 300x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x2900	RAL9016	36,685	40,804	1 775,
K00203030009016011	20K 300x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x3000	RAL9016	37,95	42,211	1 836,
K00204004009016011	20K 400x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x400	RAL9016	6,748	7,35	308,
K00204005009016011	20K 400x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x500	RAL9016	8,435	9,187	385,
K00204006009016011	20K 400x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x600	RAL9016	10,122	11,023	461,
K00204007009016011	20K 400x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x700	RAL9016	11,809	12,859	538,
K00204008009016011	20K 400x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x800	RAL9016	13,496	14,695	615,
K00204009009016011	20K 400x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x900	RAL9016	15,183	16,531	692,
K00204010009016011	20K 400x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x1000	RAL9016	16,87	18,367	769,
K00204011009016011	20K 400x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x1100	RAL9016	18,557	20,203	846,
K00204012009016011	20K 400x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x1200	RAL9016	20,244	22,039	923,
K00204013009016011	20K 400x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x1300	RAL9016	21,931	23,875	1 000,
K00204014009016011	20K 400x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x1400	RAL9016	23,618	25,711	1 077,
K00204015009016011	20K 400x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x1500	RAL9016	25,305	27,547	1 154,
K00204016009016011	20K 400x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x1600	RAL9016	26,992	29,383	1 230,
K00204017009016011	20K 400x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x1700	RAL9016	28,679	29,899	1 307,
K00204018009016011	20K 400x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x1800	RAL9016	30,366	31,657	1 384,
K00204019009016011	20K 400x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x1900	RAL9016	32,053	33,415	1 461,
K00204020009016011	20K 400x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x2000	RAL9016	33,74	35,173	1 538,
K00204021009016011	20K 400x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x2100	RAL9016	35,427	36,931	1 615,
K00204022009016011	20K 400x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x2200	RAL9016	37,114	38,689	1 692,
K00204023009016011	20K 400x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x2300	RAL9016	38,801	40,447	1 769,
K00204024009016011	20K 400x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x2400	RAL9016	40,488	42,205	1 846,
K00204025009016011	20K 400x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x2500	RAL9016	42,175	43,963	1 923,
K00204026009016011	20K 400x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x2600	RAL9016	43,862	48,777	1 999,
K00204027009016011	20K 400x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x2700	RAL9016	45,549	50,653	2 076,
K00204028009016011	20K 400x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x2800	RAL9016	47,236	52,529	2 153,
K00204029009016011	20K 400x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x2900	RAL9016	48,923	54,405	2 230,
K00204030009016011	20K 400x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x3000	RAL9016	50,61	56,281	2 307,
K00205004009016011	20K 500x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x400	RAL9016	8,095	8,815	368,
K002050040Z9016010	20K 500x0400,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 500x400 Zn	RAL9016	8,095	8,815	368,
K00205005009016011	20K 500x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x500	RAL9016	10,118	11,019	460,
K002050050Z9016011	20K 500x0500,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 500x500 Zn	RAL9016	10,118	11,019	460,
K00205006009016011	20K 500x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x600	RAL9016	12,142	13,223	552,
K002050060Z9016011	20K 500x0600,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 500x600 Zn	RAL9016	12,142	13,223	552,
K00205007009016011	20K 500x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x700	RAL9016	14,166	15,427	644,
K002050070Z9016011	20K 500x0700,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 500x700 Zn	RAL9016	14,166	15,427	644,
K00205008009016011	20K 500x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x800	RAL9016	16,189	17,631	736,
K002050080Z9016011	20K 500x0800,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 500x800 Zn	RAL9016	16,189	17,631	736,
K00205009009016011	20K 500x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x900	RAL9016	18,213	19,836	828,
K002050090Z9016011	20K 500x0900,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 500x900 Zn	RAL9016	18,213	19,836	828,
K00205010009016011	20K 500x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x1000	RAL9016	20,237	22,04	920,
K002050100Z9016011	20K 500x1000,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 500x1000 Zn	RAL9016	20,237	22,04	920,
K00205011009016011	20K 500x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x1100	RAL9016	22,26	24,244	1 012,
K002050110Z9016011	20K 500x1100,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 500x1100 Zn	RAL9016	22,26	24,244	1 012,
K00205012009016011	20K 500x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x1200	RAL9016	24,284	26,448	1 104,
K002050120Z9016011	20K 500x1200,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 500x1200 Zn	RAL9016	24,284	26,448	1 104,
K00205012U09016011	20K 500x1200, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20KU 500x1200	RAL9016	24,284	26,448	1 104,
K00205013009016011	20K 500x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x1300	RAL9016	26,308	28,652	1 196,
K00205014009016011	20K 500x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x1400	RAL9016	28,332	30,856	1 288,
K002050140Z9016011	20K 500x1400,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 500x1400 Zn	RAL9016	28,332	30,856	1 288,
K00205015009016011	20K 500x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x1500	RAL9016	30,355	33,06	1 380,
K00205016009016011	20K 500x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x1600	RAL9016	32,379	35,265	1 472,
K002050160Z9016011	20K 500x1600,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 500x1600 Zn	RAL9016	32,379	35,265	1 472,
K00205017009016011	20K 500x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x1700	RAL9016	34,403	35,878	1 564,
K00205018009016011	20K 500x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x1800	RAL9016	36,426	37,989	1 656,
K002050180Z9016011	20K 500x1800,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 500x1800 Zn	RAL9016	36,426	37,989	1 656,
K00205019009016011	20K 500x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x1900	RAL9016	38,45	40,1	1 748,
K00205020009016011	20K 500x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x2000	RAL9016	40,474	42,211	1 840,
K002050200Z9016011	20K 500x2000,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 500x2000 Zn	RAL9016	40,474	42,211	1 840,
K00205021009016011	20K 500x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x2100	RAL9016	42,497	44,322	1 932,
K00205022009016011	20K 500x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x2200	RAL9016	44,521	46,433	2 024,
K00205023009016011	20K 500x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x2300	RAL9016	46,545	48,544	2 116,

K00205024009016011	20K 500x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x2400	RAL9016	48,568	50,655	2 208,
K00205025009016011	20K 500x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x2500	RAL9016	50,592	52,766	2 300,
K00205026009016011	20K 500x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x2600	RAL9016	52,616	58,532	2 392,
K00205027009016011	20K 500x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x2700	RAL9016	54,639	60,783	2 484,
K00205028009016011	20K 500x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x2800	RAL9016	56,663	63,035	2 576,
K00205029009016011	20K 500x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x2900	RAL9016	58,687	65,286	2 668,
K00205030009016011	20K 500x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x3000	RAL9016	60,71	67,537	2 760,
K00205504009016011	20K 550x400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 550x400	RAL9016	9,344	10,175	400,
K00205505009016011	20K 550x500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 550x500	RAL9016	11,68	11,68	501,
K00205506009016011	20K 550x600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 550x600	RAL9016	14,016	15,262	601,
K00205507009016011	20K 550x700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 550x700	RAL9016	16,352	17,774	701,
K00205508009016011	20K 550x800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 550x800	RAL9016	18,688	20,35	801,
K00205509009016011	20K 550x900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 550x900	RAL9016	21,024	22,894	901,
K00205510009016011	20K 550x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 550x1000	RAL9016	23,36	25,437	1 001,
K00205512009016011	20K 550x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 550x1200	RAL9016	28,03	30,525	1 201,
K00205514009016011	20K 550x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 550x1400	RAL9016	32,704	35,613	1 401,
K00205516009016011	20K 550x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 550x1600	RAL9016	37,376	40,7	1 602,
K00205518009016011	20K 550x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 550x1800	RAL9016	42,048	43,845	1 802,
K00205520009016011	20K 550x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 550x2000	RAL9016	46,72	48,717	2 002,
K00206004009016011	20K 600x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x400	RAL9016	9,715	10,579	427,
K002060040Z9016011	20K 600x0400,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 600x400 Zn	RAL9016	9,715	10,579	427,
K00206005009016011	20K 600x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x500	RAL9016	12,144	13,224	534,
K002060050Z9016011	20K 600x0500,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 600x500 Zn	RAL9016	12,144	13,224	534,
K00206006009016011	20K 600x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x600	RAL9016	14,573	15,869	641,
K002060060Z9016011	20K 600x0600,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 600x600 Zn	RAL9016	14,573	15,869	641,
K00206007009016011	20K 600x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x700	RAL9016	17,002	18,514	748,
K002060070Z9016011	20K 600x0700,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 600x700 Zn	RAL9016	17,002	18,514	748,
K00206008009016011	20K 600x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x800	RAL9016	19,43	21,158	854,
K002060080Z9016011	20K 600x0800,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 600x800 Zn	RAL9016	19,43	21,158	854,
K00206009009016011	20K 600x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x900	RAL9016	21,859	23,803	961,
K002060090Z9016011	20K 600x0900,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 600x900 Zn	RAL9016	21,859	23,803	961,
K00206010009016011	20K 600x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x1000	RAL9016	24,288	26,448	1 068,
K002060100Z9016011	20K 600x1000, Kr, 1.0 MPa, t:1, Zn+RAL9016, ZD, uzky, hyg.	20K 600x1000 Zn	RAL9016	24,288	26,448	1 068,
K00206011009016011	20K 600x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x1100	RAL9016	26,717	29,093	1 175,
K002060110Z9016011	20K 600x1100,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 600x1100 Zn	RAL9016	26,717	29,093	1 175,
K00206012009016011	20K 600x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x1200	RAL9016	29,146	31,738	1 282,
K002060120Z9016011	20K 600x1200,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 600x1200 Zn	RAL9016	29,146	31,738	1 282,
K00206013009016011	20K 600x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x1300	RAL9016	31,574	34,382	1 388,
K00206014009016011	20K 600x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x1400	RAL9016	34,003	37,027	1 495,
K002060140Z9016011	20K 600x1400,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 600x1400 Zn	RAL9016	34,003	37,027	1 495,
K00206015009016011	20K 600x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x1500	RAL9016	36,432	39,672	1 602,
K00206016009016011	20K 600x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x1600	RAL9016	38,861	42,317	1 709,
K00206017009016011	20K 600x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x1700	RAL9016	41,29	43,054	1 816,
K00206018009016011	20K 600x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x1800	RAL9016	43,718	45,587	1 922,
K002060180Z9016011	20K 600x1800,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 600x1800 Zn	RAL9016	43,718	45,587	1 922,
K00206019009016011	20K 600x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x1900	RAL9016	46,147	48,119	2 029,
K00206020009016011	20K 600x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x2000	RAL9016	48,576	50,652	2 136,
K002060200Z9016011	20K 600x2000,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 600x2000 Zn	RAL9016	48,576	50,652	2 136,
K00206021009016011	20K 600x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x2100	RAL9016	51,005	53,184	2 243,
K00206022009016011	20K 600x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x2200	RAL9016	53,434	55,716	2 350,
K00206023009016011	20K 600x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x2300	RAL9016	55,862	58,249	2 456,
K00206024009016011	20K 600x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x2400	RAL9016	58,291	60,781	2 563,
K00206025009016011	20K 600x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x2500	RAL9016	60,72	63,314	2 670,
K00206026009016011	20K 600x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x2600	RAL9016	63,149	70,239	2 777,
K00206027009016011	20K 600x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x2700	RAL9016	65,578	72,941	2 884,
K00206028009016011	20K 600x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x2800	RAL9016	68,006	75,642	2 990,
K00206029009016011	20K 600x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x2900	RAL9016	70,435	78,344	3 097,
K00206030009016011	20K 600x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x3000	RAL9016	72,864	81,045	3 204,
K00209004009016011	20K 900x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x400	RAL9016	15,18	16,527	600,
K002090040Z9016011	20K 900x0400,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 900x400 Zn	RAL9016	15,18	16,527	600,
K00209005009016011	20K 900x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x500	RAL9016	18,975	20,66	750,
K002090050Z9016011	20K 900x0500,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 900x500 Zn	RAL9016	18,975	20,66	750,
K00209006009016011	20K 900x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x600	RAL9016	22,77	24,793	900,
K002090060Z9016011	20K 900x0600,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 900x600 Zn	RAL9016	22,77	24,793	900,
K00209007009016011	20K 900x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x700	RAL9016	26,565	28,926	1 050,
K002090070Z9016011	20K 900x0700,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 900x700 Zn	RAL9016	26,565	28,926	1 050,
K00209008009016011	20K 900x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x800	RAL9016	30,36	33,059	1 200,
K002090080Z9016011	20K 900x0800,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 900x800 Zn	RAL9016	30,36	33,059	1 200,
K00209009009016011	20K 900x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x900	RAL9016	34,155	37,192	1 350,
K002090090Z9016011	20K 900x0900,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 900x900 Zn	RAL9016	34,155	37,192	1 350,
K00209010009016011	20K 900x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x1000	RAL9016	37,95	41,325	1 500,
K002090100Z9016011	20K 900x1000,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 900x1000 Zn	RAL9016	37,95	41,325	1 500,

K00209011009016011	20K 900x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x1100	RAL9016	41,745	45,458	1 650,
K002090110Z9016011	20K 900x1100,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 900x1100 Zn	RAL9016	41,745	45,458	1 650,
K00209012009016011	20K 900x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x1200	RAL9016	45,54	49,591	1 800,
K002090120Z9016011	20K 900x1200,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 900x1200 Zn	RAL9016	45,54	49,591	1 800,
K00209013009016011	20K 900x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x1300	RAL9016	49,335	53,724	1 950,
K00209014009016011	20K 900x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x1400	RAL9016	53,13	57,857	2 100,
K002090140Z9016011	20K 900x1400,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 900x1400 Zn	RAL9016	53,13	57,857	2 100,
K00209015009016011	20K 900x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x1500	RAL9016	56,925	61,99	2 250,
K00209016009016011	20K 900x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x1600	RAL9016	60,72	66,123	2 400,
K002090160Z9016011	20K 900x1600,NKr, 1.0 MPa, t:1, Zn+RAL9016, ZD, hyg.	20K 900x1600 Zn	RAL9016	60,72	66,123	2 400,
K00209017009016011	20K 900x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x1700	RAL9016	64,515	67,272	2 550,
K00209018009016011	20K 900x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x1800	RAL9016	68,31	71,229	2 464,
K00209019009016011	20K 900x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x1900	RAL9016	72,105	75,186	2 850,
K00209020009016011	20K 900x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x2000	RAL9016	75,9	79,143	3 000,
K00209021009016011	20K 900x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x2100	RAL9016	79,695	83,1	3 150,
K00209022009016011	20K 900x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x2200	RAL9016	83,49	87,057	3 300,
K00209023009016011	20K 900x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x2300	RAL9016	87,285	91,014	3 450,
K00209024009016011	20K 900x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x2400	RAL9016	91,08	94,971	3 600,
K00209025009016011	20K 900x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x2500	RAL9016	94,875	98,928	3 750,
K00209026009016011	20K 900x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x2600	RAL9016	98,67	109,749	3 900,
K00209027009016011	20K 900x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x2700	RAL9016	102,465	113,97	4 050,
K00209028009016011	20K 900x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x2800	RAL9016	106,26	118,191	4 200,
K00209029009016011	20K 900x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x2900	RAL9016	110,055	122,412	4 350,
K00209030009016011	20K 900x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x3000	RAL9016	113,85	126,633	4 500,
K00213004009016011	21K 300x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x400	RAL9016	6,233	6,894	301,
K00213005003001011	21K 300x0500, Kr, 1.0 MPa, t:1, RAL3001, ZD, uzky	21K 300x500 RAL3001	RAL3001	7,526	8,228	376,
K00213005009016001	21K 300x0500, Kr, 0 MPa, t:1, RAL9016, ZD, uzky, rez	21K 300x500	RAL9016	7,526	8,228	376,
K00213005009016011	21K 300x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x500	RAL9016	7,526	8,228	376,
K00213006009016011	21K 300x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x600	RAL9016	8,82	9,539	451,
K00213007009016011	21K 300x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x700	RAL9016	10,113	10,851	526,
K00213007U09016011	21K 300x0700, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 300x700	RAL9016	10,113	10,851	526,
K00213008009016011	21K 300x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x800	RAL9016	11,407	12,162	602,
K00213009009016011	21K 300x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x900	RAL9016	12,746	13,519	677,
K00213009U09016011	21K 300x0900, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 300x900	RAL9016	12,746	13,519	677,
K00213010009016011	21K 300x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x1000	RAL9016	14,04	14,83	752,
K00213011009016011	21K 300x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x1100	RAL9016	15,334	16,141	827,
K00213011U09016011	21K 300x1100, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 300x1100	RAL9016	15,334	16,141	827,
K00213012009016011	21K 300x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x1200	RAL9016	16,627	17,452	902,
K00213013009016011	21K 300x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x1300	RAL9016	17,921	18,763	978,
K00213014009016011	21K 300x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x1400	RAL9016	19,214	20,075	1 053,
K00213015009016011	21K 300x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x1500	RAL9016	20,553	21,431	1 128,
K00213015U09016011	21K 300x1500, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 300x1500	RAL9016	20,553	21,431	1 128,
K00213016009016011	21K 300x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x1600	RAL9016	21,847	22,742	1 203,
K00213016U09016011	21K 300x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 300x1600	RAL9016	21,847	22,742	1 203,
K00213017009016011	21K 300x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x1700	RAL9016	23,213	24,126	1 278,
K00213018009016011	21K 300x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x1800	RAL9016	24,506	25,437	1 354,
K00213019009016011	21K 300x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x1900	RAL9016	25,845	26,794	1 429,
K00213020009016011	21K 300x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x2000	RAL9016	27,139	28,105	1 504,
K00213021009016011	21K 300x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x2100	RAL9016	28,432	29,416	1 579,
K00213022009016011	21K 300x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x2200	RAL9016	29,726	30,727	1 654,
K00213023009016011	21K 300x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x2300	RAL9016	31,019	32,038	1 730,
K00213024009016011	21K 300x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x2400	RAL9016	32,313	33,349	1 805,
K00213025009016011	21K 300x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x2500	RAL9016	33,607	34,661	1 880,
K00213026009016011	21K 300x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x2600	RAL9016	34,945	36,017	1 955,
K00213027009016011	21K 300x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x2700	RAL9016	36,239	37,328	2 030,
K00213028009016011	21K 300x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x2800	RAL9016	37,533	38,639	2 106,
K00213029009016011	21K 300x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x2900	RAL9016	38,871	39,996	2 181,
K00213030009016011	21K 300x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x3000	RAL9016	40,165	41,307	2 256,
K00214004009016011	21K 400x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x400	RAL9016	8,424	9,086	375,
K00214004U09016011	21K 400x0400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 400x400	RAL9016	8,424	9,086	375,
K00214005009016011	21K 400x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x500	RAL9016	10,243	10,945	469,
K00214006009016011	21K 400x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x600	RAL9016	12,062	12,781	562,
K00214007009016011	21K 400x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x700	RAL9016	13,88	14,618	656,
K00214008009016011	21K 400x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x800	RAL9016	15,699	16,454	750,
K00214009009016011	21K 400x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x900	RAL9016	17,564	18,336	843,
K00214010009016011	21K 400x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x1000	RAL9016	19,382	20,172	937,
K00214010U09016011	21K 400x1000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 400x1000	RAL9016	19,382	20,172	937,
K00214011009016011	21K 400x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x1100	RAL9016	21,201	22,009	1 031,
K00214011U09016011	21K 400x1100, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 400x1100	RAL9016	21,201	22,009	1 031,
K00214012009016011	21K 400x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x1200	RAL9016	23,02	23,845	1 124,
K00214012U09016011	21K 400x1200, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 400x1200	RAL9016	23,02	23,845	1 124,
K00214013009016011	21K 400x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x1300	RAL9016	24,838	25,681	1 218,

K00214014009016011	21K 400x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x1400	RAL9016	26,657	27,518	1 312,
K00214014U09016011	21K 400x1400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 400x1400	RAL9016	26,657	27,518	1 312,
K00214015009016011	21K 400x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x1500	RAL9016	28,521	29,399	1 406,
K00214016009016011	21K 400x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x1600	RAL9016	30,34	31,235	1 499,
K00214017009016011	21K 400x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x1700	RAL9016	32,231	33,144	1 593,
K00214018009016011	21K 400x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x1800	RAL9016	34,05	34,981	1 687,
K00214019009016011	21K 400x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x1900	RAL9016	35,914	36,862	1 780,
K00214020009016011	21K 400x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x2000	RAL9016	37,733	38,699	1 874,
K00214021009016011	21K 400x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x2100	RAL9016	39,551	40,535	1 968,
K00214022009016011	21K 400x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x2200	RAL9016	41,37	42,371	2 061,
K00214022U09016011	21K 400x2200, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 400x2200	RAL9016	41,37	42,371	2 061,
K00214023009016011	21K 400x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x2300	RAL9016	43,189	44,207	2 155,
K00214024009016011	21K 400x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x2400	RAL9016	45,007	46,044	2 249,
K00214025009016011	21K 400x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x2500	RAL9016	46,826	47,88	2 343,
K00214026009016011	21K 400x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x2600	RAL9016	48,69	49,762	2 436,
K00214027009016011	21K 400x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x2700	RAL9016	50,509	51,598	2 530,
K00214028009016011	21K 400x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x2800	RAL9016	52,327	53,434	2 624,
K00214029009016011	21K 400x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x2900	RAL9016	54,191	55,316	2 717,
K00214030009016011	21K 400x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x3000	RAL9016	56,01	57,152	2 811,
K00215004009016011	21K 500x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x400	RAL9016	9,075	9,628	446,
K00215005009016011	21K 500x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x500	RAL9016	11,342	12,035	558,
K00215005U09016011	21K 500x0500, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 500x500	RAL9016	11,342	12,035	558,
K00215006009016011	21K 500x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x600	RAL9016	13,61	14,441	669,
K00215006U09016011	21K 500x0600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 500x600	RAL9016	58,96	63,437	2 899,
K00215007009016011	21K 500x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x700	RAL9016	15,877	16,848	781,
K00215008009016011	21K 500x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x800	RAL9016	18,145	19,255	892,
K00215009009016011	21K 500x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x900	RAL9016	20,412	21,661	1 004,
K00215010009016011	21K 500x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x1000	RAL9016	22,68	24,068	1 115,
K00215010U09016011	21K 500x1000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 500x1000	RAL9016	22,68	24,068	1 115,
K00215011009016011	21K 500x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x1100	RAL9016	24,948	26,475	1 227,
K00215012009016011	21K 500x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x1200	RAL9016	27,215	28,882	1 338,
K00215012U09016011	21K 500x1200, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 500x1200	RAL9016	27,215	28,882	1 338,
K00215013009016011	21K 500x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x1300	RAL9016	29,483	31,288	1 450,
K00215014009016011	21K 500x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x1400	RAL9016	31,75	33,695	1 561,
K00215015009016011	21K 500x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x1500	RAL9016	34,018	36,102	1 673,
K00215015U09016011	21K 500x1500, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 500x1500	RAL9016	34,018	36,102	1 673,
K00215016009016011	21K 500x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x1600	RAL9016	36,285	38,508	1 784,
K00215017009016011	21K 500x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x1700	RAL9016	38,553	41,362	1 896,
K00215018009016011	21K 500x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x1800	RAL9016	40,82	43,794	2 007,
K00215019009016011	21K 500x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x1900	RAL9016	43,088	46,227	2 119,
K00215020009016011	21K 500x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x2000	RAL9016	45,355	48,66	2 230,
K00215021009016011	21K 500x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x2100	RAL9016	47,623	51,092	2 342,
K00215022009016011	21K 500x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x2200	RAL9016	49,89	53,525	2 453,
K00215023009016011	21K 500x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x2300	RAL9016	52,158	55,957	2 565,
K00215024009016011	21K 500x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x2400	RAL9016	54,425	58,39	2 676,
K00215025009016011	21K 500x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x2500	RAL9016	56,693	60,823	2 788,
K00215026009016011	21K 500x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x2600	RAL9016	58,96	63,437	2 899,
K00215027009016011	21K 500x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x2700	RAL9016	61,228	65,877	3 011,
K00215028009016011	21K 500x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x2800	RAL9016	63,495	68,317	3 122,
K00215029009016011	21K 500x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x2900	RAL9016	65,763	70,758	3 234,
K00215030009016011	21K 500x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x3000	RAL9016	68,03	73,198	3 345,
K00215030U09016011	21K 500x3000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 500x3000	RAL9016	68,03	73,198	3 345,
K00215504009016011	21K 550x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 550x400	RAL9016	10,47	11,108	483,
K00215505009016011	21K 550x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 550x500	RAL9016	13,088	13,887	604,
K00215506009016011	21K 550x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 550x600	RAL9016	15,706	16,665	725,
K00215507009016011	21K 550x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 550x700	RAL9016	18,323	19,443	846,
K00215508009016011	21K 550x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 550x800	RAL9016	20,941	22,221	966,
K00215509009016011	21K 550x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 550x900	RAL9016	23,558	25	1 087,
K00215510009016011	21K 550x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 550x1000	RAL9016	26,176	27,778	1 208,
K00215511009016011	21K 550x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 550x1100	RAL9016	28,794	30,556	1 329,
K00215512009016011	21K 550x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 550x1200	RAL9016	31,411	33,335	1 450,
K00215514009016011	21K 550x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 550x1400	RAL9016	36,647	38,891	1 691,
K00215516009016011	21K 550x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 550x1600	RAL9016	41,882	44,448	1 933,
K00215518009016011	21K 550x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 550x1800	RAL9016	47,117	50,546	2 174,
K00215520009016011	21K 550x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 550x2000	RAL9016	52,353	56,161	2 416,
K00215522009016011	21K 550x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 550x2200	RAL9016	57,588	61,777	2 658,
K00215524009016011	21K 550x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 550x2400	RAL9016	62,823	67,393	2 899,
K00215526009016011	21K 550x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 550x2600	RAL9016	68,059	73,216	3 141,
K00215528009016011	21K 550x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 550x2800	RAL9016	73,294	78,849	3 382,
K00215530009016011	21K 550x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 550x3000	RAL9016	78,529	84,481	3 624,
K00216004009016011	21K 600x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x400	RAL9016	10,886	11,55	515,
K00216004U09016011	21K 600x0400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 600x400	RAL9016	10,886	11,55	515,

K00216005009016011	21K 600x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x500	RAL9016	13,608	14,438	644,
K00216005U09016011	21K 600x0500, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 600x500	RAL9016	13,608	14,438	644,
K00216006009016011	21K 600x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x600	RAL9016	16,33	17,327	772,
K00216006U09016011	21K 600x0600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 600x600	RAL9016	16,33	17,327	772,
K00216007009016011	21K 600x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x700	RAL9016	19,051	20,216	901,
K00216007U09016011	21K 600x0700, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 600x700	RAL9016	19,051	20,216	901,
K00216008009016011	21K 600x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x800	RAL9016	21,773	23,104	1 030,
K00216008U09016011	21K 600x0800, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 600x800	RAL9016	21,773	23,104	1 030,
K00216009009016011	21K 600x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x900	RAL9016	24,494	25,993	1 158,
K00216009U09016011	21K 600x0900, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 600x900	RAL9016	24,494	25,993	1 158,
K00216010009016011	21K 600x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x1000	RAL9016	27,216	28,882	1 287,
K00216010U09016011	21K 600x1000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 600x1000	RAL9016	27,216	28,882	1 287,
K00216011009016011	21K 600x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x1100	RAL9016	29,938	31,77	1 416,
K00216012009016011	21K 600x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x1200	RAL9016	32,659	34,659	1 544,
K00216013009016011	21K 600x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x1300	RAL9016	35,381	37,548	1 673,
K00216013U09016011	21K 600x1300, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 600x1300	RAL9016	35,381	37,548	1 673,
K00216014009016011	21K 600x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x1400	RAL9016	38,102	40,436	1 802,
K00216014U09016011	21K 600x1400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 600x1400	RAL9016	38,102	40,436	1 802,
K00216015009016011	21K 600x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x1500	RAL9016	40,824	43,325	1 931,
K00216015U09016011	21K 600x1500, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 600x1500	RAL9016	40,824	43,325	1 931,
K00216016009016011	21K 600x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x1600	RAL9016	43,546	46,213	2 059,
K00216016U09016011	21K 600x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 600x1600	RAL9016	43,546	46,213	2 059,
K00216017009016011	21K 600x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x1700	RAL9016	46,267	49,634	2 188,
K00216018009016011	21K 600x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x1800	RAL9016	48,989	52,553	2 317,
K00216019009016011	21K 600x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x1900	RAL9016	51,71	55,473	2 445,
K00216020009016011	21K 600x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x2000	RAL9016	54,432	58,392	2 574,
K00216021009016011	21K 600x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x2100	RAL9016	57,154	61,311	2 703,
K00216022009016011	21K 600x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x2200	RAL9016	59,875	64,231	2 831,
K00216023009016011	21K 600x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x2300	RAL9016	62,597	67,15	2 960,
K00216024009016011	21K 600x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x2400	RAL9016	65,318	70,069	3 089,
K00216025009016011	21K 600x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x2500	RAL9016	68,04	72,989	3 218,
K00216026009016011	21K 600x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x2600	RAL9016	70,762	76,124	3 346,
K00216027009016011	21K 600x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x2700	RAL9016	73,483	79,052	3 475,
K00216028009016011	21K 600x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x2800	RAL9016	76,205	81,98	3 604,
K00216029009016011	21K 600x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x2900	RAL9016	78,926	84,908	3 732,
K00216030009016011	21K 600x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x3000	RAL9016	81,648	87,836	3 861,
K00219004009016011	21K 900x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x400	RAL9016	17,013	18,056	715,
K00219004U09016011	21K 900x0400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 900x400	RAL9016	17,013	18,056	715,
K00219005009016011	21K 900x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x500	RAL9016	21,265	22,568	894,
K00219005U09016011	21K 900x0500, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 900x500	RAL9016	21,265	22,568	894,
K00219006009016011	21K 900x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x600	RAL9016	25,517	27,08	1 073,
K00219006U09016011	21K 900x0600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 900x600	RAL9016	25,517	27,08	1 073,
K00219007009016011	21K 900x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x700	RAL9016	29,769	31,592	1 252,
K00219007U09016011	21K 900x0700, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 900x700	RAL9016	29,769	31,592	1 252,
K00219008009016011	21K 900x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x800	RAL9016	34,021	36,104	1 430,
K00219008U09016011	21K 900x0800, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 900x800	RAL9016	34,021	36,104	1 430,
K00219009009016011	21K 900x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x900	RAL9016	38,273	40,616	1 609,
K00219010009016011	21K 900x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x1000	RAL9016	42,525	45,128	1 788,
K00219010U09016011	21K 900x1000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 900x1000	RAL9016	42,525	45,128	1 788,
K00219011009016011	21K 900x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x1100	RAL9016	46,777	49,64	1 967,
K00219012009016011	21K 900x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x1200	RAL9016	51,029	54,152	2 146,
K00219012U09016011	21K 900x1200, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21KU 900x1200	RAL9016	51,029	54,152	2 146,
K00219013009016011	21K 900x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x1300	RAL9016	55,281	58,664	2 324,
K00219014009016011	21K 900x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x1400	RAL9016	59,533	63,176	2 503,
K00219015009016011	21K 900x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x1500	RAL9016	63,785	67,688	2 682,
K00219016009016011	21K 900x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x1600	RAL9016	68,037	72,2	2 861,
K00219017009016011	21K 900x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x1700	RAL9016	72,289	77,553	3 040,
K00219018009016011	21K 900x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x1800	RAL9016	76,541	82,115	3 218,
K00219019009016011	21K 900x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x1900	RAL9016	80,793	86,677	3 397,
K00219020009016011	21K 900x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x2000	RAL9016	85,045	91,239	3 576,
K00219021009016011	21K 900x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x2100	RAL9016	89,297	95,801	3 755,
K00219022009016011	21K 900x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x2200	RAL9016	93,549	100,363	3 934,
K00219023009016011	21K 900x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x2300	RAL9016	97,801	104,925	4 112,
K00219024009016011	21K 900x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x2400	RAL9016	102,053	109,487	4 291,
K00219025009016011	21K 900x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x2500	RAL9016	106,305	114,049	4 470,
K00219026009016011	21K 900x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x2600	RAL9016	110,557	118,944	4 649,
K00219027009016011	21K 900x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x2700	RAL9016	114,809	123,519	4 828,
K00219028009016011	21K 900x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x2800	RAL9016	119,061	128,094	5 006,
K00219029009016011	21K 900x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x2900	RAL9016	123,313	132,669	5 185,
K00219030009016011	21K 900x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x3000	RAL9016	127,565	137,244	5 364,
K00223004009016011	22K 300x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x400	RAL9016	7,2	8,384	393,
K00223005009016011	22K 300x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x500	RAL9016	9,	10,142	492,

K00223005U09016011	22K 300x0500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 300x500	RAL9016	9,	10,142	492,
K00223006009016011	22K 300x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x600	RAL9016	10,8	11,961	590,
K00223007009016011	22K 300x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x700	RAL9016	12,6	13,78	688,
K00223008009016011	22K 300x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x800	RAL9016	14,4	15,6	786,
K00223009009016011	22K 300x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x900	RAL9016	16,2	17,419	885,
K00223010009016011	22K 300x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x1000	RAL9016	18,	19,239	983,
K00223011009016011	22K 300x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x1100	RAL9016	19,8	21,058	1 081,
K00223012009016011	22K 300x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x1200	RAL9016	21,6	22,878	1 180,
K00223012U09016011	22K 300x1200, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 300x1200	RAL9016	21,6	22,878	1 180,
K00223013009016011	22K 300x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x1300	RAL9016	23,4	24,697	1 278,
K00223014009016011	22K 300x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x1400	RAL9016	25,2	26,516	1 376,
K00223014U09016011	22K 300x1400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 300x1400	RAL9016	25,2	26,516	1 376,
K00223015009016011	22K 300x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x1500	RAL9016	27,	28,336	1 475,
K00223016009016011	22K 300x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x1600	RAL9016	28,8	30,155	1 573,
K00223017009016011	22K 300x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x1700	RAL9016	30,6	32,093	1 671,
K00223018009016011	22K 300x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x1800	RAL9016	32,4	33,913	1 769,
K00223018U09016011	22K 300x1800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 300x1800	RAL9016	32,4	33,913	1 769,
K00223019009016011	22K 300x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x1900	RAL9016	34,2	35,732	1 868,
K00223020009016011	22K 300x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x2000	RAL9016	36,	37,552	1 966,
K00223020U09016011	22K 300x2000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 300x2000	RAL9016	36,	37,552	1 966,
K00223021009016011	22K 300x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x2100	RAL9016	37,8	39,371	2 064,
K00223022009016011	22K 300x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x2200	RAL9016	39,6	41,191	2 163,
K00223023009016011	22K 300x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x2300	RAL9016	41,4	43,01	2 261,
K00223024009016011	22K 300x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x2400	RAL9016	43,2	44,829	2 359,
K00223025009016011	22K 300x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x2500	RAL9016	45,	46,649	2 458,
K00223026009016011	22K 300x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x2600	RAL9016	46,8	48,865	2 556,
K00223026U09016011	22K 300x2600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 300x2600	RAL9016	46,8	48,865	2 556,
K00223027009016011	22K 300x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x2700	RAL9016	48,6	50,685	2 654,
K00223028009016011	22K 300x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x2800	RAL9016	50,4	52,504	2 752,
K00223029009016011	22K 300x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x2900	RAL9016	52,2	54,323	2 851,
K00223030009016011	22K 300x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x3000	RAL9016	54,	56,143	2 949,
K00224004009016011	22K 400x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x400	RAL9016	9,6	10,793	493,
K00224005009016011	22K 400x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x500	RAL9016	12,	13,151	617,
K00224006009016011	22K 400x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x600	RAL9016	14,4	15,571	740,
K00224007009016011	22K 400x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x700	RAL9016	16,8	17,992	863,
K00224008009016011	22K 400x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x800	RAL9016	19,2	20,412	986,
K00224009009016011	22K 400x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x900	RAL9016	21,6	22,832	1 110,
K00224010009016011	22K 400x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x1000	RAL9016	24,	25,252	1 233,
K00224011009016011	22K 400x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x1100	RAL9016	26,4	27,672	1 356,
K00224012009016011	22K 400x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x1200	RAL9016	28,8	30,092	1 480,
K00224013009016011	22K 400x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x1300	RAL9016	31,2	32,513	1 603,
K00224014009016011	22K 400x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x1400	RAL9016	33,6	34,933	1 726,
K00224015009016011	22K 400x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x1500	RAL9016	36,	37,353	1 850,
K00224016009016011	22K 400x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x1600	RAL9016	38,4	39,773	1 973,
K00224017009016011	22K 400x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x1700	RAL9016	40,8	42,314	2 096,
K00224018009016011	22K 400x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x1800	RAL9016	43,2	44,734	2 219,
K00224019009016011	22K 400x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x1900	RAL9016	45,6	47,154	2 343,
K00224019U09016011	22K 400x1900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 400x1900	RAL9016	45,6	47,154	2 343,
K00224020009016011	22K 400x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x2000	RAL9016	48,	49,574	2 466,
K00224021009016011	22K 400x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x2100	RAL9016	50,4	51,995	2 589,
K00224022009016011	22K 400x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x2200	RAL9016	52,8	54,415	2 713,
K00224023009016011	22K 400x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x2300	RAL9016	55,2	56,835	2 836,
K00224024009016011	22K 400x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x2400	RAL9016	57,6	59,255	2 959,
K00224025009016011	22K 400x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x2500	RAL9016	60,	61,675	3 083,
K00224026009016011	22K 400x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x2600	RAL9016	62,4	64,494	3 206,
K00224027009016011	22K 400x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x2700	RAL9016	64,8	66,914	3 329,
K00224028009016011	22K 400x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x2800	RAL9016	67,2	69,334	3 452,
K00224029009016011	22K 400x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x2900	RAL9016	69,6	71,755	3 576,
K00224030009016011	22K 400x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x3000	RAL9016	72,	74,175	3 699,
K00225004009016011	22K 500x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x400	RAL9016	10,515	11,717	588,
K00225004U09016011	22K 500x0400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 500x400	RAL9016	10,515	11,717	588,
K00225005009016011	22K 500x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x500	RAL9016	13,142	14,303	735,
K00225006009016011	22K 500x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x600	RAL9016	15,77	16,952	882,
K00225006U09016011	22K 500x0600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 500x600	RAL9016	15,77	16,952	882,
K00225007009016011	22K 500x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x700	RAL9016	18,397	19,6	1 029,
K00225007U09016011	22K 500x0700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 500x700	RAL9016	18,397	19,6	1 029,
K00225008009016011	22K 500x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x800	RAL9016	21,025	22,249	1 176,
K00225009009016011	22K 500x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x900	RAL9016	23,652	24,897	1 323,
K00225009U09016011	22K 500x0900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 500x900	RAL9016	23,652	24,897	1 323,
K00225010009016011	22K 500x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x1000	RAL9016	26,28	27,545	1 470,
K00225010U09016011	22K 500x1000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 500x1000	RAL9016	26,28	27,545	1 470,
K00225011009016011	22K 500x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x1100	RAL9016	28,908	30,194	1 617,

K00225012009016011	22K 500x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x1200	RAL9016	31,535	32,842	1 764,
K00225012U09016011	22K 500x1200, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 500x1200	RAL9016	31,535	32,842	1 764,
K00225013009016011	22K 500x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x1300	RAL9016	34,163	35,491	1 911,
K00225014009016011	22K 500x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x1400	RAL9016	36,79	38,139	2 058,
K00225014U09016011	22K 500x1400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 500x1400	RAL9016	36,79	38,139	2 058,
K00225015009016011	22K 500x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x1500	RAL9016	39,418	40,788	2 205,
K00225016009016011	22K 500x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x1600	RAL9016	42,045	43,436	2 352,
K00225016U09016011	22K 500x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 500x1600	RAL9016	42,045	43,436	2 352,
K00225017009016011	22K 500x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x1700	RAL9016	44,673	46,207	2 499,
K00225018009016011	22K 500x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x1800	RAL9016	47,3	48,855	2 646,
K00225018U09016011	22K 500x1800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 500x1800	RAL9016	47,3	48,855	2 646,
K00225019009016011	22K 500x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x1900	RAL9016	49,928	51,504	2 793,
K00225020009016011	22K 500x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x2000	RAL9016	52,555	54,152	2 940,
K00225020U09016011	22K 500x2000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 500x2000	RAL9016	52,555	54,152	2 940,
K00225021009016011	22K 500x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x2100	RAL9016	55,183	56,801	3 087,
K00225022009016011	22K 500x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x2200	RAL9016	57,81	59,449	3 234,
K00225023009016011	22K 500x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x2300	RAL9016	60,438	62,098	3 381,
K00225024009016011	22K 500x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x2400	RAL9016	63,065	64,746	3 528,
K00225025009016011	22K 500x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x2500	RAL9016	65,693	67,395	3 675,
K00225026009016011	22K 500x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x2600	RAL9016	68,32	70,443	3 822,
K00225026U09016011	22K 500x2600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 500x2600	RAL9016	68,32	70,443	3 822,
K00225027009016011	22K 500x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x2700	RAL9016	70,948	73,092	3 969,
K00225028009016011	22K 500x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x2800	RAL9016	73,575	75,74	4 116,
K00225029009016011	22K 500x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x2900	RAL9016	76,203	78,389	4 263,
K00225030009016011	22K 500x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x3000	RAL9016	78,83	81,037	4 410,
K00225504009016011	22K 550x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 550x400	RAL9016	12,132	13,341	638,
K00225505009016011	22K 550x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 550x500	RAL9016	15,165	16,334	797,
K00225506009016011	22K 550x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 550x600	RAL9016	18,199	19,389	956,
K00225507009016011	22K 550x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 550x700	RAL9016	21,232	22,444	1 116,
K00225508009016011	22K 550x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 550x800	RAL9016	24,265	25,499	1 275,
K00225509009016011	22K 550x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 550x900	RAL9016	27,298	28,553	1 435,
K00225510009016011	22K 550x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 550x1000	RAL9016	30,331	31,608	1 594,
K00225511009016011	22K 550x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 550x1100	RAL9016	33,364	34,663	1 753,
K00225512009016011	22K 550x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 550x1200	RAL9016	36,397	37,717	1 913,
K00225514009016011	22K 550x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 550x1400	RAL9016	42,464	43,828	2 232,
K00225515009016011	22K 550x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 550x1500	RAL9016	45,497	46,883	2 391,
K00225516009016011	22K 550x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 550x1600	RAL9016	48,53	49,937	2 550,
K00225518009016011	22K 550x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 550x1800	RAL9016	54,596	56,17	2 869,
K00225520009016011	22K 550x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	22K 550x2000	RAL9016	60,663	62,28	3 188,
K00225522009016011	22K 550x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 550x2200	RAL9016	66,729	68,39	3 507,
K00225524009016011	22K 550x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 550x2400	RAL9016	72,795	74,499	3 826,
K00225526009016011	22K 550x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 550x2600	RAL9016	78,862	81,011	4 144,
K00225528009016011	22K 550x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 550x2800	RAL9016	84,928	87,12	4 463,
K00225530009016011	22K 550x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 550x3000	RAL9016	90,994	93,229	4 782,
K00226004009016011	22K 600x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x400	RAL9016	12,614	13,825	679,
K00226004U09016011	22K 600x0400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 600x400	RAL9016	12,614	13,825	679,
K00226005009016011	22K 600x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x500	RAL9016	15,768	16,938	849,
K00226005U09016011	22K 600x0500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 600x500	RAL9016	15,768	16,938	849,
K00226006003015011	22K 600x0600, Kr, 1.0 MPa, t:1, RAL3015, ZD	22K 600x600	RAL3015	18,922	20,114	1 019,
K00226006009016011	22K 600x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x600	RAL9016	18,922	20,114	1 019,
K00226006U09016011	22K 600x0600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 600x600	RAL9016	18,922	20,114	1 019,
K00226007009016011	22K 600x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x700	RAL9016	22,075	23,289	1 189,
K00226007U09016011	22K 600x0700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 600x700	RAL9016	22,075	23,289	1 189,
K00226008009016011	22K 600x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x800	RAL9016	25,229	26,464	1 358,
K00226008U09016011	22KU 600x0800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 600x800	RAL9016	25,229	26,464	1 358,
K00226009009016011	22K 600x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x900	RAL9016	28,382	29,639	1 528,
K00226009U09016011	22K 600x0900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 600x900	RAL9016	28,382	29,639	1 528,
K00226010007001011	22K 600x1000, Kr, 1.0 MPa, t:1, RAL7001, ZD	22K 600x1000	RAL7001	31,536	32,815	1 698,
K00226010009016011	22K 600x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x1000	RAL9016	31,536	32,815	1 698,
K00226010U09016011	22K 600x1000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 600x1000	RAL9016	31,536	32,815	1 698,
K00226011009016011	22K 600x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x1100	RAL9016	34,69	35,991	1 868,
K00226011U09016011	22K 600x1100, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 600x1100	RAL9016	34,69	35,991	1 868,
K00226012009016011	22K 600x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x1200	RAL9016	37,843	39,165	2 038,
K00226012U09016011	22K 600x1200, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 600x1200	RAL9016	37,843	39,165	2 038,
K00226013009016011	22K 600x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x1300	RAL9016	40,997	42,341	2 207,
K00226014007001011	22K 600x1400, Kr, 1.0 MPa, t:1, RAL7001, ZD	22K 600x1400	RAL7001	44,15	45,515	2 377,
K00226014009016011	22K 600x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x1400	RAL9016	44,15	45,515	2 377,
K00226014U09016011	22K 600x1400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 600x1400	RAL9016	44,15	45,515	2 377,
K00226015009016011	22K 600x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x1500	RAL9016	47,304	48,691	2 547,
K00226015U09016011	22K 600x1500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 600x1500	RAL9016	47,304	48,691	2 547,
K00226016009016011	22K 600x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x1600	RAL9016	50,458	51,866	2 717,
K00226016U09016011	22K 600x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 600x1600	RAL9016	50,458	51,866	2 717,

K00226017009016011	22K 600x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x1700	RAL9016	53,611	55,166	2 887,
K00226018009016011	22K 600x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x1800	RAL9016	56,765	58,342	3 056,
K00226019009016011	22K 600x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x1900	RAL9016	59,918	61,516	3 226,
K00226020009016011	22K 600x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x2000	RAL9016	63,072	64,692	3 396,
K00226021009016011	22K 600x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x2100	RAL9016	66,226	67,868	3 566,
K00226022009016011	22K 600x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x2200	RAL9016	69,379	71,042	3 736,
K00226023009016011	22K 600x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x2300	RAL9016	72,533	74,218	3 905,
K00226024009016011	22K 600x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x2400	RAL9016	75,686	77,393	4 075,
K00226025009016011	22K 600x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x2500	RAL9016	78,84	80,568	4 245,
K00226026009016011	22K 600x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x2600	RAL9016	81,994	84,146	4 415,
K00226027009016011	22K 600x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x2700	RAL9016	85,147	87,321	4 585,
K00226028009016011	22K 600x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x2800	RAL9016	88,301	90,497	4 754,
K00226029009016011	22K 600x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x2900	RAL9016	91,454	93,671	4 924,
K00226030009016011	22K 600x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x3000	RAL9016	94,608	96,847	5 094,
K00229004009016011	22K 900x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x400	RAL9016	19,713	21,27	939,
K00229004U09016011	22K 900x0400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 900x400	RAL9016	19,713	21,27	939,
K00229005009016011	22K 900x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x500	RAL9016	24,64	25,836	1 174,
K00229005U09016011	22K 900x0500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 900x500	RAL9016	24,64	25,836	1 174,
K00229006009016011	22K 900x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x600	RAL9016	29,567	30,786	1 409,
K00229006U09016011	22K 900x0600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 900x600	RAL9016	29,567	30,786	1 409,
K00229007009016011	22K 900x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x700	RAL9016	34,494	35,737	1 644,
K00229008009016011	22K 900x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x800	RAL9016	39,421	40,687	1 878,
K00229008U09016011	22K 900x0800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 900x800	RAL9016	39,421	40,687	1 878,
K00229009009016011	22K 900x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x900	RAL9016	44,348	45,638	2 113,
K00229010009016011	22K 900x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x1000	RAL9016	49,275	50,589	2 348,
K00229010U09016011	22K 900x1000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 900x1000	RAL9016	49,275	50,589	2 348,
K00229011009016011	22K 900x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x1100	RAL9016	54,202	55,539	2 583,
K00229012009016011	22K 900x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x1200	RAL9016	59,129	60,49	2 818,
K00229013009016011	22K 900x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x1300	RAL9016	64,056	65,44	3 052,
K00229014009016011	22K 900x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x1400	RAL9016	68,983	70,391	3 287,
K00229014U09016011	22K 900x1400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 900x1400	RAL9016	68,983	70,391	3 287,
K00229015009016011	22K 900x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x1500	RAL9016	73,91	75,342	3 522,
K00229016009016011	22K 900x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x1600	RAL9016	78,837	80,292	3 757,
K00229016U09016011	22K 900x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 900x1600	RAL9016	78,837	80,292	3 757,
K00229017009016011	22K 900x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x1700	RAL9016	83,764	85,372	3 992,
K00229018009016011	22K 900x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x1800	RAL9016	88,691	90,323	4 226,
K00229018U09016011	22K 900x1800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22KU 900x1800	RAL9016	88,691	90,323	4 226,
K00229019009016011	22K 900x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x1900	RAL9016	93,618	95,273	4 461,
K00229020009016011	22K 900x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x2000	RAL9016	98,545	100,224	4 696,
K00229021009016011	22K 900x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x2100	RAL9016	103,472	105,175	4 931,
K00229022009016011	22K 900x2200 Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x2200	RAL9016	108,399	110,125	5 166,
K00229023009016011	22K 900x2300 Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x2300	RAL9016	113,326	115,076	5 400,
K00229024009016011	22K 900x2400 Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x2400	RAL9016	118,253	120,026	5 635,
K00229025009016011	22K 900x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x2500	RAL9016	123,18	124,977	5 870,
K00229026009016011	22K 900x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x2600	RAL9016	128,107	130,335	6 105,
K00229027009016011	22K 900x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x2700	RAL9016	133,034	135,285	6 340,
K00229028009016011	22K 900x2800 Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x2800	RAL9016	137,961	140,236	6 574,
K00229029009016011	22K 900x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x2900	RAL9016	142,888	145,187	6 809,
K00229030009016011	22K 900x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x3000	RAL9016	147,815	150,137	7 044,
K002H3004009016011	20K 300x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 300x400	RAL9016	5,06	5,5	245,
K002H3005009016011	20K 300x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 300x500	RAL9016	6,325	6,885	306,
K002H3006009016011	20K 300x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 300x600	RAL9016	7,59	8,263	367,
K002H3007009016011	20K 300x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 300x700	RAL9016	8,855	9,641	428,
K002H3008009016011	20K 300x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 300x800	RAL9016	10,12	11,019	490,
K002H3009009016011	20K 300x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 300x900	RAL9016	11,385	12,397	551,
K002H3010009016011	20K 300x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 300x1000	RAL9016	12,65	13,775	612,
K002H3011009016011	20K 300x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 300x1100	RAL9016	13,915	15,153	673,
K002H3012009016011	20K 300x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 300x1200	RAL9016	15,18	16,531	734,
K002H3013009016011	20K 300x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 300x1300	RAL9016	16,445	17,909	796,
K002H3014009016011	20K 300x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 300x1400	RAL9016	17,71	19,287	857,
K002H3015009016011	20K 300x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 300x1500	RAL9016	18,975	20,665	918,
K002H3016009016011	20K 300x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 300x1600	RAL9016	20,24	22,043	979,
K002H3017009016011	20K 300x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 300x1700	RAL9016	21,505	22,424	1 040,
K002H3018009016011	20K 300x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 300x1800	RAL9016	22,77	23,743	1 102,
K002H3019009016011	20K 300x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 300x1900	RAL9016	24,035	25,062	1 163,
K002H3020009016011	20K 300x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 300x2000	RAL9016	25,3	26,381	1 224,
K002H3021009016011	20K 300x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 300x2100	RAL9016	26,565	27,7	1 285,
K002H3022009016011	20K 300x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 300x2200	RAL9016	27,83	29,019	1 346,
K002H3023009016011	20K 300x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 300x2300	RAL9016	29,095	30,338	1 408,
K002H3024009016011	20K 300x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 300x2400	RAL9016	30,36	31,657	1 469,
K002H3025009016011	20K 300x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 300x2500	RAL9016	31,625	32,976	1 530,
K002H3026009016011	20K 300x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 300x2600	RAL9016	32,89	36,583	1 591,

K002H3027009016011	20K 300x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 300x2700	RAL9016	34,155	37,99	1 652,
K002H3028009016011	20K 300x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 300x2800	RAL9016	35,42	39,397	1 714,
K002H3029009016011	20K 300x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 300x2900	RAL9016	36,685	40,804	1 775,
K002H3030009016011	20K 300x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 300x3000	RAL9016	37,95	42,211	1 836,
K002H4004009016011	20K 400x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 400x400	RAL9016	6,748	7,35	308,
K002H4005009016011	20K 400x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 400x500	RAL9016	8,435	9,187	385,
K002H4006009016011	20K 400x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 400x600	RAL9016	10,122	11,023	461,
K002H4007009016011	20K 400x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 400x700	RAL9016	11,809	12,859	538,
K002H4008009016011	20K 400x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 400x800	RAL9016	13,496	14,695	615,
K002H4009009016011	20K 400x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 400x900	RAL9016	15,183	16,531	692,
K002H4010009016011	20K 400x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 400x1000	RAL9016	16,87	18,367	769,
K002H4011009016011	20K 400x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 400x1100	RAL9016	18,557	20,203	846,
K002H4012009016011	20K 400x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 400x1200	RAL9016	20,244	22,039	923,
K002H4013009016011	20K 400x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 400x1300	RAL9016	21,931	23,875	1 000,
K002H4014009016011	20K 400x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 400x1400	RAL9016	23,618	25,711	1 077,
K002H4015009016011	20K 400x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 400x1500	RAL9016	25,305	27,547	1 154,
K002H4016009016011	20K 400x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 400x1600	RAL9016	26,992	29,383	1 230,
K002H4017009016011	20K 400x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 400x1700	RAL9016	28,679	29,899	1 307,
K002H4018009016011	20K 400x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 400x1800	RAL9016	30,366	31,657	1 384,
K002H4019009016011	20K 400x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 400x1900	RAL9016	32,053	33,415	1 461,
K002H4020009016011	20K 400x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 400x2000	RAL9016	33,74	35,173	1 538,
K002H4021009016011	20K 400x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 400x2100	RAL9016	35,427	36,931	1 615,
K002H4022009016011	20K 400x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 400x2200	RAL9016	37,114	38,689	1 692,
K002H4023009016011	20K 400x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 400x2300	RAL9016	38,801	40,447	1 769,
K002H4024009016011	20K 400x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 400x2400	RAL9016	40,488	42,205	1 846,
K002H4025009016011	20K 400x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 400x2500	RAL9016	42,175	43,963	1 923,
K002H4026009016011	20K 400x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 400x2600	RAL9016	43,862	48,777	1 999,
K002H4027009016011	20K 400x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 400x2700	RAL9016	45,549	50,653	2 076,
K002H4028009016011	20K 400x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 400x2800	RAL9016	47,236	52,529	2 153,
K002H4029009016011	20K 400x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 400x2900	RAL9016	48,923	54,405	2 230,
K002H4030009016011	20K 400x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 400x3000	RAL9016	50,61	56,281	2 307,
K002H5004009016011	20K 500x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 500x400	RAL9016	8,095	8,815	368,
K002H5005009016011	20K 500x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 500x500	RAL9016	10,118	11,019	460,
K002H5006009016011	20K 500x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 500x600	RAL9016	12,142	13,223	552,
K002H5007009016011	20K 500x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 500x700	RAL9016	14,166	15,427	644,
K002H5008009016011	20K 500x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 500x800	RAL9016	16,189	17,631	736,
K002H5009009016011	20K 500x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 500x900	RAL9016	18,213	19,836	828,
K002H5010009016011	20K 500x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 500x1000	RAL9016	20,237	22,04	920,
K002H5011009016011	20K 500x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 500x1100	RAL9016	22,26	24,244	1 012,
K002H5012009016011	20K 500x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 500x1200	RAL9016	24,284	26,448	1 104,
K002H5013009016011	20K 500x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 500x1300	RAL9016	26,308	28,652	1 196,
K002H5014009016011	20K 500x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 500x1400	RAL9016	28,332	30,856	1 288,
K002H5015009016011	20K 500x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 500x1500	RAL9016	30,355	33,06	1 380,
K002H5016009016011	20K 500x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 500x1600	RAL9016	32,379	35,265	1 472,
K002H5017009016011	20K 500x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 500x1700	RAL9016	34,403	35,878	1 564,
K002H5018009016011	20K 500x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 500x1800	RAL9016	36,426	37,989	1 656,
K002H5019009016011	20K 500x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 500x1900	RAL9016	38,45	40,1	1 748,
K002H5020009016011	20K 500x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 500x2000	RAL9016	40,474	42,211	1 840,
K002H5021009016011	20K 500x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 500x2100	RAL9016	42,497	44,322	1 932,
K002H5022009016011	20K 500x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 500x2200	RAL9016	44,521	46,433	2 024,
K002H5023009016011	20K 500x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 500x2300	RAL9016	46,545	48,544	2 116,
K002H5024009016011	20K 500x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 500x2400	RAL9016	48,568	50,655	2 208,
K002H5025009016011	20K 500x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 500x2500	RAL9016	50,592	52,766	2 300,
K002H5026009016011	20K 500x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 500x2600	RAL9016	52,616	58,532	2 392,
K002H5027009016011	20K 500x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 500x2700	RAL9016	54,639	60,783	2 484,
K002H5028009016011	20K 500x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 500x2800	RAL9016	56,663	63,035	2 576,
K002H5029009016011	20K 500x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 500x2900	RAL9016	58,687	65,286	2 668,
K002H5030009016011	20K 500x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 500x3000	RAL9016	60,71	67,537	2 760,
K002H5504009016011	20K 550x400, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 550x400,	RAL9016	9,344	10,175	400,
K002H5505009016011	20K 550x500, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 550x500,	RAL9016	11,68	11,68	501,
K002H5506009016011	20K 550x600, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 550x600,	RAL9016	14,016	15,262	601,
K002H5507009016011	20K 550x700, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 550x700,	RAL9016	16,352	17,774	701,
K002H5508009016011	20K 550x800, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 550x800,	RAL9016	18,688	20,35	801,
K002H5509009016011	20K 550x900, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 550x900,	RAL9016	21,024	22,894	901,
K002H5510009016011	20K 550x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 550x1000	RAL9016	23,36	25,437	1 001,
K002H5512009016011	20K 550x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 550x1200	RAL9016	28,03	30,525	1 201,
K002H5514009016011	20K 550x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 550x1400	RAL9016	32,704	35,613	1 401,
K002H5516009016011	20K 550x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 550x1600	RAL9016	37,376	40,7	1 602,
K002H5518009016011	20K 550x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 550x1800	RAL9016	42,048	43,845	1 802,
K002H5520009016011	20K 550x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 550x2000	RAL9016	46,72	48,717	2 002,
K002H6004009016011	20K 600x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 600x400	RAL9016	9,715	10,579	427,
K002H6005009016011	20K 600x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 600x500	RAL9016	12,144	13,224	534,

K002H6006009016011	20K 600x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 600x600	RAL9016	14,573	15,869	641,
K002H6007009016011	20K 600x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 600x700	RAL9016	17,002	18,514	748,
K002H6008009016011	20K 600x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 600x800	RAL9016	19,43	21,158	854,
K002H6009009016011	20K 600x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 600x900	RAL9016	21,859	23,803	961,
K002H6010009016011	20K 600x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 600x1000	RAL9016	24,288	26,448	1 068,
K002H6011009016011	20K 600x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 600x1100	RAL9016	26,717	29,093	1 175,
K002H6012009016011	20K 600x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 600x1200	RAL9016	29,146	31,738	1 282,
K002H6013009016011	20K 600x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 600x1300	RAL9016	31,574	34,382	1 388,
K002H6014009016011	20K 600x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 600x1400	RAL9016	34,003	37,027	1 495,
K002H6015009016011	20K 600x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 600x1500	RAL9016	36,432	39,672	1 602,
K002H6016009016011	20K 600x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 600x1600	RAL9016	38,861	42,317	1 709,
K002H6017009016011	20K 600x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 600x1700	RAL9016	41,29	43,054	1 816,
K002H6018009016011	20K 600x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 600x1800	RAL9016	43,718	45,587	1 922,
K002H6019009016011	20K 600x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 600x1900	RAL9016	46,147	48,119	2 029,
K002H6020009016011	20K 600x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 600x2000	RAL9016	48,576	50,652	2 136,
K002H6021009016011	20K 600x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 600x2100	RAL9016	51,005	53,184	2 243,
K002H6022009016011	20K 600x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 600x2200	RAL9016	53,434	55,716	2 350,
K002H6023009016011	20K 600x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 600x2300	RAL9016	55,862	58,249	2 456,
K002H6024009016011	20K 600x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 600x2400	RAL9016	58,291	60,781	2 563,
K002H6025009016011	20K 600x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 600x2500	RAL9016	60,72	63,314	2 670,
K002H6026000000011	20KW 600x2600, bez Kr, 1.0 MPa, t:1, RAL0000, ZD, široky, hyg.	20KW 600x2600	RAL0000	63,149	70,239	2 777,
K002H6026009016011	20K 600x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 600x2600	RAL9016	63,149	70,239	2 777,
K002H6027009016011	20K 600x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 600x2700	RAL9016	65,578	72,941	2 884,
K002H6028009016011	20K 600x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 600x2800	RAL9016	68,006	75,642	2 990,
K002H6029009016011	20K 600x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 600x2900	RAL9016	70,435	78,344	3 097,
K002H6030009016011	20K 600x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 600x3000	RAL9016	72,864	81,045	3 204,
K002H9004009016011	20K 900x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 900x400	RAL9016	15,18	16,527	600,
K002H9005009016011	20K 900x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 900x500	RAL9016	18,975	20,66	750,
K002H9006009016011	20K 900x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 900x600	RAL9016	22,77	24,793	900,
K002H9007009016011	20K 900x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 900x700	RAL9016	26,565	28,926	1 050,
K002H9008009016011	20K 900x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 900x800	RAL9016	30,36	33,059	1 200,
K002H9009009016011	20K 900x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 900x900	RAL9016	34,155	37,192	1 350,
K002H9010009016011	20K 900x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 900x1000	RAL9016	37,95	41,325	1 500,
K002H9011009016011	20K 900x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 900x1100	RAL9016	41,745	45,458	1 650,
K002H9012009016011	20K 900x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 900x1200	RAL9016	45,54	49,591	1 800,
K002H9014009016011	20K 900x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 900x1400	RAL9016	53,13	57,857	2 100,
K002H9016009016011	20K 900x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 900x1600	RAL9016	60,72	66,123	2 400,
K002H9018009016011	20K 900x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 900x1800	RAL9016	68,31	71,229	2 700,
K00303004009016011	30K 300x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x400	RAL9016	8,24	8,82	331,
K00303005009016011	30K 300x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x500	RAL9016	10,3	11,025	414,
K00303006009016011	30K 300x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x600	RAL9016	12,36	13,231	497,
K00303007009016011	30K 300x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x700	RAL9016	14,42	15,437	580,
K00303008009016011	30K 300x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x800	RAL9016	16,48	17,643	662,
K00303008U09016011	30K 300x0800, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30KU 300x800	RAL9016	16,48	17,643	662,
K00303009009016011	30K 300x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x900	RAL9016	18,54	19,849	745,
K00303010009016011	30K 300x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x1000	RAL9016	20,6	22,055	828,
K00303011009016011	30K 300x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x1100	RAL9016	22,66	24,261	911,
K00303011U09016011	30K 300x1100, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30KU 300x1100	RAL9016	22,66	24,261	911,
K00303012009016011	30K 300x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x1200	RAL9016	24,72	26,467	994,
K00303013009016011	30K 300x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x1300	RAL9016	26,78	28,673	1 076,
K00303014009016011	30K 300x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x1400	RAL9016	28,84	30,879	1 159,
K00303015009016011	30K 300x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x1500	RAL9016	30,9	33,085	1 242,
K00303016009016011	30K 300x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x1600	RAL9016	32,96	35,291	1 325,
K00303016U09016011	30K 300x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30KU 300x1600	RAL9016	32,96	35,291	1 325,
K00303017009016011	30K 300x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x1700	RAL9016	35,02	37,497	1 408,
K00303018009016011	30K 300x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x1800	RAL9016	37,08	39,703	1 490,
K00303019009016011	30K 300x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x1900	RAL9016	39,14	41,909	1 573,
K00303020009016011	30K 300x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x2000	RAL9016	41,2	44,115	1 656,
K00303021009016011	30K 300x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x2100	RAL9016	43,26	46,321	1 739,
K00303022009016011	30K 300x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x2200	RAL9016	45,32	48,527	1 822,
K00303023009016011	30K 300x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x2300	RAL9016	47,38	50,733	1 904,
K00303024009016011	30K 300x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x2400	RAL9016	49,44	52,939	1 987,
K00303025009016011	30K 300x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x2500	RAL9016	51,5	55,145	2 070,
K00303026009016011	30K 300x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x2600	RAL9016	53,56	57,351	2 153,
K00303027009016011	30K 300x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x2700	RAL9016	55,62	59,557	2 236,
K00303028009016011	30K 300x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x2800	RAL9016	57,68	61,763	2 318,
K00303029009016011	30K 300x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x2900	RAL9016	59,74	63,969	2 401,
K00303030009016011	30K 300x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x3000	RAL9016	61,8	66,175	2 484,
K00304004009016011	30K 400x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x400	RAL9016	10,64	11,538	418,
K00304005009016011	30K 400x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x500	RAL9016	13,3	14,422	523,
K00304006009016011	30K 400x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x600	RAL9016	15,96	17,307	627,
K00304007009016011	30K 400x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x700	RAL9016	18,62	20,192	732,

K00304008009016011	30K 400x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x800	RAL9016	21,28	23,077	836,
K00304009009016011	30K 400x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x900	RAL9016	23,94	25,962	941,
K00304010009016011	30K 400x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x1000	RAL9016	26,6	28,847	1 045,
K00304011009016011	30K 400x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x1100	RAL9016	29,26	31,732	1 150,
K00304012009016011	30K 400x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x1200	RAL9016	31,92	34,617	1 254,
K00304013009016011	30K 400x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x1300	RAL9016	34,58	37,502	1 359,
K00304014009016011	30K 400x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x1400	RAL9016	37,24	40,387	1 463,
K00304015009016011	30K 400x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x1500	RAL9016	39,9	43,272	1 568,
K00304016009016011	30K 400x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x1600	RAL9016	42,56	46,157	1 672,
K00304017009016011	30K 400x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x1700	RAL9016	45,22	49,042	1 777,
K00304018009016011	30K 400x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x1800	RAL9016	47,88	51,927	1 881,
K00304019009016011	30K 400x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x1900	RAL9016	50,54	54,812	1 986,
K00304020009016011	30K 400x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x2000	RAL9016	53,2	57,697	2 090,
K00304021009016011	30K 400x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x2100	RAL9016	55,86	60,582	2 195,
K00304022009016011	30K 400x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x2200	RAL9016	58,52	63,467	2 299,
K00304023009016011	30K 400x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x2300	RAL9016	61,18	66,352	2 404,
K00304024009016011	30K 400x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x2400	RAL9016	63,84	69,237	2 508,
K00304025009016011	30K 400x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x2500	RAL9016	66,5	72,122	2 613,
K00304026009016011	30K 400x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x2600	RAL9016	69,16	75,007	2 717,
K00304027009016011	30K 400x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x2700	RAL9016	71,82	77,892	2 822,
K00304028009016011	30K 400x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x2800	RAL9016	74,48	80,777	2 926,
K00304029009016011	30K 400x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x2900	RAL9016	77,14	83,662	3 031,
K00304030009016011	30K 400x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x3000	RAL9016	79,8	86,547	3 135,
K00305004009016011	30K 500x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x400	RAL9016	12,278	12,739	627,
K00305005009016011	30K 500x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x500	RAL9016	15,648	16,803	627,
K00305006009016011	30K 500x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x600	RAL9016	18,778	20,164	752,
K00305007009016011	30K 500x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x700	RAL9016	21,907	23,525	877,
K00305008009016011	30K 500x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x800	RAL9016	25,037	26,886	1 002,
K00305009009016011	30K 500x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x900	RAL9016	28,166	30,247	1 128,
K00305009U09016011	30K 500x0900, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30KU 500x900	RAL9016	28,166	30,247	1 128,
K00305010009016011	30K 500x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x1000	RAL9016	31,296	33,608	1 253,
K00305011009016011	30K 500x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x1100	RAL9016	34,426	36,969	1 378,
K00305012009016011	30K 500x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x1200	RAL9016	37,555	40,33	1 504,
K00305013009016011	30K 500x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x1300	RAL9016	40,685	43,691	1 629,
K00305014009016011	30K 500x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x1400	RAL9016	43,814	47,052	1 754,
K00305014U09016011	30K 500x1400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30KU 500x1400	RAL9016	43,814	47,052	1 754,
K00305015009016011	30K 500x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x1500	RAL9016	46,944	50,412	1 880,
K00305016009016011	30K 500x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x1600	RAL9016	50,074	53,773	2 005,
K00305016U09016011	30KU 500x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30KU 500x1600	RAL9016	50,074	53,773	2 005,
K00305017009016011	30K 500x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x1700	RAL9016	53,203	58,252	2 130,
K00305018009016011	30K 500x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x1800	RAL9016	56,333	61,679	2 255,
K00305019009016011	30K 500x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x1900	RAL9016	59,462	65,106	2 381,
K00305020009016011	30K 500x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x2000	RAL9016	62,592	68,533	2 506,
K00305021009016011	30K 500x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x2100	RAL9016	65,722	71,961	2 631,
K00305022009016011	30K 500x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x2200	RAL9016	68,851	75,388	2 757,
K00305023009016011	30K 500x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x2300	RAL9016	71,981	78,815	2 882,
K00305024009016011	30K 500x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x2400	RAL9016	75,11	82,242	3 007,
K00305025009016011	30K 500x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x2500	RAL9016	78,24	85,669	3 133,
K00305026009016011	30K 500x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x2600	RAL9016	81,37	89,565	3 258,
K00305027009016011	30K 500x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x2700	RAL9016	84,499	93,01	3 383,
K00305028009016011	30K 500x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x2800	RAL9016	87,629	96,454	3 508,
K00305029009016011	30K 500x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x2900	RAL9016	90,758	99,899	3 634,
K00305030009016011	30K 500x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x3000	RAL9016	93,888	103,343	3 759,
K00305505009016011	30K 550x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 550x500	RAL9016	17,82	19,394	682,
K00305506009016011	30K 550x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 550x600	RAL9016	21,384	23,273	818,
K00305507009016011	30K 550x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 550x700	RAL9016	24,948	27,152	954,
K00305508009016011	30K 550x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 550x800	RAL9016	28,512	31,031	1 090,
K00305509009016011	30K 550x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 550x900	RAL9016	32,076	34,91	1 227,
K00305510009016011	30K 550x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 550x1000	RAL9016	35,64	38,789	1 363,
K00305512009016011	30K 550x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 550x1200	RAL9016	42,768	46,547	1 636,
K00305514009016011	30K 550x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 550x1400	RAL9016	49,897	54,305	1 908,
K00305516009016011	30K 550x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 550x1600	RAL9016	57,025	62,062	2 181,
K00305518009016011	30K 550x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 550x1800	RAL9016	64,153	71,187	2 453,
K00305520009016011	30K 550x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 550x2000	RAL9016	71,281	79,096	2 726,
K00306004009016011	30K 600x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x400	RAL9016	16,479	18,059	582,
K00306005009016011	30K 600x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x500	RAL9016	18,528	20,165	728,
K00306006009016011	30K 600x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x600	RAL9016	22,234	24,198	873,
K00306007009016011	30K 600x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x700	RAL9016	25,939	28,231	1 019,
K00306008009016011	30K 600x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x800	RAL9016	29,645	32,264	1 164,
K00306009009016011	30K 600x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x900	RAL9016	33,35	36,297	1 310,
K00306010009016011	30K 600x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x1000	RAL9016	37,056	40,33	1 455,
K00306011009016011	30K 600x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x1100	RAL9016	40,762	44,363	1 601,

K00306012009016011	30K 600x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x1200	RAL9016	44,467	48,396	1 746,
K00306013009016011	30K 600x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x1300	RAL9016	48,173	52,428	1 892,
K00306014009016011	30K 600x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x1400	RAL9016	51,878	56,461	2 037,
K00306015009016011	30K 600x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x1500	RAL9016	55,584	60,494	2 183,
K00306016009016011	30K 600x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x1600	RAL9016	59,29	64,527	2 328,
K00306016U09016011	30K 600x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30KU 600x1600	RAL9016	59,29	64,527	2 328,
K00306017009016011	30K 600x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x1700	RAL9016	62,995	69,902	2 474,
K00306018009016011	30K 600x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x1800	RAL9016	66,701	74,014	2 619,
K00306019009016011	30K 600x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x1900	RAL9016	70,406	78,126	2 765,
K00306020009016011	30K 600x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x2000	RAL9016	74,112	82,237	2 910,
K00306021009016011	30K 600x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x2100	RAL9016	77,818	86,349	3 056,
K00306022009016011	30K 600x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x2200	RAL9016	81,523	90,461	3 201,
K00306023009016011	30K 600x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x2300	RAL9016	85,229	94,572	3 347,
K00306024009016011	30K 600x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x2400	RAL9016	88,934	98,684	3 492,
K00306025009016011	30K 600x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x2500	RAL9016	92,64	102,796	3 638,
K00306026009016011	30K 600x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x2600	RAL9016	96,346	107,478	3 783,
K00306027009016011	30K 600x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x2700	RAL9016	100,051	111,612	3 929,
K00306028009016011	30K 600x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x2800	RAL9016	103,757	115,745	4 074,
K00306029009016011	30K 600x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x2900	RAL9016	107,462	119,879	4 220,
K00306030009016011	30K 600x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x3000	RAL9016	111,168	124,013	4 365,
K00309004009016011	30K 900x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x400	RAL9016	23,32	26,1	816,
K00309005009016011	30K 900x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x500	RAL9016	28,55	31,505	1 020,
K00309006009016011	30K 900x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x600	RAL9016	34,26	37,807	1 224,
K00309007009016011	30K 900x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x700	RAL9016	39,97	44,109	1 428,
K00309008009016011	30K 900x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x800	RAL9016	45,68	50,411	1 632,
K00309009009016011	30K 900x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x900	RAL9016	51,39	56,713	1 836,
K00309010009016011	30K 900x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x1000	RAL9016	57,1	63,015	2 040,
K00309011009016011	30K 900x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x1100	RAL9016	62,81	69,317	2 244,
K00309012009016011	30K 900x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x1200	RAL9016	68,52	75,619	2 448,
K00309012U09016011	30K 900x1200, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30KU 900x1200	RAL9016	68,52	75,619	2 448,
K00309013009016011	30K 900x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x1300	RAL9016	74,23	81,921	2 652,
K00309014009016011	30K 900x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x1400	RAL9016	79,94	88,223	2 856,
K00309014U09016011	30K 900x1400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30KU 900x1400	RAL9016	79,94	88,223	2 856,
K00309015009016011	30K 900x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x1500	RAL9016	85,65	94,525	3 060,
K00309016009016011	30K 900x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x1600	RAL9016	91,36	100,827	3 264,
K00309017009016011	30K 900x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x1700	RAL9016	97,07	109,223	3 468,
K00309018009016011	30K 900x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x1800	RAL9016	102,78	115,647	3 672,
K00309019009016011	30K 900x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x1900	RAL9016	108,49	122,071	3 876,
K00309020009016011	30K 900x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x2000	RAL9016	114,2	128,495	4 080,
K00309020U09016011	30K 900x2000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30KU 900x2000	RAL9016	114,2	128,495	4 080,
K00309021009016011	30K 900x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x2100	RAL9016	119,91	134,919	4 284,
K00309022009016011	30K 900x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x2200	RAL9016	125,62	141,343	4 488,
K00309023009016011	30K 900x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x2300	RAL9016	131,33	147,767	4 692,
K00309024009016011	30K 900x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x2400	RAL9016	137,04	154,191	4 896,
K00309025009016011	30K 900x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x2500	RAL9016	142,75	160,615	5 100,
K00309026009016011	30K 900x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x2600	RAL9016	148,46	167,934	5 304,
K00309027009016011	30K 900x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x2700	RAL9016	154,17	174,393	5 508,
K00309028009016011	30K 900x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x2800	RAL9016	159,88	180,852	5 712,
K00309029009016011	30K 900x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x2900	RAL9016	165,59	187,311	5 916,
K00309030009016011	30K 900x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x3000	RAL9016	171,3	193,77	6 120,
K00333004009016011	33K 300x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x400	RAL9016	10,72	11,086	555,
K00333004U09016011	33K 300x0400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33KU 300x400	RAL9016	10,72	11,086	555,
K00333005009016011	33K 300x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x500	RAL9016	13,4	13,858	694,
K00333005U09016011	33K 300x0500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33KU 300x500	RAL9016	13,4	13,858	694,
K00333006009016011	33K 300x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x600	RAL9016	16,08	16,63	833,
K00333007009016011	33K 300x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x700	RAL9016	18,76	19,402	972,
K00333008009016011	33K 300x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x800	RAL9016	21,44	22,174	1 110,
K00333009009016011	33K 300x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x900	RAL9016	24,12	24,946	1 249,
K00333010009016011	33K 300x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x1000	RAL9016	26,8	27,718	1 388,
K00333011009016011	33K 300x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x1100	RAL9016	29,48	30,49	1 527,
K00333012009016011	33K 300x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x1200	RAL9016	32,16	33,262	1 666,
K00333013009016011	33K 300x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x1300	RAL9016	34,84	36,034	1 804,
K00333014009016011	33K 300x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x1400	RAL9016	37,52	38,806	1 943,
K00333015009016011	33K 300x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x1500	RAL9016	40,2	41,578	2 082,
K00333016009016011	33K 300x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x1600	RAL9016	42,88	44,35	2 221,
K00333017009016011	33K 300x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x1700	RAL9016	45,56	46,681	2 360,
K00333018009016011	33K 300x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x1800	RAL9016	48,24	49,427	2 498,
K00333019009016011	33K 300x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x1900	RAL9016	50,92	52,173	2 637,
K00333020009016011	33K 300x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x2000	RAL9016	53,6	54,919	2 776,
K00333021009016011	33K 300x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x2100	RAL9016	56,28	57,665	2 915,
K00333022009016011	33K 300x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x2200	RAL9016	58,96	60,411	3 054,
K00333023009016011	33K 300x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x2300	RAL9016	61,64	63,157	3 192,

K00333024009016011	33K 300x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x2400	RAL9016	64,32	65,903	3 331,
K00333024U09016011	33K 300x2400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33KU 300x2400	RAL9016	64,32	65,903	3 331,
K00333025009016011	33K 300x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x2500	RAL9016	67,	68,649	3 470,
K00333025U09016011	33K 300x2500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33KU 300x2500	RAL9016	67,	68,649	3 470,
K00333026009016011	33K 300x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x2600	RAL9016	69,68	71,395	3 609,
K00333027009016011	33K 300x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x2700	RAL9016	72,36	74,141	3 748,
K00333028009016011	33K 300x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x2800	RAL9016	75,04	76,887	3 886,
K00333029009016011	33K 300x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x2900	RAL9016	77,72	79,633	4 025,
K00333030009016011	33K 300x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x3000	RAL9016	80,4	82,379	4 164,
K00334004009016011	33K 400x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x400	RAL9016	14,292	14,783	700,
K00334005009016011	33K 400x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x500	RAL9016	17,865	18,478	876,
K00334005U09016011	33K 400x0500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33KU 400x500	RAL9016	17,865	18,478	876,
K00334006009016011	33K 400x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x600	RAL9016	21,438	22,174	1 051,
K00334006U09016011	33K 400x0600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33KU 400x600	RAL9016	21,438	22,174	1 051,
K00334007009016011	33K 400x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x700	RAL9016	25,011	25,87	1 226,
K00334008009016011	33K 400x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x800	RAL9016	28,584	29,566	1 401,
K00334009009016011	33K 400x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x900	RAL9016	32,157	33,262	1 576,
K00334010009016011	33K 400x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x1000	RAL9016	35,73	36,958	1 751,
K00334011009016011	33K 400x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x1100	RAL9016	39,303	40,654	1 926,
K00334012009016011	33K 400x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x1200	RAL9016	42,876	44,35	2 101,
K00334013009016011	33K 400x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x1300	RAL9016	46,449	48,046	2 276,
K00334014009016011	33K 400x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x1400	RAL9016	50,022	51,742	2 451,
K00334014U09016011	33K 400x1100, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33KU 400x1100	RAL9016	39,303	40,654	1 926,
K00334015009016011	33K 400x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x1500	RAL9016	53,595	55,438	2 627,
K00334016009016011	33K 400x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x1600	RAL9016	57,168	59,134	2 802,
K00334017009016011	33K 400x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x1700	RAL9016	60,741	62,241	2 977,
K00334018009016011	33K 400x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x1800	RAL9016	64,314	65,902	3 152,
K00334018U09016011	33K 400x1800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33KU 400x1800	RAL9016	64,314	65,902	3 152,
K00334019009016011	33K 400x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x1900	RAL9016	67,887	69,563	3 327,
K00334020009016011	33K 400x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x2000	RAL9016	71,46	73,224	3 502,
K00334021009016011	33K 400x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x2100	RAL9016	75,033	76,885	3 677,
K00334022009016011	33K 400x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x2200	RAL9016	78,606	80,546	3 852,
K00334023009016011	33K 400x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x2300	RAL9016	82,179	84,207	4 027,
K00334024009016011	33K 400x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x2400	RAL9016	85,752	87,868	4 202,
K00334025009016011	33K 400x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x2500	RAL9016	89,325	91,529	4 378,
K00334026009016011	33K 400x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x2600	RAL9016	92,898	95,19	4 553,
K00334027009016011	33K 400x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x2700	RAL9016	96,471	98,851	4 728,
K00334028009016011	33K 400x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x2800	RAL9016	100,044	102,512	4 903,
K00334029009016011	33K 400x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x2900	RAL9016	103,617	106,173	5 078,
K00334030009016011	33K 400x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x3000	RAL9016	107,19	109,834	5 253,
K00335004009016011	33K 500x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x400	RAL9016	15,487	16,576	836,
K00335004U09016011	33K 500x0400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33KU 500x400	RAL9016	15,487	16,576	836,
K00335005009016011	33K 500x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x500	RAL9016	19,358	20,722	1 046,
K00335006009016011	33K 500x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x600	RAL9016	23,23	24,867	1 255,
K00335007009016011	33K 500x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x700	RAL9016	27,102	29,012	1 464,
K00335008009016011	33K 500x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x800	RAL9016	30,973	33,157	1 673,
K00335009009016011	33K 500x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x900	RAL9016	34,845	37,303	1 882,
K00335009U09016011	33K 500x0900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33KU 500x900	RAL9016	34,845	37,303	1 882,
K00335010009016011	33K 500x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x1000	RAL9016	38,717	41,448	2 091,
K00335010U09016011	33K 500x1000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33KU 500x1000	RAL9016	38,717	41,448	2 091,
K00335011009016011	33K 500x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x1100	RAL9016	42,588	45,593	2 300,
K00335012009016011	33K 500x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x1200	RAL9016	46,46	49,739	2 509,
K00335013009016011	33K 500x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x1300	RAL9016	50,332	53,884	2 718,
K00335014009016011	33K 500x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x1400	RAL9016	54,204	58,029	2 927,
K00335015009016011	33K 500x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x1500	RAL9016	58,075	62,174	3 137,
K00335016007035011	33K 500x1600, Kr, 1.0 MPa, t:1, RAL7035, ZD	33K 500x1600 RAL	RAL7035	61,947	66,32	3 346,
K00335016009016011	33K 500x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x1600	RAL9016	61,947	66,32	3 346,
K00335017009016011	33K 500x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x1700	RAL9016	65,819	71,554	3 555,
K00335018009016011	33K 500x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x1800	RAL9016	69,69	75,762	3 764,
K00335019009016011	33K 500x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x1900	RAL9016	73,562	79,971	3 973,
K00335020009016011	33K 500x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x2000	RAL9016	77,434	84,18	4 182,
K00335020U09016011	33K 500x2000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33KU 500x2000	RAL9016	77,434	84,18	4 182,
K00335021009016011	33K 500x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x2100	RAL9016	81,305	88,388	4 391,
K00335021U09016011	33K 500x2100, Kr, 0.95 MPa, t:1, RAL9016, bezZD	33KU 500x2100	RAL9016	81,305	88,388	4 391,
K00335022009016011	33K 500x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x2200	RAL9016	85,177	92,597	4 600,
K00335023009016011	33K 500x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x2300	RAL9016	89,049	96,805	4 809,
K00335024009016011	33K 500x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x2400	RAL9016	92,92	101,014	5 018,
K00335025009016011	33K 500x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x2500	RAL9016	96,792	105,223	5 228,
K00335026009016011	33K 500x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x2600	RAL9016	100,664	109,949	5 437,
K00335027009016011	33K 500x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x2700	RAL9016	104,535	114,178	5 646,
K00335028009016011	33K 500x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x2800	RAL9016	108,407	118,406	5 855,
K00335029009016011	33K 500x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x2900	RAL9016	112,279	122,635	6 064,

K00335030009016011	33K 500x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x3000	RAL9016	116,15	126,864	6 273,
K00335504009016011	33K 550x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 550x400	RAL9016	17,875	19,135	906,
K00335505009016011	33K 550x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 550x500	RAL9016	22,344	23,919	1 133,
K00335506009016011	33K 550x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 550x600	RAL9016	26,813	28,702	1 359,
K00335507009016011	33K 550x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 550x700	RAL9016	31,282	33,486	1 586,
K00335508009016011	33K 550x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 550x800	RAL9016	35,751	38,27	1 812,
K00335509009016011	33K 550x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 550x900	RAL9016	40,22	43,054	2 039,
K00335510009016011	33K 550x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 550x1000	RAL9016	44,689	47,838	2 265,
K00335511009016011	33K 550x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 550x1100	RAL9016	49,158	52,621	2 492,
K00335512009016011	33K 550x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 550x1200	RAL9016	53,627	57,405	2 718,
K00335514009016011	33K 550x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 550x1400	RAL9016	62,565	66,973	3 171,
K00335515009016011	33K 550x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 550x1500	RAL9016	67,034	71,756	3 398,
K00335516009016011	33K 550x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 550x1600	RAL9016	71,503	76,54	3 624,
K00335518009016011	33K 550x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 550x1800	RAL9016	80,44	87,442	4 077,
K00335520009016011	33K 550x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 550x2000	RAL9016	89,378	97,157	4 530,
K00336004009016011	33K 600x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x400	RAL9016	18,586	19,895	964,
K00336005009016011	33K 600x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x500	RAL9016	23,232	24,869	1 205,
K00336006009016011	33K 600x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x600	RAL9016	27,878	29,843	1 446,
K00336006U09016011	33K 600x0600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33KU 600x600	RAL9016	27,878	29,843	1 446,
K00336007009016011	33K 600x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x700	RAL9016	32,525	34,816	1 687,
K00336007U09016011	33K 600x0700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33KU 600x700	RAL9016	32,525	34,816	1 687,
K00336008009016011	33K 600x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x800	RAL9016	37,171	39,79	1 928,
K00336009009016011	33K 600x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x900	RAL9016	41,818	44,764	2 169,
K00336010009016011	33K 600x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x1000	RAL9016	46,464	49,738	2 410,
K00336011009016011	33K 600x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x1100	RAL9016	51,11	54,711	2 651,
K00336012009016011	33K 600x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x1200	RAL9016	55,757	59,685	2 892,
K00336013009016011	33K 600x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x1300	RAL9016	60,403	64,659	3 133,
K00336014009016011	33K 600x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x1400	RAL9016	65,05	69,633	3 374,
K00336015009016011	33K 600x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x1500	RAL9016	69,696	74,606	3 615,
K00336016009016011	33K 600x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x1600	RAL9016	74,342	79,58	3 856,
K00336017009016011	33K 600x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x1700	RAL9016	78,989	85,864	4 097,
K00336018009016011	33K 600x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x1800	RAL9016	83,635	90,915	4 338,
K00336019009016011	33K 600x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x1900	RAL9016	88,282	95,965	4 579,
K00336020009016011	33K 600x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x2000	RAL9016	92,928	101,016	4 820,
K00336021009016011	33K 600x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x2100	RAL9016	97,574	106,067	5 061,
K00336022009016011	33K 600x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x2200	RAL9016	102,221	111,117	5 302,
K00336023009016011	33K 600x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x2300	RAL9016	106,867	116,168	5 543,
K00336024009016011	33K 600x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x2400	RAL9016	111,514	121,218	5 784,
K00336024U09016011	33K 600x2400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33KU 600x2400	RAL9016	111,514	121,218	5 784,
K00336025009016011	33K 600x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x2500	RAL9016	116,16	126,269	6 025,
K00336026009016011	33K 600x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x2600	RAL9016	120,806	131,939	6 266,
K00336027009016011	33K 600x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x2700	RAL9016	125,453	137,013	6 507,
K00336028009016011	33K 600x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x2800	RAL9016	130,099	142,088	6 748,
K00336029009016011	33K 600x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x2900	RAL9016	134,746	147,162	6 989,
K00336030009016011	33K 600x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x3000	RAL9016	139,392	152,237	7 230,
K00339004009016011	33K 900x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x400	RAL9016	29,04	31,083	1 307,
K00339004U09016011	33K 900x0400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33KU 900x400	RAL9016	29,04	31,083	1 307,
K00339005009016011	33K 900x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x500	RAL9016	36,3	38,855	1 634,
K00339006009016011	33K 900x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x600	RAL9016	43,56	46,627	1 960,
K00339007009016011	33K 900x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x700	RAL9016	50,82	54,399	2 287,
K00339007U09016011	33K 900x0700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33KU 900x700	RAL9016	50,82	54,399	2 287,
K00339008009016011	33K 900x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x800	RAL9016	58,08	62,171	2 614,
K00339009009016011	33K 900x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x900	RAL9016	65,34	69,943	2 940,
K00339010009016011	33K 900x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x1000	RAL9016	72,6	77,715	3 267,
K00339010U09016011	33K 900x1000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33KU 900x1000	RAL9016	72,6	77,715	3 267,
K00339011009016011	33K 900x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x1100	RAL9016	79,86	85,487	3 594,
K00339012009016011	33K 900x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x1200	RAL9016	87,12	93,259	3 920,
K00339013009016011	33K 900x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x1300	RAL9016	94,38	101,031	4 247,
K00339014009016011	33K 900x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x1400	RAL9016	101,64	108,803	4 574,
K00339014U09016011	33K 900x1400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33KU 900x1400	RAL9016	101,64	108,803	4 574,
K00339015009016011	33K 900x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x1500	RAL9016	108,9	116,575	4 901,
K00339016009016011	33K 900x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x1600	RAL9016	116,16	124,347	5 227,
K00339016U09016011	33K 900x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33KU 900x1600	RAL9016	116,16	124,347	5 227,
K00339017009016011	33K 900x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x1700	RAL9016	123,42	134,163	5 554,
K00339018009016011	33K 900x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x1800	RAL9016	130,68	142,055	5 881,
K00339019009016011	33K 900x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x1900	RAL9016	137,94	149,947	6 207,
K00339020009016011	33K 900x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x2000	RAL9016	145,2	157,839	6 534,
K00339021009016011	33K 900x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x2100	RAL9016	152,46	165,731	6 861,
K00339022009016011	33K 900x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x2200	RAL9016	159,72	173,623	7 187,
K00339023009016011	33K 900x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x2300	RAL9016	166,98	181,515	7 514,
K00339024009016011	33K 900x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x2400	RAL9016	174,24	189,407	7 841,
K00339025009016011	33K 900x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x2500	RAL9016	181,5	197,299	8 168,

K00339026009016011	33K 900x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x2600	RAL9016	188,76	206,154	8 494,
K00339027009016011	33K 900x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x2700	RAL9016	196,02	214,083	8 821,
K00339028009016011	33K 900x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x2800	RAL9016	203,28	222,012	9 148,
K00339029009016011	33K 900x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x2900	RAL9016	210,54	229,941	9 474,
K00339030009016011	33K 900x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x3000	RAL9016	217,8	237,87	9 801,
M00103004009016011	10VKS 300x0400,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x400	RAL9016	2,524	3,357	137,
M00103005009016011	10VKS 300x0500,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x500	RAL9016	3,155	4,197	171,
M00103006009016011	10VKS 300x0600,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x600	RAL9016	3,786	5,036	205,
M00103007009016011	10VKS 300x0700,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x700	RAL9016	4,417	5,875	239,
M00103008009016011	10VKS 300x0800,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x800	RAL9016	5,048	6,714	274,
M00103009009016011	10VKS 300x0900,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x900	RAL9016	5,679	7,553	308,
M00103010009016011	10VKS 300x1000,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x1000	RAL9016	6,31	8,392	342,
M00103011009016011	10VKS 300x1100,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x1100	RAL9016	6,941	9,231	376,
M00103012009016011	10VKS 300x1200,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x1200	RAL9016	7,572	10,07	410,
M00103013009016011	10VKS 300x1300,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x1300	RAL9016	8,203	10,909	445,
M00103014009016011	10VKS 300x1400,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x1400	RAL9016	8,834	11,748	479,
M00103015009016011	10VKS 300x1500,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x1500	RAL9016	9,465	12,587	513,
M00103016009016011	10VKS 300x1600,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x1600	RAL9016	10,096	13,426	547,
M00103017009016011	10VKS 300x1700,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x1700	RAL9016	10,727	14,265	581,
M00103018009016011	10VKS 300x1800,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x1800	RAL9016	11,358	15,104	616,
M00103019009016011	10VKS 300x1900,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x1900	RAL9016	11,989	15,943	650,
M00103020009016011	10VKS 300x2000,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x2000	RAL9016	12,62	16,782	684,
M00104004009016011	10VKS 400x0400,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x400	RAL9016	3,324	4,476	177,
M00104005009016011	10VKS 400x0500,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x500	RAL9016	4,155	5,595	222,
M00104006009016011	10VKS 400x0600,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x600	RAL9016	4,986	6,714	266,
M00104007009016011	10VKS 400x0700,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x700	RAL9016	5,817	7,833	310,
M00104008009016011	10VKS 400x0800,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x800	RAL9016	6,648	8,952	354,
M00104009009016011	10VKS 400x0900,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x900	RAL9016	7,479	10,071	399,
M00104010009016011	10VKS 400x1000,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x1000	RAL9016	8,31	11,19	443,
M00104011009016011	10VKS 400x1100,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x1100	RAL9016	9,141	12,309	487,
M00104012009016011	10VKS 400x1200,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x1200	RAL9016	9,972	13,428	532,
M00104013009016011	10VKS 400x1300,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x1300	RAL9016	10,803	14,547	576,
M00104014009016011	10VKS 400x1400,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x1400	RAL9016	11,634	15,666	620,
M00104015009016011	10VKS 400x1500,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x1500	RAL9016	12,465	16,785	665,
M00104016009016011	10VKS 400x1600,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x1600	RAL9016	13,296	17,904	709,
M00104017009016011	10VKS 400x1700,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x1700	RAL9016	14,127	19,023	753,
M00104018009016011	10VKS 400x1800,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x1800	RAL9016	14,958	20,142	797,
M00104019009016011	10VKS 400x1900,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x1900	RAL9016	15,789	21,261	842,
M00104020009016011	10VKS 400x2000,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x2000	RAL9016	16,62	22,38	886,
M00105004009016011	10VKS 500x0400,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x400	RAL9016	3,955	4,826	214,
M00105005009016011	10VKS 500x0500,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x500	RAL9016	4,944	6,033	268,
M00105006009016011	10VKS 500x0600,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x600	RAL9016	5,933	7,24	322,
M00105007009016011	10VKS 500x0700,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x700	RAL9016	6,922	8,448	375,
M00105008009016011	10VKS 500x0800,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x800	RAL9016	7,91	9,656	429,
M00105009009016011	10VKS 500x0900,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x900	RAL9016	8,899	10,863	482,
M00105010009016011	10VKS 500x1000,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x1000	RAL9016	9,888	12,071	536,
M00105011009016011	10VKS 500x1100,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x1100	RAL9016	10,877	13,279	590,
M00105012009016011	10VKS 500x1200,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x1200	RAL9016	11,866	14,486	643,
M00105013009016011	10VKS 500x1300,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x1300	RAL9016	12,854	15,694	697,
M00105014009016011	10VKS 500x1400,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x1400	RAL9016	13,843	16,902	750,
M00105015009016011	10VKS 500x1500,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x1500	RAL9016	14,832	18,109	804,
M00105016009016011	10VKS 500x1600,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x1600	RAL9016	15,821	19,317	858,
M00105017009016011	10VKS 500x1700,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x1700	RAL9016	16,81	20,525	911,
M00105018009016011	10VKS 500x1800,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x1800	RAL9016	17,798	21,732	965,
M00105019009016011	10VKS 500x1900,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x1900	RAL9016	18,787	22,94	1 018,
M00105020009016011	10VKS 500x2000,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x2000	RAL9016	19,776	24,148	1 072,
M00106004009016011	10VKS 600x0400,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x400	RAL9016	4,723	5,794	248,
M00106005009016011	10VKS 600x0500,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x500	RAL9016	5,904	7,242	311,
M00106006009016011	10VKS 600x0600,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x600	RAL9016	7,085	8,691	373,
M00106007009016011	10VKS 600x0700,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x700	RAL9016	8,266	10,14	435,
M00106008009016011	10VKS 600x0800,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x800	RAL9016	9,446	11,588	497,
M00106009009016011	10VKS 600x0900,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x900	RAL9016	10,627	13,037	559,
M00106010009016011	10VKS 600x1000,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x1000	RAL9016	11,808	14,485	621,
M00106011009016011	10VKS 600x1100,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x1100	RAL9016	12,989	15,934	683,
M00106012009016011	10VKS 600x1200,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x1200	RAL9016	14,17	17,383	745,
M00106013009016011	10VKS 600x1300,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x1300	RAL9016	15,35	18,831	807,
M00106014009016011	10VKS 600x1400,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x1400	RAL9016	16,531	20,28	869,
M00106015009016011	10VKS 600x1500,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x1500	RAL9016	17,712	21,729	932,
M00106016009016011	10VKS 600x1600,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x1600	RAL9016	18,893	23,177	994,
M00106017009016011	10VKS 600x1700,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x1700	RAL9016	20,074	24,626	1 056,
M00106018009016011	10VKS 600x1800,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x1800	RAL9016	21,254	26,075	1 118,
M00106019009016011	10VKS 600x1900,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x1900	RAL9016	22,435	27,523	1 180,

M00106020009016011	10VKS 600x2000,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x2000	RAL9016	23,616	28,972	1 242,
M00109004009016011	10VKS 900x0400,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 900x400	RAL9016	7,2	9,055	332,
M00109005009016011	10VKS 900x0500,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 900x500	RAL9016	9,	11,319	415,
M00109006009016011	10VKS 900x0600,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 900x600	RAL9016	10,8	13,582	497,
M00109007009016011	10VKS 900x0700,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 900x700	RAL9016	12,6	15,845	580,
M00109008009016011	10VKS 900x0800,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 900x800	RAL9016	14,4	18,108	663,
M00109009009016011	10VKS 900x0900,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 900x900	RAL9016	16,2	20,371	746,
M00109010009016011	10VKS 900x1000,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 900x1000	RAL9016	18,	22,634	829,
M00109011009016011	10VKS 900x1100,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 900x1100	RAL9016	19,8	24,897	912,
M00109012009016011	10VKS 900x1200,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 900x1200	RAL9016	21,6	27,16	995,
M00109013009016011	10VKS 900x1300,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 900x1300	RAL9016	23,4	29,423	1 078,
M00109014009016011	10VKS 900x1400,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 900x1400	RAL9016	25,2	31,686	1 161,
M00109015009016011	10VKS 900x1500,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 900x1500	RAL9016	27,	33,949	1 244,
M00109016009016011	10VKS 900x1600,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 900x1600	RAL9016	28,8	36,212	1 326,
M00109017009016011	10VKS 900x1700,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 900x1700	RAL9016	30,6	38,475	1 409,
M00109018009016011	10VKS 900x1800,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 900x1800	RAL9016	32,4	40,738	1 492,
M00109019009016011	10VKS 900x1900,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 900x1900	RAL9016	34,2	43,001	1 575,
M00109020009016011	10VKS 900x2000,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 900x2000	RAL9016	36,	45,264	1 658,
M00113004009016011	11VKS 300x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x400	RAL9016	4,189	5,07	218,
M00113005009016011	11VKS 300x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x500	RAL9016	5,011	5,97	273,
M00113006009016011	11VKS 300x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x600	RAL9016	5,832	6,806	327,
M00113007009016011	11VKS 300x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x700	RAL9016	6,654	7,698	382,
M00113008009016011	11VKS 300x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x800	RAL9016	7,475	8,516	436,
M00113009009016011	11VKS 300x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x900	RAL9016	8,297	9,405	491,
M00113010009016011	11VKS 300x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x1000	RAL9016	9,118	10,248	545,
M00113011009016011	11VKS 300x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x1100	RAL9016	9,939	11,122	600,
M00113012009016011	11VKS 300x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x1200	RAL9016	10,761	11,976	654,
M00113013009016011	11VKS 300x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x1300	RAL9016	11,582	12,868	709,
M00113014009016011	11VKS 300x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x1400	RAL9016	12,404	13,218	763,
M00113015009016011	11VKS 300x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x1500	RAL9016	13,225	14,663	818,
M00113016009016011	11VKS 300x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x1600	RAL9016	14,047	15,526	872,
M00113017009016011	11VKS 300x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x1700	RAL9016	14,941	16,461	927,
M00113018009016011	11VKS 300x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x1800	RAL9016	15,762	17,324	981,
M00113019009016011	11VKS 300x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x1900	RAL9016	16,584	18,187	1 036,
M00113020009016011	11VKS 300x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x2000	RAL9016	17,405	19,05	1 090,
M00113022009016011	11VKS 300x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x2200	RAL9016	19,048	20,751	1 199,
M00114004009016011	11VKS 400x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x400	RAL9016	5,554	6,641	276,
M00114005009016011	11VKS 400x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x500	RAL9016	6,697	7,815	345,
M00114006009016011	11VKS 400x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x600	RAL9016	7,84	8,99	413,
M00114007009016011	11VKS 400x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x700	RAL9016	8,983	10,165	482,
M00114008009016011	11VKS 400x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x800	RAL9016	10,126	11,34	551,
M00114009009016011	11VKS 400x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x900	RAL9016	11,269	12,515	620,
M00114010009016011	11VKS 400x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x1000	RAL9016	12,412	13,689	689,
M00114011009016011	11VKS 400x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x1100	RAL9016	13,555	14,864	758,
M00114012009016011	11VKS 400x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x1200	RAL9016	14,698	16,039	827,
M00114013009016011	11VKS 400x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x1300	RAL9016	15,841	17,214	896,
M00114014009016011	11VKS 400x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x1400	RAL9016	16,984	17,86	965,
M00114015009016011	11VKS 400x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x1500	RAL9016	18,127	19,563	1 034,
M00114016009016011	11VKS 400x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x1600	RAL9016	19,269	20,738	1 102,
M00114017009016011	11VKS 400x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x1700	RAL9016	20,485	21,985	1 171,
M00114018009016011	11VKS 400x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x1800	RAL9016	21,628	23,16	1 240,
M00114019009016011	11VKS 400x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x1900	RAL9016	22,771	24,335	1 309,
M00114020009016011	11VKS 400x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x2000	RAL9016	23,914	25,51	1 378,
M00114022009016011	11VKS 400x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x2200	RAL9016	26,199	27,86	1 516,
M00115004009016011	11VKS 500x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x400	RAL9016	6,632	7,086	330,
M00115005009016011	11VKS 500x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x500	RAL9016	8,29	8,858	413,
M00115006009016011	11VKS 500x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x600	RAL9016	9,948	10,63	496,
M00115007009016011	11VKS 500x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x700	RAL9016	11,606	12,402	578,
M00115008009016011	11VKS 500x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x800	RAL9016	13,264	14,174	661,
M00115009009016011	11VKS 500x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x900	RAL9016	14,922	15,946	743,
M00115010009016011	11VKS 500x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x1000	RAL9016	16,58	17,718	826,
M00115011009016011	11VKS 500x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x1100	RAL9016	18,238	19,49	909,
M00115012009016011	11VKS 500x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x1200	RAL9016	19,896	21,583	991,
M00115013009016011	11VKS 500x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x1300	RAL9016	21,554	23,381	1 074,
M00115014009016011	11VKS 500x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x1400	RAL9016	23,212	25,179	1 156,
M00115015009016011	11VKS 500x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x1500	RAL9016	24,87	26,977	1 239,
M00115016009016011	11VKS 500x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x1600	RAL9016	26,528	28,775	1 322,
M00115017009016011	11VKS 500x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x1700	RAL9016	28,186	30,573	1 404,
M00115018009016011	11VKS 500x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x1800	RAL9016	29,844	32,371	1 487,
M00115019009016011	11VKS 500x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x1900	RAL9016	31,502	34,169	1 569,
M00115020009016011	11VKS 500x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x2000	RAL9016	33,16	35,967	1 652,
M00115022009016011	11VKS 500x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x2200	RAL9016	36,476	39,563	1 817,

M00116004009016011	11VKS 600x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x400	RAL9016	7,96	8,506	384,
M00116005009016011	11VKS 600x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x500	RAL9016	9,95	10,632	480,
M00116006009016011	11VKS 600x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x600	RAL9016	11,94	12,758	576,
M00116007009016011	11VKS 600x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x700	RAL9016	13,93	14,884	672,
M00116008009016011	11VKS 600x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x800	RAL9016	15,92	17,01	768,
M00116009009016011	11VKS 600x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x900	RAL9016	17,91	19,136	864,
M00116010009016011	11VKS 600x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x1000	RAL9016	19,9	21,262	960,
M00116011009016011	11VKS 600x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x1100	RAL9016	21,89	23,388	1 056,
M00116012009016011	11VKS 600x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x1200	RAL9016	23,88	25,9	1 152,
M00116013009016011	11VKS 600x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x1300	RAL9016	25,87	28,058	1 248,
M00116014009016011	11VKS 600x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x1400	RAL9016	27,86	30,216	1 344,
M00116015009016011	11VKS 600x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x1500	RAL9016	29,85	32,374	1 440,
M00116016009016011	11VKS 600x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x1600	RAL9016	31,84	34,532	1 536,
M00116017009016011	11VKS 600x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x1700	RAL9016	33,83	36,69	1 632,
M00116018009016011	11VKS 600x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x1800	RAL9016	35,82	38,848	1 728,
M00116019009016011	11VKS 600x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x1900	RAL9016	37,81	41,006	1 824,
M00116020009016011	11VKS 600x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x2000	RAL9016	39,8	43,164	1 920,
M00116022009016011	11VKS 600x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x2200	RAL9016	43,78	47,48	2 112,
M00119004009016011	11VKS 900x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 900x400	RAL9016	11,94	12,754	538,
M00119005009016011	11VKS 900x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 900x500	RAL9016	14,925	15,943	673,
M00119006009016011	11VKS 900x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 900x600	RAL9016	17,91	19,133	807,
M00119007009016011	11VKS 900x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 900x700	RAL9016	20,895	22,323	942,
M00119008009016011	11VKS 900x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 900x800	RAL9016	23,88	25,513	1 076,
M00119009009016011	11VKS 900x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 900x900	RAL9016	26,865	28,703	1 211,
M00119010009016011	11VKS 900x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 900x1000	RAL9016	29,85	31,893	1 345,
M00119011009016011	11VKS 900x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 900x1100	RAL9016	32,835	35,083	1 480,
M00119012009016011	11VKS 900x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 900x1200	RAL9016	35,82	38,849	1 614,
M00119013009016011	11VKS 900x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 900x1300	RAL9016	38,805	42,087	1 749,
M00119014009016011	11VKS 900x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 900x1400	RAL9016	41,79	45,325	1 883,
M00119015009016011	11VKS 900x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 900x1500	RAL9016	44,775	48,563	2 018,
M00119016009016011	11VKS 900x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 900x1600	RAL9016	47,76	51,801	2 152,
M00119017009016011	11VKS 900x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 900x1700	RAL9016	50,745	55,039	2 287,
M00119018009016011	11VKS 900x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 900x1800	RAL9016	53,73	58,277	2 421,
M00119019009016011	11VKS 900x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 900x1900	RAL9016	56,715	61,515	2 556,
M00119020009016011	11VKS 900x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 900x2000	RAL9016	59,7	64,753	2 690,
M00203004009016011	20VKS 300x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 300x400	RAL9016	5,06	5,5	245,
M00203005009016011	20VKS 300x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 300x500	RAL9016	6,325	6,885	306,
M00203006009016011	20VKS 300x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 300x600	RAL9016	7,59	8,263	367,
M00203007009016011	20VKS 300x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 300x700	RAL9016	8,855	9,641	428,
M00203008009016011	20VKS 300x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 300x800	RAL9016	10,12	11,019	490,
M00203009009016011	20VKS 300x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 300x900	RAL9016	11,385	12,397	551,
M00203010009016011	20VKS 300x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 300x1000	RAL9016	12,65	13,775	612,
M00203011009016011	20VKS 300x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 300x1100	RAL9016	13,915	15,153	673,
M00203012009016011	20VKS 300x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 300x1200	RAL9016	15,18	16,531	734,
M00203013009016011	20VKS 300x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 300x1300	RAL9016	16,445	17,909	796,
M00203014009016011	20VKS 300x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 300x1400	RAL9016	17,71	19,287	857,
M00203015009016011	20VKS 300x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 300x1500	RAL9016	18,975	20,665	918,
M00203016009016011	20VKS 300x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 300x1600	RAL9016	20,24	22,043	979,
M00203017009016011	20VKS 300x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 300x1700	RAL9016	21,505	22,424	1 040,
M00203018009016011	20VKS 300x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 300x1800	RAL9016	22,77	23,743	1 102,
M00203019009016011	20VKS 300x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 300x1900	RAL9016	24,035	25,062	1 163,
M00203020009016011	20VKS 300x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 300x2000	RAL9016	25,3	26,381	1 224,
M00204004009016011	20VKS 400x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 400x400	RAL9016	6,748	7,35	308,
M00204005009016011	20VKS 400x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 400x500	RAL9016	8,435	9,187	385,
M00204006009016011	20VKS 400x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 400x600	RAL9016	10,122	11,023	461,
M00204007009016011	20VKS 400x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 400x700	RAL9016	11,809	12,859	538,
M00204008009016011	20VKS 400x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 400x800	RAL9016	13,496	14,695	615,
M00204009009016011	20VKS 400x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 400x900	RAL9016	15,183	16,531	692,
M00204010009016011	20VKS 400x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 400x1000	RAL9016	16,87	18,367	769,
M00204011009016011	20VKS 400x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 400x1100	RAL9016	18,557	20,203	846,
M00204012009016011	20VKS 400x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 400x1200	RAL9016	20,244	22,039	923,
M00204013009016011	20VKS 400x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 400x1300	RAL9016	21,931	23,875	1 000,
M00204014009016011	20VKS 400x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 400x1400	RAL9016	23,618	25,711	1 077,
M00204015009016011	20VKS 400x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 400x1500	RAL9016	25,305	27,547	1 154,
M00204016009016011	20VKS 400x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 400x1600	RAL9016	26,992	29,383	1 230,
M00204017009016011	20VKS 400x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 400x1700	RAL9016	28,679	29,899	1 307,
M00204018009016011	20VKS 400x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 400x1800	RAL9016	30,366	31,657	1 384,
M00204019009016011	20VKS 400x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 400x1900	RAL9016	32,053	33,415	1 461,
M00204020009016011	20VKS 400x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 400x2000	RAL9016	33,74	35,173	1 538,
M00205004009016011	20VKS 500x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 500x400	RAL9016	8,095	8,815	368,
M00205005009016011	20VKS 500x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 500x500	RAL9016	10,118	11,019	460,
M00205006009016011	20VKS 500x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 500x600	RAL9016	12,142	13,223	552,

M00205007009016011	20VKS 500x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 500x700	RAL9016	14,166	15,427	644,
M00205008009016011	20VKS 500x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 500x800	RAL9016	16,189	17,631	736,
M00205009009016011	20VKS 500x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 500x900	RAL9016	18,213	19,836	828,
M00205010009016011	20VKS 500x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 500x1000	RAL9016	20,237	22,04	920,
M00205011009016011	20VKS 500x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 500x1100	RAL9016	22,26	24,244	1 012,
M00205012009016011	20VKS 500x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 500x1200	RAL9016	24,284	26,448	1 104,
M00205013009016011	20VKS 500x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 500x1300	RAL9016	26,308	28,652	1 196,
M00205014009016011	20VKS 500x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 500x1400	RAL9016	28,332	30,856	1 288,
M00205015009016011	20VKS 500x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 500x1500	RAL9016	30,355	33,06	1 380,
M00205016009016011	20VKS 500x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 500x1600	RAL9016	32,379	35,265	1 472,
M00205017009016011	20VKS 500x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 500x1700	RAL9016	34,403	35,878	1 564,
M00205018009016011	20VKS 500x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 500x1800	RAL9016	36,426	37,989	1 656,
M00205019009016011	20VKS 500x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 500x1900	RAL9016	38,45	40,1	1 748,
M00205020009016011	20VKS 500x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 500x2000	RAL9016	40,474	42,211	1 840,
M00206004009016011	20VKS 600x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 600x400	RAL9016	9,715	10,579	427,
M00206005009016011	20VKS 600x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 600x500	RAL9016	12,144	13,224	534,
M00206006009016011	20VKS 600x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 600x600	RAL9016	14,573	15,869	641,
M00206007009016011	20VKS 600x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 600x700	RAL9016	17,002	18,514	748,
M00206008009016011	20VKS 600x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 600x800	RAL9016	19,43	21,158	854,
M00206009009016011	20VKS 600x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 600x900	RAL9016	21,859	23,803	961,
M00206010009016011	20VKS 600x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 600x1000	RAL9016	24,288	26,448	1 068,
M00206011009016011	20VKS 600x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 600x1100	RAL9016	26,717	29,093	1 175,
M00206012009016011	20VKS 600x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 600x1200	RAL9016	29,146	31,738	1 282,
M00206013009016011	20VKS 600x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 600x1300	RAL9016	31,574	34,382	1 388,
M00206014009016011	20VKS 600x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 600x1400	RAL9016	34,003	37,027	1 495,
M00206015009016011	20VKS 600x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 600x1500	RAL9016	36,432	39,672	1 602,
M00206016009016011	20VKS 600x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 600x1600	RAL9016	38,861	42,317	1 709,
M00206017009016011	20VKS 600x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 600x1700	RAL9016	41,29	43,054	1 816,
M00206018009016011	20VKS 600x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 600x1800	RAL9016	43,718	45,587	1 922,
M00206019009016011	20VKS 600x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 600x1900	RAL9016	46,147	48,119	2 029,
M00206020009016011	20VKS 600x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 600x2000	RAL9016	48,576	50,652	2 136,
M00209004009016011	20VKS 900x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 900x400	RAL9016	15,18	16,527	600,
M00209005009016011	20VKS 900x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 900x500	RAL9016	18,975	20,66	750,
M00209006009016011	20VKS 900x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 900x600	RAL9016	22,77	24,793	900,
M00209007009016011	20VKS 900x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 900x700	RAL9016	26,565	28,926	1 050,
M00209008009016011	20VKS 900x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 900x800	RAL9016	30,36	33,059	1 200,
M00209009009016011	20VKS 900x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 900x900	RAL9016	34,155	37,192	1 350,
M00209010009016011	20VKS 900x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 900x1000	RAL9016	37,95	41,325	1 500,
M00209011009016011	20VKS 900x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 900x1100	RAL9016	41,745	45,458	1 650,
M00209012009016011	20VKS 900x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 900x1200	RAL9016	45,54	49,591	1 800,
M00209013009016011	20VKS 900x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 900x1300	RAL9016	49,335	53,724	1 950,
M00209014009016011	20VKS 900x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 900x1400	RAL9016	53,13	57,857	2 100,
M00209015009016011	20VKS 900x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 900x1500	RAL9016	56,925	61,99	2 250,
M00209016009016011	20VKS 900x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 900x1600	RAL9016	60,72	66,123	2 400,
M00209017009016011	20VKS 900x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 900x1700	RAL9016	64,515	67,272	2 550,
M00209018009016011	20VKS 900x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 900x1800	RAL9016	68,31	71,229	2 700,
M00209019009016011	20VKS 900x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 900x1900	RAL9016	72,105	75,186	2 850,
M00209020009016011	20VKS 900x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKM 900x2000	RAL9016	75,9	79,143	3 000,
M00213004009016011	21VKS 300x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x400	RAL9016	6,233	6,894	301,
M00213005009016001	21VKS 300x0500, Kr, 0 MPa, t:1, RAL9016, ZD, uzky, rez	21VKM 300x500	RAL9016	7,526	8,228	376,
M00213005009016011	21VKS 300x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x500	RAL9016	7,526	8,228	376,
M00213006009016011	21VKS 300x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x600	RAL9016	8,82	9,539	451,
M00213007009016011	21VKS 300x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x700	RAL9016	10,113	10,851	526,
M00213008009016011	21VKS 300x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x800	RAL9016	11,407	12,162	602,
M00213009009016011	21VKS 300x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x900	RAL9016	12,746	13,519	677,
M00213010009016011	21VKS 300x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x1000	RAL9016	14,04	14,83	752,
M00213011009016011	21VKS 300x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x1100	RAL9016	15,334	16,141	827,
M00213012009016011	21VKS 300x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x1200	RAL9016	16,627	17,452	902,
M00213013009016011	21VKS 300x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x1300	RAL9016	17,921	18,763	978,
M00213014009016011	21VKS 300x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x1400	RAL9016	19,214	20,075	1 053,
M00213015009016011	21VKS 300x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x1500	RAL9016	20,553	21,431	1 128,
M00213016009016011	21VKS 300x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x1600	RAL9016	21,847	22,742	1 203,
M00213017009016011	21VKS 300x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x1700	RAL9016	23,213	24,126	1 278,
M00213018009016011	21VKS 300x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x1800	RAL9016	24,506	25,437	1 354,
M00213019009016011	21VKS 300x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x1900	RAL9016	25,845	26,794	1 429,
M00213020009016011	21VKS 300x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x2000	RAL9016	27,139	28,105	1 504,
M00214004009016011	21VKS 400x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x400	RAL9016	8,424	9,086	375,
M00214005009016011	21VKS 400x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x500	RAL9016	10,243	10,945	469,
M00214006009016011	21VKS 400x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x600	RAL9016	12,062	12,781	562,
M00214007009016011	21VKS 400x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x700	RAL9016	13,88	14,618	656,
M00214008009016011	21VKS 400x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x800	RAL9016	15,699	16,454	750,
M00214009009016011	21VKS 400x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x900	RAL9016	17,564	18,336	843,

M00214010009016011	21VKS 400x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x1000	RAL9016	19,382	20,172	937,
M00214011009016011	21VKS 400x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x1100	RAL9016	21,201	22,009	1 031,
M00214012009016011	21VKS 400x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x1200	RAL9016	23,02	23,845	1 124,
M00214013009016011	21VKS 400x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x1300	RAL9016	24,838	25,681	1 218,
M00214014009016011	21VKS 400x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x1400	RAL9016	26,657	27,518	1 312,
M00214015009016011	21VKS 400x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x1500	RAL9016	28,521	29,399	1 406,
M00214016009016011	21VKS 400x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x1600	RAL9016	30,34	31,235	1 499,
M00214017009016011	21VKS 400x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x1700	RAL9016	32,231	33,144	1 593,
M00214018009016011	21VKS 400x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x1800	RAL9016	34,05	34,981	1 687,
M00214019009016011	21VKS 400x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x1900	RAL9016	35,914	36,862	1 780,
M00214020009016011	21VKS 400x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x2000	RAL9016	37,733	38,699	1 874,
M00215004009016011	21VKS 500x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x400	RAL9016	9,075	9,628	446,
M00215005009016011	21VKS 500x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x500	RAL9016	11,342	12,035	558,
M00215006009016011	21VKS 500x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x600	RAL9016	13,61	14,441	669,
M00215007009016011	21VKS 500x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x700	RAL9016	15,877	16,848	781,
M00215008009016011	21VKS 500x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x800	RAL9016	18,145	19,255	892,
M00215009009016011	21VKS 500x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x900	RAL9016	20,412	21,661	1 004,
M00215010009016011	21VKS 500x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x1000	RAL9016	22,68	24,068	1 115,
M00215011009016011	21VKS 500x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x1100	RAL9016	24,948	26,475	1 227,
M00215012009016011	21VKS 500x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x1200	RAL9016	27,215	28,882	1 338,
M00215013009016011	21VKS 500x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x1300	RAL9016	29,483	31,288	1 450,
M00215014009016011	21VKS 500x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x1400	RAL9016	31,75	33,695	1 561,
M00215015009016011	21VKS 500x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x1500	RAL9016	34,018	36,102	1 673,
M00215016009016011	21VKS 500x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x1600	RAL9016	36,285	38,508	1 784,
M00215017009016011	21VKS 500x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x1700	RAL9016	38,553	41,362	1 896,
M00215018009016011	21VKS 500x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x1800	RAL9016	40,82	43,794	2 007,
M00215019009016011	21VKS 500x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x1900	RAL9016	43,088	46,227	2 119,
M00215020009016011	21VKS 500x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x2000	RAL9016	45,355	48,66	2 230,
M00216004009016011	21VKS 600x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x400	RAL9016	10,886	11,55	515,
M00216005009016011	21VKS 600x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x500	RAL9016	13,608	14,438	644,
M00216006009016011	21VKS 600x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x600	RAL9016	16,33	17,327	772,
M00216007009016011	21VKS 600x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x700	RAL9016	19,051	20,216	901,
M00216008009016011	21VKS 600x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x800	RAL9016	21,773	23,104	1 030,
M00216009009016011	21VKS 600x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x900	RAL9016	24,494	25,993	1 158,
M00216010009016011	21VKS 600x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x1000	RAL9016	27,216	28,882	1 287,
M00216011009016011	21VKS 600x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x1100	RAL9016	29,938	31,77	1 416,
M00216012009016011	21VKS 600x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x1200	RAL9016	32,659	34,659	1 544,
M00216013009016011	21VKS 600x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x1300	RAL9016	35,381	37,548	1 673,
M00216014009016011	21VKS 600x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x1400	RAL9016	38,102	40,436	1 802,
M00216015009016011	21VKS 600x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x1500	RAL9016	40,824	43,325	1 931,
M00216016009016011	21VKS 600x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x1600	RAL9016	43,546	46,213	2 059,
M00216017009016011	21VKS 600x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x1700	RAL9016	46,267	49,634	2 188,
M00216018009016011	21VKS 600x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x1800	RAL9016	48,989	52,553	2 317,
M00216019009016011	21VKS 600x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x1900	RAL9016	51,71	55,473	2 445,
M00216020009016011	21VKS 600x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x2000	RAL9016	54,432	58,392	2 574,
M00219004009016011	21VKS 900x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 900x400	RAL9016	17,013	18,056	715,
M00219005009016011	21VKS 900x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 900x500	RAL9016	21,265	22,568	894,
M00219006009016011	21VKS 900x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 900x600	RAL9016	25,517	27,08	1 073,
M00219007009016011	21VKS 900x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 900x700	RAL9016	29,769	31,592	1 252,
M00219008009016011	21VKS 900x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 900x800	RAL9016	34,021	36,104	1 430,
M00219009009016011	21VKS 900x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 900x900	RAL9016	38,273	40,616	1 609,
M00219010009016011	21VKS 900x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 900x1000	RAL9016	42,525	45,128	1 788,
M00219011009016011	21VKS 900x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 900x1100	RAL9016	46,777	49,64	1 967,
M00219012009016011	21VKS 900x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 900x1200	RAL9016	51,029	54,152	2 146,
M00219013009016011	21VKS 900x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 900x1300	RAL9016	55,281	58,664	2 324,
M00219014009016011	21VKS 900x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 900x1400	RAL9016	59,533	63,176	2 503,
M00219015009016011	21VKS 900x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 900x1500	RAL9016	63,785	67,688	2 682,
M00219016009016011	21VKS 900x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 900x1600	RAL9016	68,037	72,2	2 861,
M00219017009016011	21VKS 900x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 900x1700	RAL9016	72,289	77,553	3 040,
M00219018009016011	21VKS 900x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 900x1800	RAL9016	76,541	82,115	3 218,
M00219019009016011	21VKS 900x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 900x1900	RAL9016	80,793	86,677	3 397,
M00219020009016011	21VKS 900x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 900x2000	RAL9016	85,045	91,239	3 576,
M00223004009016011	22VKS 300x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x400	RAL9016	7,2	8,384	393,
M00223005009016011	22VKS 300x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x500	RAL9016	9,	10,142	492,
M00223006009016011	22VKS 300x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x600	RAL9016	10,8	11,961	590,
M00223007009016011	22VKS 300x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x700	RAL9016	12,6	13,78	688,
M00223008009016011	22VKS 300x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x800	RAL9016	14,4	15,6	786,
M00223009009016011	22VKS 300x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x900	RAL9016	16,2	17,419	885,
M00223010009016011	22VKS 300x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x1000	RAL9016	18,	19,239	983,
M00223011009016011	22VKS 300x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x1100	RAL9016	19,8	21,058	1 081,
M00223012009016011	22VKS 300x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x1200	RAL9016	21,6	22,878	1 180,
M00223013009016011	22VKS 300x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x1300	RAL9016	23,4	24,697	1 278,

M00223014009016011	22VKS 300x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x1400	RAL9016	25,2	26,516	1 376,
M00223015009016011	22VKS 300x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x1500	RAL9016	27,	28,336	1 475,
M00223016009016011	22VKS 300x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x1600	RAL9016	28,8	30,155	1 573,
M00223017009016011	22VKS 300x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x1700	RAL9016	30,6	32,093	1 671,
M00223018009016011	22VKS 300x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x1800	RAL9016	32,4	33,913	1 769,
M00223019009016011	22VKS 300x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x1900	RAL9016	34,2	35,732	1 868,
M00223020009016011	22VKS 300x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x2000	RAL9016	36,	37,552	1 966,
M00223021009016011	22VKS 300x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x2100	RAL9016	37,8	39,371	2 064,
M00223022009016011	22VKS 300x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x2200	RAL9016	39,6	41,191	2 163,
M00223023009016011	22VKS 300x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x2300	RAL9016	41,4	43,01	2 261,
M00223024009016011	22VKS 300x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x2400	RAL9016	43,2	44,829	2 359,
M00223025009016011	22VKS 300x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x2500	RAL9016	45,	46,649	2 458,
M00223026009016011	22VKS 300x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x2600	RAL9016	46,8	48,865	2 556,
M00223027009016011	22VKS 300x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x2700	RAL9016	48,6	50,685	2 654,
M00223028009016011	22VKS 300x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x2800	RAL9016	50,4	52,504	2 752,
M00223029009016011	22VKS 300x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x2900	RAL9016	52,2	54,323	2 851,
M00223030009016011	22VKS 300x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x3000	RAL9016	54,	56,143	2 949,
M00224004009016011	22VKS 400x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x400	RAL9016	9,6	10,793	493,
M00224005009016011	22VKS 400x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x500	RAL9016	12,	13,151	617,
M00224006009016011	22VKS 400x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x600	RAL9016	14,4	15,571	740,
M00224007009016011	22VKS 400x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x700	RAL9016	16,8	17,992	863,
M00224008009016011	22VKS 400x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x800	RAL9016	19,2	20,412	986,
M00224009009016011	22VKS 400x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x900	RAL9016	21,6	22,832	1 110,
M00224010009016011	22VKS 400x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x1000	RAL9016	24,	25,252	1 233,
M00224011009016011	22VKS 400x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x1100	RAL9016	26,4	27,672	1 356,
M00224012009016011	22VKS 400x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x1200	RAL9016	28,8	30,092	1 480,
M00224013009016011	22VKS 400x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x1300	RAL9016	31,2	32,513	1 603,
M00224014009016011	22VKS 400x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x1400	RAL9016	33,6	34,933	1 726,
M00224015009016011	22VKS 400x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x1500	RAL9016	36,	37,353	1 850,
M00224016009016011	22VKS 400x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x1600	RAL9016	38,4	39,773	1 973,
M00224017009016011	22VKS 400x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x1700	RAL9016	40,8	42,314	2 096,
M00224018009016011	22VKS 400x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x1800	RAL9016	43,2	44,734	2 219,
M00224019009016011	22VKS 400x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x1900	RAL9016	45,6	47,154	2 343,
M00224020009016011	22VKS 400x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x2000	RAL9016	48,	49,574	2 466,
M00224021009016011	22VKS 400x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x2100	RAL9016	50,4	51,995	2 589,
M00224022009016011	22VKS 400x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x2200	RAL9016	52,8	54,415	2 713,
M00224023009016011	22VKS 400x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x2300	RAL9016	55,2	56,835	2 836,
M00224024009016011	22VKS 400x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x2400	RAL9016	57,6	59,255	2 959,
M00224025009016011	22VKS 400x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x2500	RAL9016	60,	61,675	3 083,
M00224026009016011	22VKS 400x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x2600	RAL9016	62,4	64,494	3 206,
M00224027009016011	22VKS 400x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x2700	RAL9016	64,8	66,914	3 329,
M00224028009016011	22VKS 400x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x2800	RAL9016	67,2	69,334	3 452,
M00224029009016011	22VKS 400x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x2900	RAL9016	69,6	71,755	3 576,
M00224030009016011	22VKS 400x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x3000	RAL9016	72,	74,175	3 699,
M00225004009016011	22VKS 500x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x400	RAL9016	10,515	11,717	588,
M00225005009016011	22VKS 500x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x500	RAL9016	13,142	14,303	735,
M00225006009016011	22VKS 500x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x600	RAL9016	15,77	16,952	882,
M00225007009016011	22VKS 500x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x700	RAL9016	18,397	19,6	1 029,
M00225008009016011	22VKS 500x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x800	RAL9016	21,025	22,249	1 176,
M00225009009016011	22VKS 500x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x900	RAL9016	23,652	24,897	1 323,
M00225010009016011	22VKS 500x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x1000	RAL9016	26,28	27,545	1 470,
M00225010U09016011	22VKS 500x1000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKM U 500x1000	RAL9016	26,28	27,545	1 470,
M00225011009016011	22VKS 500x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x1100	RAL9016	28,908	30,194	1 617,
M00225012009016011	22VKS 500x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x1200	RAL9016	31,535	32,842	1 764,
M00225013009016011	22VKS 500x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x1300	RAL9016	34,163	35,491	1 911,
M00225014009016011	22VKS 500x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x1400	RAL9016	36,79	38,139	2 058,
M00225015009016011	22VKS 500x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x1500	RAL9016	39,418	40,788	2 205,
M00225016009016011	22VKS 500x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x1600	RAL9016	42,045	43,436	2 352,
M00225017009016011	22VKS 500x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x1700	RAL9016	44,673	46,207	2 499,
M00225018009016011	22VKS 500x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x1800	RAL9016	47,3	48,855	2 646,
M00225019009016011	22VKS 500x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x1900	RAL9016	49,928	51,504	2 793,
M00225020009016011	22VKS 500x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x2000	RAL9016	52,555	54,152	2 940,
M00225021009016011	22VKS 500x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x2100	RAL9016	55,183	56,801	3 087,
M00225022009016011	22VKS 500x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x2200	RAL9016	57,81	59,449	3 234,
M00225023009016011	22VKS 500x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x2300	RAL9016	60,438	62,098	3 381,
M00225024009016011	22VKS 500x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x2400	RAL9016	63,065	64,746	3 528,
M00225025009016011	22VKS 500x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x2500	RAL9016	65,693	67,395	3 675,
M00225026009016011	22VKS 500x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x2600	RAL9016	68,32	70,443	3 822,
M00225027009016011	22VKS 500x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x2700	RAL9016	70,948	73,092	3 969,
M00225028009016011	22VKS 500x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x2800	RAL9016	73,575	75,74	4 116,
M00225029009016011	22VKS 500x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x2900	RAL9016	76,203	78,389	4 263,
M00225030009016011	22VKS 500x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x3000	RAL9016	78,83	81,037	4 410,

M00226004009016011	22VKS 600x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x400	RAL9016	12,614	13,825	679,
M00226005009016011	22VKS 600x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x500	RAL9016	15,768	16,938	849,
M00226006009016011	22VKS 600x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x600	RAL9016	18,922	20,114	1 019,
M00226007009016011	22VKS 600x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x700	RAL9016	22,075	23,289	1 189,
M00226008009016011	22VKS 600x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x800	RAL9016	25,229	26,464	1 358,
M00226009009016011	22VKS 600x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x900	RAL9016	28,382	29,639	1 528,
M00226010009016011	22VKS 600x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x1000	RAL9016	31,536	32,815	1 698,
M00226011009016011	22VKS 600x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x1100	RAL9016	34,69	35,991	1 868,
M00226012009016011	22VKS 600x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x1200	RAL9016	37,843	39,165	2 038,
M00226013009016011	22VKS 600x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x1300	RAL9016	40,997	42,341	2 207,
M00226014009016011	22VKS 600x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x1400	RAL9016	44,15	45,515	2 377,
M00226015009016011	22VKS 600x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x1500	RAL9016	47,304	48,691	2 547,
M00226016009016011	22VKS 600x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x1600	RAL9016	50,458	51,866	2 717,
M00226016U09016011	22VKS 600x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKM U 600x1600	RAL9016	50,458	51,866	2 717,
M00226017009016011	22VKS 600x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x1700	RAL9016	53,611	55,166	2 887,
M00226018009016011	22VKS 600x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x1800	RAL9016	56,765	58,342	3 056,
M00226019009016011	22VKS 600x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x1900	RAL9016	59,918	61,516	3 226,
M00226020009016011	22VKS 600x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x2000	RAL9016	63,072	64,692	3 396,
M00226021009016011	22VKS 600x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x2100	RAL9016	66,226	67,868	3 566,
M00226022009016011	22VKS 600x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x2200	RAL9016	69,379	71,042	3 736,
M00226023009016011	22VKS 600x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x2300	RAL9016	72,533	74,218	3 905,
M00226024009016011	22VKS 600x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x2400	RAL9016	75,686	77,393	4 075,
M00226025009016011	22VKS 600x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x2500	RAL9016	78,84	80,568	4 245,
M00226026009016011	22VKS 600x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x2600	RAL9016	81,994	84,146	4 415,
M00226027009016011	22VKS 600x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x2700	RAL9016	85,147	87,321	4 585,
M00226028009016011	22VKS 600x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x2800	RAL9016	88,301	90,497	4 754,
M00226029009016011	22VKS 600x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x2900	RAL9016	91,454	93,671	4 924,
M00226030009016011	22VKS 600x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x3000	RAL9016	94,608	96,847	5 094,
M00229004009016011	22VKS 900x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x400	RAL9016	19,713	21,27	939,
M00229005009016011	22VKS 900x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x500	RAL9016	24,64	25,836	1 174,
M00229006009016011	22VKS 900x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x600	RAL9016	29,567	30,786	1 409,
M00229007009016011	22VKS 900x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x700	RAL9016	34,494	35,737	1 644,
M00229008009016011	22VKS 900x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x800	RAL9016	39,421	40,687	1 878,
M00229009009016011	22VKS 900x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x900	RAL9016	44,348	45,638	2 113,
M00229010009016011	22VKS 900x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x1000	RAL9016	49,275	50,589	2 348,
M00229011009016011	22VKS 900x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x1100	RAL9016	54,202	55,539	2 583,
M00229012009016011	22VKS 900x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x1200	RAL9016	59,129	60,49	2 818,
M00229013009016011	22VK 900x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM900x1300	RAL9016	64,056	65,44	3 052,
M00229014009016011	22VKS 900x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x1400	RAL9016	68,983	70,391	3 287,
M00229015009016011	22VK 900x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM900x1500	RAL9016	73,91	75,342	3 522,
M00229016009016011	22VKS 900x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x1600	RAL9016	78,837	80,292	3 757,
M00229017009016011	22VK 900x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM900x1700	RAL9016	83,764	85,372	3 992,
M00229018009016011	22VKS 900x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x1800	RAL9016	88,691	90,323	4 226,
M00229019009016011	22VK 900x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM900x1900	RAL9016	93,618	95,273	4 461,
M00229020009016011	22VKS 900x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x2000	RAL9016	98,545	100,224	4 696,
M00229021009016011	22VKS 900x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x2100	RAL9016	103,472	105,175	4 931,
M00229022009016011	22VKS 900x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x2200	RAL9016	108,399	110,125	5 166,
M00229023009016011	22VKS 900x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x2300	RAL9016	113,326	115,076	5 400,
M00229024009016011	22VKS 900x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x2400	RAL9016	118,253	120,026	5 635,
M00229025009016011	22VKS 900x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x2500	RAL9016	123,18	124,977	5 870,
M00229026009016011	22VKS 900x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x2600	RAL9016	128,107	130,335	6 105,
M00229027009016011	22VKS 900x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x2700	RAL9016	133,034	135,285	6 340,
M00229028009016011	22VKS 900x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x2800	RAL9016	137,961	140,236	6 574,
M00229029009016011	22VKS 900x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x2900	RAL9016	142,888	145,187	6 809,
M00229030009016011	22VKS 900x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x3000	RAL9016	147,815	150,137	7 044,
M002H3004009016011	20VKS 300x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky, hyg.	20VKM W 300x400	RAL9016	5,06	5,5	245,
M002H3005009016011	20VKS 300x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky, hyg.	20VKM W 300x500	RAL9016	6,325	6,885	306,
M002H3006009016011	20VKS 300x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky, hyg.	20VKM W 300x600	RAL9016	7,59	8,263	367,
M002H3007009016011	20VKS 300x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky, hyg.	20VKM W 300x700	RAL9016	8,855	9,641	428,
M002H3008009016011	20VKS 300x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky, hyg.	20VKM W 300x800	RAL9016	10,12	11,019	490,
M002H3009009016011	20VKS 300x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky, hyg.	20VKM W 300x900	RAL9016	11,385	12,397	551,
M002H3010009016011	20VKS 300x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky, hyg.	20VKM W 300x1000	RAL9016	12,65	13,775	612,
M002H3011009016011	20VKS 300x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky, hyg.	20VKM W 300x1100	RAL9016	13,915	15,153	673,
M002H3012009016011	20VKS 300x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky, hyg.	20VKM W 300x1200	RAL9016	15,18	16,531	734,
M002H3013009016011	20VKS 300x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky, hyg.	20VKM W 300x1300	RAL9016	16,445	17,909	796,
M002H3014009016011	20VKS 300x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky, hyg.	20VKM W 300x1400	RAL9016	17,71	19,287	857,
M002H3015009016011	20VKS 300x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky, hyg.	20VKM W 300x1500	RAL9016	18,975	20,665	918,
M002H3016009016011	20VKS 300x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky, hyg.	20VKM W 300x1600	RAL9016	20,24	22,043	979,
M002H3017009016011	20VKS 300x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky, hyg.	20VKM W 300x1700	RAL9016	21,505	22,424	1 040,
M002H3018009016011	20VKS 300x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky, hyg.	20VKM W 300x1800	RAL9016	22,77	23,743	1 102,
M002H3019009016011	20VKS 300x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky, hyg.	20VKM W 300x1900	RAL9016	24,035	25,062	1 163,
M002H3020009016011	20VKS 300x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky, hyg.	20VKM W 300x2000	RAL9016	25,3	26,381	1 224,

M002H4004009016011	20VKS 400x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 400x400	RAL9016	6,748	7,35	308,
M002H4005009016011	20VKS 400x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 400x500	RAL9016	8,435	9,187	385,
M002H4006009016011	20VKS 400x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 400x600	RAL9016	10,122	11,023	461,
M002H4007009016011	20VKS 400x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 400x700	RAL9016	11,809	12,859	538,
M002H4008009016011	20VKS 400x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 400x800	RAL9016	13,496	14,695	615,
M002H4009009016011	20VKS 400x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 400x900	RAL9016	15,183	16,531	692,
M002H4010009016011	20VKS 400x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 400x1000	RAL9016	16,87	18,367	769,
M002H4011009016011	20VKS 400x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 400x1100	RAL9016	18,557	20,203	846,
M002H4012009016011	20VKS 400x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 400x1200	RAL9016	20,244	22,039	923,
M002H4013009016011	20VKS 400x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 400x1300	RAL9016	21,931	23,875	1 000,
M002H4014009016011	20VKS 400x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 400x1400	RAL9016	23,618	25,711	1 077,
M002H4015009016011	20VKS 400x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 400x1500	RAL9016	25,305	27,547	1 154,
M002H4016009016011	20VKS 400x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 400x1600	RAL9016	26,992	29,383	1 230,
M002H4017009016011	20VKS 400x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 400x1700	RAL9016	28,679	29,899	1 307,
M002H4018009016011	20VKS 400x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 400x1800	RAL9016	30,366	31,657	1 384,
M002H4019009016011	20VKS 400x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 400x1900	RAL9016	32,053	33,415	1 461,
M002H4020009016011	20VKS 400x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 400x2000	RAL9016	33,74	35,173	1 538,
M002H5004009016011	20VKS 500x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 500x400	RAL9016	8,095	8,815	368,
M002H5005009016011	20VKS 500x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 500x500	RAL9016	10,118	11,019	460,
M002H5006009016011	20VKS 500x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 500x600	RAL9016	12,142	13,223	552,
M002H5007009016011	20VKS 500x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 500x700	RAL9016	14,166	15,427	644,
M002H5008009016011	20VKS 500x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 500x800	RAL9016	16,189	17,631	736,
M002H5009009016011	20VKS 500x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 500x900	RAL9016	18,213	19,836	828,
M002H5010009016011	20VKS 500x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 500x1000	RAL9016	20,237	22,04	920,
M002H5011009016011	20VKS 500x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 500x1100	RAL9016	22,26	24,244	1 012,
M002H5012009016011	20VKS 500x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 500x1200	RAL9016	24,284	26,448	1 104,
M002H5013009016011	20VKS 500x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 500x1300	RAL9016	26,308	28,652	1 196,
M002H5014009016011	20VKS 500x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 500x1400	RAL9016	28,332	30,856	1 288,
M002H5015009016011	20VKS 500x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 500x1500	RAL9016	30,355	33,06	1 380,
M002H5016009016011	20VKS 500x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 500x1600	RAL9016	32,379	35,265	1 472,
M002H5017009016011	20VKS 500x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 500x1700	RAL9016	34,403	35,878	1 564,
M002H5018009016011	20VKS 500x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 500x1800	RAL9016	36,426	37,989	1 656,
M002H5019009016011	20VKS 500x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 500x1900	RAL9016	38,45	40,1	1 748,
M002H5020009016011	20VKS 500x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 500x2000	RAL9016	40,474	42,211	1 840,
M002H6004009016011	20VKS 600x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 600x400	RAL9016	9,715	10,579	427,
M002H6005009016011	20VKS 600x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 600x500	RAL9016	12,144	13,224	534,
M002H6006009016011	20VKS 600x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 600x600	RAL9016	14,573	15,869	641,
M002H6007009016011	20VKS 600x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 600x700	RAL9016	17,002	18,514	748,
M002H6008009016011	20VKS 600x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 600x800	RAL9016	19,43	21,158	854,
M002H6009009016011	20VKS 600x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 600x900	RAL9016	21,859	23,803	961,
M002H6010009016011	20VKS 600x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 600x1000	RAL9016	24,288	26,448	1 068,
M002H6011009016011	20VKS 600x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 600x1100	RAL9016	26,717	29,093	1 175,
M002H6012009016011	20VKS 600x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 600x1200	RAL9016	29,146	31,738	1 282,
M002H6013009016011	20VKS 600x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 600x1300	RAL9016	31,574	34,382	1 388,
M002H6014009016011	20VKS 600x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 600x1400	RAL9016	34,003	37,027	1 495,
M002H6015009016011	20VKS 600x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 600x1500	RAL9016	36,432	39,672	1 602,
M002H6016009016011	20VKS 600x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 600x1600	RAL9016	38,861	42,317	1 709,
M002H6017009016011	20VKS 600x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 600x1700	RAL9016	41,29	43,054	1 816,
M002H6018009016011	20VKS 600x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 600x1800	RAL9016	43,718	45,587	1 922,
M002H6019009016011	20VKS 600x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 600x1900	RAL9016	46,147	48,119	2 029,
M002H6020009016011	20VKS 600x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 600x2000	RAL9016	48,576	50,652	2 136,
M002H9004009016011	20VKS 900x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 900x400	RAL9016	15,18	16,527	600,
M002H9005009016011	20VKS 900x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 900x500	RAL9016	18,975	20,66	750,
M002H9006009016011	20VKS 900x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 900x600	RAL9016	22,77	24,793	900,
M002H9007009016011	20VKS 900x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 900x700	RAL9016	26,565	28,926	1 050,
M002H9008009016011	20VKS 900x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 900x800	RAL9016	30,36	33,059	1 200,
M002H9009009016011	20VKS 900x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 900x900	RAL9016	34,155	37,192	1 350,
M002H9010009016011	20VKS 900x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 900x1000	RAL9016	37,95	41,325	1 500,
M002H9011009016011	20VKS 900x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 900x1100	RAL9016	41,745	45,458	1 650,
M002H9012009016011	20VKS 900x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 900x1200	RAL9016	45,54	49,591	1 800,
M002H9014009016011	20VKS 900x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 900x1400	RAL9016	53,13	57,857	2 100,
M002H9016009016011	20VKS 900x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKM W 900x1600	RAL9016	60,72	66,123	2 400,
M00303004009016011	30VKS 300x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x400	RAL9016	8,24	8,82	331,
M00303005009016011	30VKS 300x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x500	RAL9016	10,3	11,025	414,
M00303006009016011	30VKS 300x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x600	RAL9016	12,36	13,231	497,
M00303007009016011	30VKS 300x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x700	RAL9016	14,42	15,437	580,
M00303008009016011	30VKS 300x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x800	RAL9016	16,48	17,643	662,
M00303009009016011	30VKS 300x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x900	RAL9016	18,54	19,849	745,
M00303010009016011	30VKS 300x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x1000	RAL9016	20,6	22,055	828,
M00303011009016011	30VKS 300x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x1100	RAL9016	22,66	24,261	911,
M00303012009016011	30VKS 300x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x1200	RAL9016	24,72	26,467	994,
M00303013009016011	30VKS 300x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x1300	RAL9016	26,78	28,673	1 076,

M00303014009016011	30VKS 300x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x1400	RAL9016	28,84	30,879	1 159,
M00303015009016011	30VKS 300x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x1500	RAL9016	30,9	33,085	1 242,
M00303016009016011	30VKS 300x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x1600	RAL9016	32,96	35,291	1 325,
M00303017009016011	30VKS 300x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x1700	RAL9016	35,02	37,497	1 408,
M00303018009016011	30VKS 300x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x1800	RAL9016	37,08	39,703	1 490,
M00303019009016011	30VKS 300x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x1900	RAL9016	39,14	41,909	1 573,
M00303020009016011	30VKS 300x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x2000	RAL9016	41,2	44,115	1 656,
M00304004009016011	30VKS 400x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x400	RAL9016	10,64	11,538	418,
M00304005009016011	30VKS 400x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x500	RAL9016	13,3	14,422	523,
M00304006009016011	30VKS 400x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x600	RAL9016	15,96	17,307	627,
M00304007009016011	30VKS 400x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x700	RAL9016	18,62	20,192	732,
M00304008009016011	30VKS 400x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x800	RAL9016	21,28	23,077	836,
M00304009009016011	30VKS 400x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x900	RAL9016	23,94	25,962	941,
M00304010009016011	30VKS 400x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x1000	RAL9016	26,6	28,847	1 045,
M00304011009016011	30VKS 400x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x1100	RAL9016	29,26	31,732	1 150,
M00304012009016011	30VKS 400x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x1200	RAL9016	31,92	34,617	1 254,
M00304013009016011	30VKS 400x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x1300	RAL9016	34,58	37,502	1 359,
M00304014009016011	30VKS 400x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x1400	RAL9016	37,24	40,387	1 463,
M00304015009016011	30VKS 400x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x1500	RAL9016	39,9	43,272	1 568,
M00304016009016011	30VKS 400x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x1600	RAL9016	42,56	46,157	1 672,
M00304017009016011	30VKS 400x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x1700	RAL9016	45,22	49,042	1 777,
M00304018009016011	30VKS 400x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x1800	RAL9016	47,88	51,927	1 881,
M00304019009016011	30VKS 400x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x1900	RAL9016	50,54	54,812	1 986,
M00304020009016011	30VKS 400x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x2000	RAL9016	53,2	57,697	2 090,
M00305004009016011	30VKS 500x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x400	RAL9016	12,278	12,739	501,
M00305005009016011	30VKS 500x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x500	RAL9016	15,648	16,803	627,
M00305006009016011	30VKS 500x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x600	RAL9016	18,778	20,164	752,
M00305007009016011	30VKS 500x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x700	RAL9016	21,907	23,525	877,
M00305008009016011	30VKS 500x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x800	RAL9016	25,037	26,886	1 002,
M00305009009016011	30VKS 500x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x900	RAL9016	28,166	30,247	1 128,
M00305010009016011	30VKS 500x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x1000	RAL9016	31,296	33,608	1 253,
M00305011009016011	30VKS 500x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x1100	RAL9016	34,426	36,969	1 378,
M00305012009016011	30VKS 500x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x1200	RAL9016	37,555	40,33	1 504,
M00305013009016011	30VKS 500x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x1300	RAL9016	40,685	43,691	1 629,
M00305014009016011	30VKS 500x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x1400	RAL9016	43,814	47,052	1 754,
M00305015009016011	30VKS 500x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x1500	RAL9016	46,944	50,412	1 880,
M00305016009016011	30VKS 500x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x1600	RAL9016	50,074	53,773	2 005,
M00305017009016011	30VKS 500x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x1700	RAL9016	53,203	58,252	2 130,
M00305018009016011	30VKS 500x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x1800	RAL9016	56,333	61,679	2 255,
M00305019009016011	30VKS 500x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x1900	RAL9016	59,462	65,106	2 381,
M00305020009016011	30VKS 500x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x2000	RAL9016	62,592	68,533	2 506,
M00306004009016011	30VKS 600x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x400	RAL9016	16,479	18,059	582,
M00306005009016011	30VKS 600x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x500	RAL9016	18,528	20,165	728,
M00306006009016011	30VKS 600x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x600	RAL9016	22,234	24,198	873,
M00306007009016011	30VKS 600x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x700	RAL9016	25,939	28,231	1 019,
M00306008009016011	30VKS 600x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x800	RAL9016	29,645	32,264	1 164,
M00306009009016011	30VKS 600x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x900	RAL9016	33,35	36,297	1 310,
M00306010009016011	30VKS 600x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x1000	RAL9016	37,056	40,33	1 455,
M00306011009016011	30VKS 600x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x1100	RAL9016	40,762	44,363	1 601,
M00306012009016011	30VKS 600x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x1200	RAL9016	44,467	48,396	1 746,
M00306013009016011	30VKS 600x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x1300	RAL9016	48,173	52,428	1 892,
M00306014009016011	30VKS 600x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x1400	RAL9016	51,878	56,461	2 037,
M00306015009016011	30VKS 600x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x1500	RAL9016	55,584	60,494	2 183,
M00306016009016011	30VKS 600x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x1600	RAL9016	59,29	64,527	2 328,
M00306017009016011	30VKS 600x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x1700	RAL9016	62,995	69,902	2 474,
M00306018009016011	30VKS 600x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x1800	RAL9016	66,701	74,014	2 619,
M00306019009016011	30VKS 600x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x1900	RAL9016	70,406	78,126	2 765,
M00306020009016011	30VKS 600x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x2000	RAL9016	74,112	82,237	2 910,
M00309004009016011	30VKS 900x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 900x400	RAL9016	23,32	26,1	816,
M00309005009016011	30VKS 900x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 900x500	RAL9016	28,55	31,505	1 020,
M00309006009016011	30VKS 900x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 900x600	RAL9016	34,26	37,807	1 224,
M00309007009016011	30VKS 900x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 900x700	RAL9016	39,97	44,109	1 428,
M00309008009016011	30VKS 900x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 900x800	RAL9016	45,68	50,411	1 632,
M00309009009016011	30VKS 900x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 900x900	RAL9016	51,39	56,713	1 836,
M00309010009016011	30VKS 900x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 900x1000	RAL9016	57,1	63,015	2 040,
M00309011009016011	30VKS 900x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 900x1100	RAL9016	62,81	69,317	2 244,
M00309012009016011	30VKS 900x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 900x1200	RAL9016	68,52	75,619	2 448,
M00309013009016011	30VKS 900x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 900x1300	RAL9016	74,23	81,921	2 652,
M00309014009016011	30VKS 900x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 900x1400	RAL9016	79,94	88,223	2 856,
M00309015009016011	30VKS 900x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 900x1500	RAL9016	85,65	94,525	3 060,
M00309016009016011	30VKS 900x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 900x1600	RAL9016	91,36	100,827	3 264,
M00309017009016011	30VKS 900x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 900x1700	RAL9016	97,07	109,223	3 468,

M00309018009016011	30VKS 900x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 900x1800	RAL9016	102,78	115,647	3 672,
M00309019009016011	30VKS 900x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 900x1900	RAL9016	108,49	122,071	3 876,
M00309020009016011	30VKS 900x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 900x2000	RAL9016	114,2	128,495	4 080,
M00333004009016011	33VKS 300x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x400	RAL9016	10,72	11,086	555,
M00333005009016011	33VKS 300x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x500	RAL9016	13,4	13,858	694,
M00333006009016011	33VKS 300x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x600	RAL9016	16,08	16,63	833,
M00333007009016011	33VKS 300x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x700	RAL9016	18,76	19,402	972,
M00333008009016011	33VKS 300x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x800	RAL9016	21,44	22,174	1 110,
M00333009009016011	33VKS 300x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x900	RAL9016	24,12	24,946	1 249,
M00333010009016011	33VKS 300x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x1000	RAL9016	26,8	27,718	1 388,
M00333011009016011	33VKS 300x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x1100	RAL9016	29,48	30,49	1 527,
M00333012009016011	33VKS 300x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x1200	RAL9016	32,16	33,262	1 666,
M00333013009016011	33VKS 300x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x1300	RAL9016	34,84	36,034	1 804,
M00333014009016011	33VKS 300x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x1400	RAL9016	37,52	38,806	1 943,
M00333015009016011	33VKS 300x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x1500	RAL9016	40,2	41,578	2 082,
M00333016009016011	33VKS 300x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x1600	RAL9016	42,88	44,35	2 221,
M00333017009016011	33VKS 300x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x1700	RAL9016	45,56	46,681	2 360,
M00333018009016011	33VKS 300x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x1800	RAL9016	48,24	49,427	2 498,
M00333019009016011	33VKS 300x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x1900	RAL9016	50,92	52,173	2 637,
M00333020009016011	33VKS 300x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x2000	RAL9016	53,6	54,919	2 776,
M00333021009016011	33VKS 300x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x2100	RAL9016	56,28	57,665	2 915,
M00333022009016011	33VKS 300x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x2200	RAL9016	58,96	60,411	3 054,
M00333023009016011	33VKS 300x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x2300	RAL9016	61,64	63,157	3 192,
M00333024009016011	33VKS 300x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x2400	RAL9016	64,32	65,903	3 331,
M00333025009016011	33VKS 300x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x2500	RAL9016	67,	68,649	3 470,
M00333026009016011	33VKS 300x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x2600	RAL9016	69,68	71,395	3 609,
M00333027009016011	33VKS 300x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x2700	RAL9016	72,36	74,141	3 748,
M00333028009016011	33VKS 300x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x2800	RAL9016	75,04	76,887	3 886,
M00333029009016011	33VKS 300x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x2900	RAL9016	77,72	79,633	4 025,
M00333030009016011	33VKS 300x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x3000	RAL9016	80,4	82,379	4 164,
M00334004009016011	33VKS 400x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x400	RAL9016	14,292	14,783	700,
M00334005009016011	33VKS 400x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x500	RAL9016	17,865	18,478	876,
M00334006009016011	33VKS 400x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x600	RAL9016	21,438	22,174	1 051,
M00334007009016011	33VKS 400x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x700	RAL9016	25,011	25,87	1 226,
M00334008009016011	33VKS 400x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x800	RAL9016	28,584	29,566	1 401,
M00334009009016011	33VKS 400x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x900	RAL9016	32,157	33,262	1 576,
M00334010009016011	33VKS 400x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x1000	RAL9016	35,73	36,958	1 751,
M00334011009016011	33VKS 400x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x1100	RAL9016	39,303	40,654	1 926,
M00334012009016011	33VKS 400x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x1200	RAL9016	42,876	44,35	2 101,
M00334013009016011	33VKS 400x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x1300	RAL9016	46,449	48,046	2 276,
M00334014009016011	33VKS 400x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x1400	RAL9016	50,022	51,742	2 451,
M00334015009016011	33VKS 400x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x1500	RAL9016	53,595	55,438	2 627,
M00334016009016011	33VKS 400x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x1600	RAL9016	57,168	59,134	2 802,
M00334017009016011	33VKS 400x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x1700	RAL9016	60,741	62,241	2 977,
M00334018009016011	33VKS 400x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x1800	RAL9016	64,314	65,902	3 152,
M00334019009016011	33VKS 400x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x1900	RAL9016	67,887	69,563	3 327,
M00334020009016011	33VKS 400x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x2000	RAL9016	71,46	73,224	3 502,
M00334021009016011	33VKS 400x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x2100	RAL9016	75,033	76,885	3 677,
M00334022009016011	33VKS 400x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x2200	RAL9016	78,606	80,546	3 852,
M00334023009016011	33VKS 400x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x2300	RAL9016	82,179	84,207	4 027,
M00334024009016011	33VKS 400x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x2400	RAL9016	85,752	87,868	4 202,
M00334025009016011	33VKS 400x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x2500	RAL9016	89,325	91,529	4 378,
M00334026009016011	33VKS 400x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x2600	RAL9016	92,898	95,19	4 553,
M00334027009016011	33VKS 400x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x2700	RAL9016	96,471	98,851	4 728,
M00334028009016011	33VKS 400x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x2800	RAL9016	100,044	102,512	4 903,
M00334029009016011	33VKS 400x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x2900	RAL9016	103,617	106,173	5 078,
M00334030009016011	33VKS 400x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x3000	RAL9016	107,19	109,834	5 253,
M00335004009016011	33VKS 500x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x400	RAL9016	15,487	16,576	836,
M00335005009016011	33VKS 500x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x500	RAL9016	19,358	20,722	1 046,
M00335006009016011	33VKS 500x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x600	RAL9016	23,23	24,867	1 255,
M00335007009016011	33VKS 500x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x700	RAL9016	27,102	29,012	1 464,
M00335008009016011	33VKS 500x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x800	RAL9016	30,973	33,157	1 673,
M00335009009016011	33VKS 500x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x900	RAL9016	34,845	37,303	1 882,
M00335010009016011	33VKS 500x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x1000	RAL9016	38,717	41,448	2 091,
M00335011009016011	33VKS 500x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x1100	RAL9016	42,588	45,593	2 300,
M00335012009016011	33VKS 500x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x1200	RAL9016	46,46	49,739	2 509,
M00335013009016011	33VKS 500x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x1300	RAL9016	50,332	53,884	2 718,
M00335014009016011	33VKS 500x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x1400	RAL9016	54,204	58,029	2 927,
M00335015009016011	33VKS 500x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x1500	RAL9016	58,075	62,174	3 137,
M00335016009016011	33VKS 500x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x1600	RAL9016	61,947	66,32	3 346,
M00335017009016011	33VKS 500x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x1700	RAL9016	65,819	71,554	3 555,
M00335018009016011	33VKS 500x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x1800	RAL9016	69,69	75,762	3 764,

M00335019009016011	33VKS 500x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x1900	RAL9016	73,562	79,971	3 973,
M00335020009016011	33VKS 500x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x2000	RAL9016	77,434	84,18	4 182,
M00335021009016011	33VKS 500x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x2100	RAL9016	81,305	88,388	4 391,
M00335022009016011	33VKS 500x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x2200	RAL9016	85,177	92,597	4 600,
M00335023009016011	33VKS 500x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x2300	RAL9016	89,049	96,805	4 809,
M00335024009016011	33VKS 500x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x2400	RAL9016	92,92	101,014	5 018,
M00335025009016011	33VKS 500x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x2500	RAL9016	96,792	105,223	5 228,
M00335026009016011	33VKS 500x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x2600	RAL9016	100,664	109,949	5 437,
M00335027009016011	33VKS 500x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x2700	RAL9016	104,535	114,178	5 646,
M00335028009016011	33VKS 500x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x2800	RAL9016	108,407	118,406	5 855,
M00335029009016011	33VKS 500x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x2900	RAL9016	112,279	122,635	6 064,
M00335030009016011	33VKS 500x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x3000	RAL9016	116,15	126,864	6 273,
M00336004009016011	33VKS 600x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x400	RAL9016	18,586	19,895	964,
M00336005009016011	33VKS 600x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x500	RAL9016	23,232	24,869	1 205,
M00336006009016011	33VKS 600x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x600	RAL9016	27,878	29,843	1 446,
M00336007009016011	33VKS 600x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x700	RAL9016	32,525	34,816	1 687,
M00336008009016011	33VKS 600x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x800	RAL9016	37,171	39,79	1 928,
M00336009009016011	33VKS 600x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x900	RAL9016	41,818	44,764	2 169,
M00336010009016011	33VKS 600x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x1000	RAL9016	46,464	49,738	2 410,
M00336011009016011	33VKS 600x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x1100	RAL9016	51,11	54,711	2 651,
M00336012009016011	33VKS 600x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x1200	RAL9016	55,757	59,685	2 892,
M00336013009016011	33VKS 600x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x1300	RAL9016	60,403	64,659	3 133,
M00336014009016011	33VKS 600x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x1400	RAL9016	65,05	69,633	3 374,
M00336015009016011	33VKS 600x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x1500	RAL9016	69,696	74,606	3 615,
M00336016009016011	33VKS 600x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x1600	RAL9016	74,342	79,58	3 856,
M00336017009016011	33VKS 600x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x1700	RAL9016	78,989	85,864	4 097,
M00336018009016011	33VKS 600x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x1800	RAL9016	83,635	90,915	4 338,
M00336019009016011	33VKS 600x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x1900	RAL9016	88,282	95,965	4 579,
M00336020009016011	33VKS 600x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x2000	RAL9016	92,928	101,016	4 820,
M00336021009016011	33VKS 600x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x2100	RAL9016	97,574	106,067	5 061,
M00336022009016011	33VKS 600x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x2200	RAL9016	102,221	111,117	5 302,
M00336023009016011	33VKS 600x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x2300	RAL9016	106,867	116,168	5 543,
M00336024009016011	33VKS 600x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x2400	RAL9016	111,514	121,218	5 784,
M00336025009016011	33VKS 600x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x2500	RAL9016	116,16	126,269	6 025,
M00336026009016011	33VKS 600x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x2600	RAL9016	120,806	131,939	6 266,
M00336027009016011	33VKS 600x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x2700	RAL9016	125,453	137,013	6 507,
M00336028009016011	33VKS 600x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x2800	RAL9016	130,099	142,088	6 748,
M00336029009016011	33VKS 600x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x2900	RAL9016	134,746	147,162	6 989,
M00336030009016011	33VKS 600x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x3000	RAL9016	139,392	152,237	7 230,
M00339004009016011	33VKS 900x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x400	RAL9016	29,04	31,083	1 307,
M00339005009016011	33VKS 900x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x500	RAL9016	36,3	38,855	1 634,
M00339006009016011	33VKS 900x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x600	RAL9016	43,56	46,627	1 960,
M00339007009016011	33VKS 900x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x700	RAL9016	50,82	54,399	2 287,
M00339008009016011	33VKS 900x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x800	RAL9016	58,08	62,171	2 614,
M00339009009016011	33VKS 900x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x900	RAL9016	65,34	69,943	2 940,
M00339010009016011	33VKS 900x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x1000	RAL9016	72,6	77,715	3 267,
M00339011009016011	33VKS 900x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x1100	RAL9016	79,86	85,487	3 594,
M00339012009016011	33VKS 900x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x1200	RAL9016	87,12	93,259	3 920,
M00339013009016011	33VKS 900x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x1300	RAL9016	94,38	101,031	4 247,
M00339014009016011	33VKS 900x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x1400	RAL9016	101,64	108,803	4 574,
M00339015009016011	33VKS 900x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x1500	RAL9016	108,9	116,575	4 901,
M00339016009016011	33VKS 900x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x1600	RAL9016	116,16	124,347	5 227,
M00339017009016011	33VKS 900x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x1700	RAL9016	123,42	134,163	5 554,
M00339018009016011	33VKS 900x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x1800	RAL9016	130,68	142,055	5 881,
M00339019009016011	33VKS 900x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x1900	RAL9016	137,94	149,947	6 207,
M00339020009016011	33VKS 900x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x2000	RAL9016	145,2	157,839	6 534,
M00339021009016011	33VKS 900x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x2100	RAL9016	152,46	165,731	6 861,
M00339022009016011	33VKS 900x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x2200	RAL9016	159,72	173,623	7 187,
M00339023009016011	33VKS 900x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x2300	RAL9016	166,98	181,515	7 514,
M00339024009016011	33VKS 900x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x2400	RAL9016	174,24	189,407	7 841,
M00339025009016011	33VKS 900x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x2500	RAL9016	181,5	197,299	8 168,
M00339026009016011	33VKS 900x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x2600	RAL9016	188,76	206,154	8 494,
M00339027009016011	33VKS 900x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x2700	RAL9016	196,02	214,083	8 821,
M00339028009016011	33VKS 900x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x2800	RAL9016	203,28	222,012	9 148,
M00339029009016011	33VKS 900x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x2900	RAL9016	210,54	229,941	9 474,
M00339030009016011	33VKS 900x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x3000	RAL9016	217,8	237,87	9 801,
PK0103004009016011	10K 300x0400 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x400 PLAN	RAL9016	3,41	4,25	126,
PK0103005009016011	10K 300x0500 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x500 PLAN	RAL9016	4,262	5,304	158,
PK0103006009016011	10K 300x0600 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x600 PLAN	RAL9016	5,119	6,369	190,
PK0103007009016011	10K 300x0700 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x700 PLAN	RAL9016	5,976	7,434	221,
PK0103008009016011	10K 300x0800 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x800 PLAN	RAL9016	6,833	8,499	253,
PK0103009009016011	10K 300x0900 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x900 PLAN	RAL9016	7,69	9,564	284,

PK0103010009016011	10K 300x1000 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x1000 PLAN	RAL9016	8,547	10,629	316,
PK0103011009016011	10K 300x1100 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x1100 PLAN	RAL9016	9,405	11,695	348,
PK0103012009016011	10K 300x1200 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x1200 PLAN	RAL9016	10,262	12,76	379,
PK0103013009016011	10K 300x1300 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x1300 PLAN	RAL9016	11,119	13,825	411,
PK0103014009016011	10K 300x1400 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x1400 PLAN	RAL9016	11,976	14,89	442,
PK0103015009016011	10K 300x1500 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x1500 PLAN	RAL9016	12,833	15,955	474,
PK0103016009016011	10K 300x1600 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x1600 PLAN	RAL9016	13,69	17,02	506,
PK0103017009016011	10K 300x1700 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x1700 PLAN	RAL9016	14,547	18,085	537,
PK0103018009016011	10K 300x1800 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x1800 PLAN	RAL9016	15,404	19,15	569,
PK0103019009016011	10K 300x1900 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x1900 PLAN	RAL9016	16,261	20,215	600,
PK0103020009016011	10K 300x2000 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 300x2000 PLAN	RAL9016	17,118	21,28	632,
PK0104004009016011	10K 400x0400 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x400 PLAN	RAL9016	4,52	5,67	160,
PK0104005009016011	10K 400x0500 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x500 PLAN	RAL9016	5,647	7,087	200,
PK0104006009016011	10K 400x0600 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x600 PLAN	RAL9016	6,782	8,51	239,
PK0104007009016011	10K 400x0700 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x700 PLAN	RAL9016	7,918	9,934	279,
PK0104008009016011	10K 400x0800 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x800 PLAN	RAL9016	9,053	11,357	319,
PK0104009009016011	10K 400x0900 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x900 PLAN	RAL9016	10,189	12,781	359,
PK0104010009016011	10K 400x1000 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x1000 PLAN	RAL9016	11,325	14,205	399,
PK0104011009016011	10K 400x1100 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x1100 PLAN	RAL9016	12,46	15,628	439,
PK0104012009016011	10K 400x1200 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x1200 PLAN	RAL9016	13,596	17,052	479,
PK0104013009016011	10K 400x1300 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x1300 PLAN	RAL9016	14,731	18,475	519,
PK0104014009016011	10K 400x1400 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x1400 PLAN	RAL9016	15,867	19,899	559,
PK0104015009016011	10K 400x1500 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x1500 PLAN	RAL9016	17,002	21,322	599,
PK0104016009016011	10K 400x1600 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x1600 PLAN	RAL9016	18,138	22,746	638,
PK0104017009016011	10K 400x1700 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x1700 PLAN	RAL9016	19,274	24,17	678,
PK0104018009016011	10K 400x1800 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x1800 PLAN	RAL9016	20,409	25,593	718,
PK0104019009016011	10K 400x1900 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x1900 PLAN	RAL9016	21,545	27,017	758,
PK0104020009016011	10K 400x2000 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 400x2000 PLAN	RAL9016	22,68	28,44	798,
PK0105004009016011	10K 500x0400 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x400 PLAN	RAL9016	5,388	6,267	190,
PK0105005009016011	10K 500x0500 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x500 PLAN	RAL9016	6,745	7,834	238,
PK0105006009016011	10K 500x0600 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x600 PLAN	RAL9016	8,101	9,409	286,
PK0105007009016011	10K 500x0700 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x700 PLAN	RAL9016	9,458	10,984	333,
PK0105008009016011	10K 500x0800 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x800 PLAN	RAL9016	10,815	12,561	381,
PK0105009009016011	10K 500x0900 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x900 PLAN	RAL9016	12,172	14,136	428,
PK0105010009016011	10K 500x1000 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x1000 PLAN	RAL9016	13,528	15,711	476,
PK0105011009016011	10K 500x1100 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x1100 PLAN	RAL9016	14,885	17,287	524,
PK0105012009016011	10K 500x1200 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x1200 PLAN	RAL9016	16,241	18,862	571,
PK0105013009016011	10K 500x1300 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x1300 PLAN	RAL9016	17,598	20,437	619,
PK0105014009016011	10K 500x1400 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x1400 PLAN	RAL9016	18,954	22,013	666,
PK0105015009016011	10K 500x1500 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x1500 PLAN	RAL9016	20,311	23,588	714,
PK0105016009016011	10K 500x1600 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x1600 PLAN	RAL9016	21,667	25,164	762,
PK0105017009016011	10K 500x1700 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x1700 PLAN	RAL9016	23,024	26,739	809,
PK0105018009016011	10K 500x1800 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x1800 PLAN	RAL9016	24,38	28,314	857,
PK0105019009016011	10K 500x1900 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x1900 PLAN	RAL9016	25,737	29,89	904,
PK0105020009016011	10K 500x2000 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 500x2000 PLAN	RAL9016	27,094	31,466	952,
PK0106004009016011	10K 600x0400 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x400 PLAN	RAL9016	6,45	7,53	219,
PK0106005009016011	10K 600x0500 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x500 PLAN	RAL9016	8,075	9,413	274,
PK0106006009016011	10K 600x0600 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x600 PLAN	RAL9016	9,699	11,305	329,
PK0106007009016011	10K 600x0700 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x700 PLAN	RAL9016	11,322	13,196	384,
PK0106008009016011	10K 600x0800 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x800 PLAN	RAL9016	12,947	15,088	438,
PK0106009009016011	10K 600x0900 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x900 PLAN	RAL9016	14,57	16,98	493,
PK0106010009016011	10K 600x1000 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x1000 PLAN	RAL9016	16,194	18,872	548,
PK0106011009016011	10K 600x1100 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x1100 PLAN	RAL9016	17,818	20,763	603,
PK0106012009016011	10K 600x1200 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x1200 PLAN	RAL9016	19,442	22,655	658,
PK0106013009016011	10K 600x1300 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x1300 PLAN	RAL9016	21,066	24,547	712,
PK0106014009016011	10K 600x1400 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x1400 PLAN	RAL9016	22,69	26,438	767,
PK0106015009016011	10K 600x1500 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x1500 PLAN	RAL9016	24,314	28,331	822,
PK0106016009016011	10K 600x1600 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x1600 PLAN	RAL9016	25,937	30,222	877,
PK0106017009016011	10K 600x1700 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x1700 PLAN	RAL9016	27,562	32,114	932,
PK0106018009016011	10K 600x1800 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x1800 PLAN	RAL9016	29,186	34,006	986,
PK0106019009016011	10K 600x1900 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x1900 PLAN	RAL9016	30,809	35,897	1 041,
PK0106020009016011	10K 600x2000 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 600x2000 PLAN	RAL9016	32,434	37,789	1 096,
PK0109004009016011	10K 900x0400 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x400 PLAN	RAL9016	9,918	11,787	294,
PK0109005009016011	10K 900x0500 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x500 PLAN	RAL9016	12,415	14,734	368,
PK0109006009016011	10K 900x0600 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x600 PLAN	RAL9016	14,912	17,694	441,
PK0109007009016011	10K 900x0700 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x700 PLAN	RAL9016	17,409	20,654	515,
PK0109008009016011	10K 900x0800 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x800 PLAN	RAL9016	19,906	23,614	588,
PK0109009009016011	10K 900x0900 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x900 PLAN	RAL9016	22,403	26,574	662,
PK0109010009016011	10K 900x1000 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x1000 PLAN	RAL9016	24,9	29,534	735,
PK0109011009016011	10K 900x1100 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x1100 PLAN	RAL9016	27,397	32,494	809,
PK0109012009016011	10K 900x1200 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x1200 PLAN	RAL9016	29,894	35,454	882,
PK0109014009016011	10K 900x1400 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x1400 PLAN	RAL9016	34,889	41,375	1 029,

PK0109016009016011	10K 900x1600 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10K 900x1600 PLAN	RAL9016	39,883	47,295	1 176,
PK0113004009016011	11K 300x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x400 PLAN	RAL9016	4,87	5,488	202,
PK0113005009016011	11K 300x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x500 PLAN	RAL9016	6,082	6,86	253,
PK0113006009016011	11K 300x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x600 PLAN	RAL9016	7,303	8,237	304,
PK0113007009016011	11K 300x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x700 PLAN	RAL9016	8,524	9,614	354,
PK0113008009016011	11K 300x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x800 PLAN	RAL9016	9,745	10,991	405,
PK0113009009016011	11K 300x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x900 PLAN	RAL9016	10,966	12,368	455,
PK0113010009016011	11K 300x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x1000 PLAN	RAL9016	12,187	13,745	506,
PK0113011009016011	11K 300x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x1100 PLAN	RAL9016	13,409	15,123	557,
PK0113012009016011	11K 300x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x1200 PLAN	RAL9016	14,63	16,032	607,
PK0113013009016011	11K 300x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x1300 PLAN	RAL9016	15,851	17,37	658,
PK0113014009016011	11K 300x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x1400 PLAN	RAL9016	17,072	18,707	708,
PK0113015009016011	11K 300x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x1500 PLAN	RAL9016	18,293	20,045	759,
PK0113016009016011	11K 300x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x1600 PLAN	RAL9016	19,514	21,383	810,
PK0113017009016011	11K 300x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x1700 PLAN	RAL9016	20,735	22,721	860,
PK0113018009016011	11K 300x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x1800 PLAN	RAL9016	21,956	24,059	911,
PK0113019009016011	11K 300x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x1900 PLAN	RAL9016	23,177	25,397	961,
PK0113020009016011	11K 300x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 300x2000 PLAN	RAL9016	24,398	26,735	1 012,
PK0114004009016011	11K 400x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x400 PLAN	RAL9016	6,5	7,33	250,
PK0114005009016011	11K 400x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x500 PLAN	RAL9016	8,127	9,166	312,
PK0114006009016011	11K 400x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x600 PLAN	RAL9016	9,758	11,004	374,
PK0114007009016011	11K 400x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x700 PLAN	RAL9016	11,39	12,843	437,
PK0114008009016011	11K 400x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x800 PLAN	RAL9016	13,021	14,681	499,
PK0114009009016011	11K 400x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x900 PLAN	RAL9016	14,653	16,52	562,
PK0114010009016011	11K 400x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x1000 PLAN	RAL9016	16,285	18,359	624,
PK0114011009016011	11K 400x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x1100 PLAN	RAL9016	17,916	20,197	686,
PK0114012009016011	11K 400x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x1200 PLAN	RAL9016	19,548	21,414	749,
PK0114013009016011	11K 400x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x1300 PLAN	RAL9016	21,179	23,2	811,
PK0114014009016011	11K 400x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x1400 PLAN	RAL9016	22,811	24,987	874,
PK0114015009016011	11K 400x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x1500 PLAN	RAL9016	24,442	26,773	936,
PK0114016009016011	11K 400x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x1600 PLAN	RAL9016	26,074	28,56	998,
PK0114017009016011	11K 400x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x1700 PLAN	RAL9016	27,706	30,347	1 061,
PK0114018009016011	11K 400x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x1800 PLAN	RAL9016	29,337	32,133	1 123,
PK0114019009016011	11K 400x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x1900 PLAN	RAL9016	30,969	33,92	1 186,
PK0114020009016011	11K 400x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 400x2000 PLAN	RAL9016	32,6	35,706	1 248,
PK0115004009016011	11K 500x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x400 PLAN	RAL9016	8,125	8,587	296,
PK0115005009016011	11K 500x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x500 PLAN	RAL9016	10,166	10,734	371,
PK0115006009016011	11K 500x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x600 PLAN	RAL9016	12,207	12,889	445,
PK0115007009016011	11K 500x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x700 PLAN	RAL9016	14,248	15,044	519,
PK0115008009016011	11K 500x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x800 PLAN	RAL9016	16,29	17,2	593,
PK0115009009016011	11K 500x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x900 PLAN	RAL9016	18,331	19,355	667,
PK0115010009016011	11K 500x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x1000 PLAN	RAL9016	20,372	21,51	741,
PK0115011009016011	11K 500x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x1100 PLAN	RAL9016	22,413	23,665	815,
PK0115012009016011	11K 500x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x1200 PLAN	RAL9016	24,454	26,141	889,
PK0115013009016011	11K 500x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x1300 PLAN	RAL9016	26,495	28,322	963,
PK0115014009016011	11K 500x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x1400 PLAN	RAL9016	28,536	30,503	1 037,
PK0115015009016011	11K 500x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x1500 PLAN	RAL9016	30,577	32,684	1 112,
PK0115016009016011	11K 500x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x1600 PLAN	RAL9016	32,618	34,865	1 186,
PK0115017009016011	11K 500x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x1700 PLAN	RAL9016	34,659	37,046	1 260,
PK0115018009016011	11K 500x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x1800 PLAN	RAL9016	36,7	39,227	1 334,
PK0115019009016011	11K 500x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x1900 PLAN	RAL9016	38,741	41,408	1 408,
PK0115020009016011	11K 500x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 500x2000 PLAN	RAL9016	40,783	43,59	1 482,
PK0116004009016011	11K 600x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x400 PLAN	RAL9016	9,759	10,314	344,
PK0116005009016011	11K 600x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x500 PLAN	RAL9016	12,211	12,893	430,
PK0116006009016011	11K 600x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x600 PLAN	RAL9016	14,663	15,481	516,
PK0116007009016011	11K 600x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x700 PLAN	RAL9016	17,114	18,068	602,
PK0116008009016011	11K 600x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x800 PLAN	RAL9016	19,566	20,656	688,
PK0116009009016011	11K 600x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x900 PLAN	RAL9016	22,017	23,243	774,
PK0116010009016011	11K 600x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x1000 PLAN	RAL9016	24,469	25,831	860,
PK0116011009016011	11K 600x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x1100 PLAN	RAL9016	26,92	28,418	946,
PK0116012009016011	11K 600x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x1200 PLAN	RAL9016	29,372	31,392	1 032,
PK0116013009016011	11K 600x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x1300 PLAN	RAL9016	31,824	34,012	1 118,
PK0116014009016011	11K 600x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x1400 PLAN	RAL9016	34,275	36,631	1 204,
PK0116015009016011	11K 600x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x1500 PLAN	RAL9016	36,727	39,251	1 290,
PK0116016009016011	11K 600x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x1600 PLAN	RAL9016	39,178	41,87	1 376,
PK0116017009016011	11K 600x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x1700 PLAN	RAL9016	41,63	44,49	1 462,
PK0116018009016011	11K 600x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x1800 PLAN	RAL9016	44,082	47,11	1 548,
PK0116019009016011	11K 600x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x1900 PLAN	RAL9016	46,533	49,729	1 634,
PK0116020009016011	11K 600x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 600x2000 PLAN	RAL9016	48,985	52,349	1 720,
PK0119004009016011	11K 900x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 900x400 PLAN	RAL9016	14,658	15,486	495,
PK0119005009016011	11K 900x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 900x500 PLAN	RAL9016	18,34	19,358	619,
PK0119006009016011	11K 900x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 900x600 PLAN	RAL9016	22,022	23,245	742,

PK0119007009016011	11K 900x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 900x700 PLAN	RAL9016	25,704	27,132	866,
PK0119008009016011	11K 900x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 900x800 PLAN	RAL9016	29,386	31,019	990,
PK0119009009016011	11K 900x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 900x900 PLAN	RAL9016	33,068	34,906	1 113,
PK0119010009016011	11K 900x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 900x1000 PLAN	RAL9016	36,75	38,793	1 237,
PK0119011009016011	11K 900x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 900x1100 PLAN	RAL9016	40,432	42,68	1 361,
PK0119012009016011	11K 900x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 900x1200 PLAN	RAL9016	44,114	47,143	1 484,
PK0119014009016011	11K 900x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 900x1400 PLAN	RAL9016	51,479	55,014	1 732,
PK0119016009016011	11K 900x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11K 900x1600 PLAN	RAL9016	58,843	62,884	1 979,
PK0203004009016011	20K 300x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x400 PLAN	RAL9016	5,95	6,4	224,
PK0203005009016011	20K 300x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x500 PLAN	RAL9016	7,432	7,992	280,
PK0203006009016011	20K 300x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x600 PLAN	RAL9016	8,923	9,596	335,
PK0203007009016011	20K 300x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x700 PLAN	RAL9016	10,414	11,2	391,
PK0203008009016011	20K 300x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x800 PLAN	RAL9016	11,905	12,804	447,
PK0203009009016011	20K 300x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x900 PLAN	RAL9016	13,396	14,408	503,
PK0203010009016011	20K 300x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x1000 PLAN	RAL9016	14,887	16,012	559,
PK0203011009016011	20K 300x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x1100 PLAN	RAL9016	16,379	17,617	615,
PK0203012009016011	20K 300x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x1200 PLAN	RAL9016	17,87	19,221	671,
PK0203013009016011	20K 300x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x1300 PLAN	RAL9016	19,361	20,825	727,
PK0203014009016011	20K 300x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x1400 PLAN	RAL9016	20,852	22,429	783,
PK0203015009016011	20K 300x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x1500 PLAN	RAL9016	22,343	24,033	839,
PK0203016009016011	20K 300x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x1600 PLAN	RAL9016	23,834	25,637	894,
PK0203017009016011	20K 300x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x1700 PLAN	RAL9016	25,325	26,244	950,
PK0203018009016011	20K 300x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x1800 PLAN	RAL9016	26,816	27,789	1 006,
PK0203019009016011	20K 300x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x1900 PLAN	RAL9016	28,307	29,334	1 062,
PK0203020009016011	20K 300x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 300x2000 PLAN	RAL9016	29,798	30,879	1 118,
PK0204004009016011	20K 400x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x400 PLAN	RAL9016	7,94	8,543	284,
PK0204005009016011	20K 400x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x500 PLAN	RAL9016	9,927	10,679	356,
PK0204006009016011	20K 400x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x600 PLAN	RAL9016	11,918	12,819	427,
PK0204007009016011	20K 400x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x700 PLAN	RAL9016	13,91	14,96	498,
PK0204008009016011	20K 400x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x800 PLAN	RAL9016	15,901	17,1	569,
PK0204009009016011	20K 400x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x900 PLAN	RAL9016	17,893	19,241	640,
PK0204010009016011	20K 400x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x1000 PLAN	RAL9016	19,885	21,382	711,
PK0204011009016011	20K 400x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x1100 PLAN	RAL9016	21,876	23,522	782,
PK0204012009016011	20K 400x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x1200 PLAN	RAL9016	23,868	25,663	853,
PK0204013009016011	20K 400x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x1300 PLAN	RAL9016	25,859	27,803	924,
PK0204014009016011	20K 400x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x1400 PLAN	RAL9016	27,851	29,944	995,
PK0204015009016011	20K 400x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x1500 PLAN	RAL9016	29,842	32,084	1 067,
PK0204016009016011	20K 400x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x1600 PLAN	RAL9016	31,834	34,225	1 138,
PK0204017009016011	20K 400x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x1700 PLAN	RAL9016	33,826	35,046	1 209,
PK0204018009016011	20K 400x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x1800 PLAN	RAL9016	35,817	37,108	1 280,
PK0204019009016011	20K 400x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x1900 PLAN	RAL9016	37,809	39,171	1 351,
PK0204020009016011	20K 400x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 400x2000 PLAN	RAL9016	39,8	41,233	1 422,
PK0205004009016011	20K 500x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x400 PLAN	RAL9016	9,528	10,248	342,
PK0205005009016011	20K 500x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x500 PLAN	RAL9016	11,919	12,82	427,
PK0205006009016011	20K 500x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x600 PLAN	RAL9016	14,311	15,392	512,
PK0205007009016011	20K 500x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x700 PLAN	RAL9016	16,702	17,964	598,
PK0205008009016011	20K 500x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x800 PLAN	RAL9016	19,094	20,536	683,
PK0205009009016011	20K 500x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x900 PLAN	RAL9016	21,486	23,108	769,
PK0205010009016011	20K 500x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x1000 PLAN	RAL9016	23,877	25,68	854,
PK0205011009016011	20K 500x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x1100 PLAN	RAL9016	26,268	28,252	939,
PK0205012009016011	20K 500x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x1200 PLAN	RAL9016	28,66	30,824	1 025,
PK0205013009016011	20K 500x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x1300 PLAN	RAL9016	31,051	33,396	1 110,
PK0205014009016011	20K 500x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x1400 PLAN	RAL9016	33,443	35,967	1 196,
PK0205015009016011	20K 500x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x1500 PLAN	RAL9016	35,834	38,539	1 281,
PK0205016009016011	20K 500x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x1600 PLAN	RAL9016	38,225	41,111	1 366,
PK0205017009016011	20K 500x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x1700 PLAN	RAL9016	40,617	42,092	1 452,
PK0205018009016011	20K 500x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x1800 PLAN	RAL9016	43,008	44,571	1 537,
PK0205019009016011	20K 500x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x1900 PLAN	RAL9016	45,399	47,05	1 623,
PK0205020009016011	20K 500x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 500x2000 PLAN	RAL9016	47,792	49,529	1 708,
PK0205504009016011	20K 550x400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 550x400 PLAN	RAL9016	11,005	11,836	371,
PK0205505009016011	20K 550x500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 550x500 PLAN	RAL9016	13,767	14,806	464,
PK0205506009016011	20K 550x600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 550x600 PLAN	RAL9016	16,53	17,777	557,
PK0205507009016011	20K 550x700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 550x700 PLAN	RAL9016	19,292	20,746	650,
PK0205508009016011	20K 550x800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 550x800 PLAN	RAL9016	22,054	23,716	742,
PK0205509009016011	20K 550x900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 550x900 PLAN	RAL9016	24,816	26,686	835,
PK0205510009016011	20K 550x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 550x1000 PLAN	RAL9016	27,579	29,656	928,
PK0205512009016011	20K 550x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 550x1200 PLAN	RAL9016	33,1	35,596	1 114,
PK0205514009016011	20K 550x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 550x1400 PLAN	RAL9016	38,627	41,536	1 299,
PK0205516009016011	20K 550x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 550x1600 PLAN	RAL9016	44,152	47,476	1 485,
PK0205518009016011	20K 550x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 550x1800 PLAN	RAL9016	49,677	51,474	1 670,
PK0205520009016011	20K 550x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 550x2000 PLAN	RAL9016	55,2	57,197	1 856,
PK0206004009016011	20K 600x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x400 PLAN	RAL9016	11,442	12,306	396,

PK0206005009016011	20K 600x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x500 PLAN	RAL9016	14,315	15,395	495,
PK0206006009016011	20K 600x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x600 PLAN	RAL9016	17,187	18,483	593,
PK0206007009016011	20K 600x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x700 PLAN	RAL9016	20,058	21,57	692,
PK0206008009016011	20K 600x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x800 PLAN	RAL9016	22,931	24,659	791,
PK0206009009016011	20K 600x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x900 PLAN	RAL9016	25,802	27,746	890,
PK0206010009016011	20K 600x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x1000 PLAN	RAL9016	28,674	30,834	989,
PK0206011009016011	20K 600x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x1100 PLAN	RAL9016	31,546	33,922	1 088,
PK0206012009016011	20K 600x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x1200 PLAN	RAL9016	34,418	37,01	1 187,
PK0206013009016011	20K 600x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x1300 PLAN	RAL9016	37,29	40,098	1 286,
PK0206014009016011	20K 600x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x1400 PLAN	RAL9016	40,162	43,186	1 385,
PK0206015009016011	20K 600x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x1500 PLAN	RAL9016	43,034	46,274	1 484,
PK0206016009016011	20K 600x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x1600 PLAN	RAL9016	45,905	49,361	1 582,
PK0206017009016011	20K 600x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x1700 PLAN	RAL9016	48,778	50,542	1 681,
PK0206018009016011	20K 600x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x1800 PLAN	RAL9016	51,65	53,518	1 780,
PK0206019009016011	20K 600x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x1900 PLAN	RAL9016	54,521	56,493	1 879,
PK0206020009016011	20K 600x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 600x2000 PLAN	RAL9016	57,394	59,469	1 978,
PK0209004009016011	20K 900x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x400 PLAN	RAL9016	17,898	19,245	542,
PK0209005009016011	20K 900x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x500 PLAN	RAL9016	22,39	24,075	678,
PK0209006009016011	20K 900x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x600 PLAN	RAL9016	26,882	28,905	814,
PK0209007009016011	20K 900x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x700 PLAN	RAL9016	31,374	33,735	949,
PK0209008009016011	20K 900x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x800 PLAN	RAL9016	35,866	38,565	1 085,
PK0209009009016011	20K 900x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x900 PLAN	RAL9016	40,358	43,395	1 220,
PK0209010009016011	20K 900x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x1000 PLAN	RAL9016	44,85	48,225	1 356,
PK0209011009016011	20K 900x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x1100 PLAN	RAL9016	49,342	53,055	1 492,
PK0209012009016011	20K 900x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x1200 PLAN	RAL9016	53,834	57,885	1 627,
PK0209014009016011	20K 900x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x1400 PLAN	RAL9016	62,819	67,546	1 898,
PK0209016009016011	20K 900x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20K 900x1600 PLAN	RAL9016	71,803	77,206	2 170,
PK0213004009016011	21K 300x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x400 PLAN	RAL9016	7,166	7,51	279,
PK0213005009016011	21K 300x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x500 PLAN	RAL9016	8,957	9,384	349,
PK0213006009016011	21K 300x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x600 PLAN	RAL9016	10,753	11,264	418,
PK0213007009016011	21K 300x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x700 PLAN	RAL9016	12,549	13,144	488,
PK0213008009016011	21K 300x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x800 PLAN	RAL9016	14,345	15,024	558,
PK0213009009016011	21K 300x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x900 PLAN	RAL9016	16,141	16,904	627,
PK0213010009016011	21K 300x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x1000 PLAN	RAL9016	17,937	18,784	697,
PK0213011009016011	21K 300x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x1100 PLAN	RAL9016	19,734	20,665	767,
PK0213012009016011	21K 300x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x1200 PLAN	RAL9016	21,53	22,545	836,
PK0213013009016011	21K 300x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x1300 PLAN	RAL9016	23,326	24,425	906,
PK0213014009016011	21K 300x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x1400 PLAN	RAL9016	25,122	26,305	976,
PK0213015009016011	21K 300x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x1500 PLAN	RAL9016	26,918	28,185	1 046,
PK0213016009016011	21K 300x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x1600 PLAN	RAL9016	28,714	30,065	1 115,
PK0213017009016011	21K 300x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x1700 PLAN	RAL9016	30,51	31,945	1 185,
PK0213018009016011	21K 300x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x1800 PLAN	RAL9016	32,306	33,825	1 255,
PK0213019009016011	21K 300x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x1900 PLAN	RAL9016	34,102	35,705	1 324,
PK0213020009016011	21K 300x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 300x2000 PLAN	RAL9016	35,898	37,585	1 394,
PK0214004009016011	21K 400x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x400 PLAN	RAL9016	9,27	10,015	342,
PK0214005009016011	21K 400x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x500 PLAN	RAL9016	11,857	12,519	428,
PK0214006009016011	21K 400x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x600 PLAN	RAL9016	14,234	15,03	513,
PK0214007009016011	21K 400x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x700 PLAN	RAL9016	16,612	17,542	599,
PK0214008009016011	21K 400x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x800 PLAN	RAL9016	18,989	20,053	684,
PK0214009009016011	21K 400x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x900 PLAN	RAL9016	21,367	22,565	770,
PK0214010009016011	21K 400x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x1000 PLAN	RAL9016	23,745	25,077	855,
PK0214011009016011	21K 400x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x1100 PLAN	RAL9016	26,122	27,588	941,
PK0214012009016011	21K 400x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x1200 PLAN	RAL9016	28,5	30,1	1 026,
PK0214013009016011	21K 400x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x1300 PLAN	RAL9016	30,877	32,611	1 112,
PK0214014009016011	21K 400x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x1400 PLAN	RAL9016	33,255	35,123	1 197,
PK0214015009016011	21K 400x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x1500 PLAN	RAL9016	35,632	37,634	1 283,
PK0214016009016011	21K 400x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x1600 PLAN	RAL9016	38,01	40,146	1 368,
PK0214017009016011	21K 400x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x1700 PLAN	RAL9016	40,388	42,658	1 454,
PK0214018009016011	21K 400x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x1800 PLAN	RAL9016	42,765	45,169	1 539,
PK0214019009016011	21K 400x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x1900 PLAN	RAL9016	45,143	47,681	1 625,
PK0214020009016011	21K 400x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 400x2000 PLAN	RAL9016	47,52	50,192	1 710,
PK0215004009016011	21K 500x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x400 PLAN	RAL9016	10,508	11,061	402,
PK0215005009016011	21K 500x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x500 PLAN	RAL9016	13,143	13,836	503,
PK0215006009016011	21K 500x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x600 PLAN	RAL9016	15,779	16,61	604,
PK0215007009016011	21K 500x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x700 PLAN	RAL9016	18,414	19,384	704,
PK0215008009016011	21K 500x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x800 PLAN	RAL9016	21,05	22,16	805,
PK0215009009016011	21K 500x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x900 PLAN	RAL9016	23,685	24,934	905,
PK0215010009016011	21K 500x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x1000 PLAN	RAL9016	26,32	27,708	1 006,
PK0215011009016011	21K 500x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x1100 PLAN	RAL9016	28,956	30,483	1 107,
PK0215012009016011	21K 500x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x1200 PLAN	RAL9016	31,591	33,257	1 207,
PK0215013009016011	21K 500x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x1300 PLAN	RAL9016	34,226	36,032	1 308,
PK0215014009016011	21K 500x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x1400 PLAN	RAL9016	36,861	38,806	1 408,

PK0215015009016011	21K 500x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x1500 PLAN	RAL9016	39,496	41,58	1 509,
PK0215016009016011	21K 500x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x1600 PLAN	RAL9016	42,132	44,355	1 610,
PK0215017009016011	21K 500x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x1700 PLAN	RAL9016	44,767	47,576	1 710,
PK0215018009016011	21K 500x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x1800 PLAN	RAL9016	47,402	50,376	1 811,
PK0215019009016011	21K 500x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x1900 PLAN	RAL9016	50,037	53,176	1 911,
PK0215020009016011	21K 500x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 500x2000 PLAN	RAL9016	52,673	55,978	2 012,
PK0215504009016011	21K 550x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 550x400 PLAN	RAL9016	12,131	12,769	434,
PK0215505009016011	21K 550x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 550x500 PLAN	RAL9016	15,176	15,974	543,
PK0215506009016011	21K 550x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 550x600 PLAN	RAL9016	18,22	19,179	651,
PK0215507009016011	21K 550x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 550x700 PLAN	RAL9016	21,263	22,383	760,
PK0215508009016011	21K 550x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 550x800 PLAN	RAL9016	24,307	25,588	868,
PK0215509009016011	21K 550x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 550x900 PLAN	RAL9016	27,351	28,792	977,
PK0215510009016011	21K 550x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 550x1000 PLAN	RAL9016	30,395	31,997	1 085,
PK0215512009016011	21K 550x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 550x1200 PLAN	RAL9016	36,482	38,406	1 302,
PK0215514009016011	21K 550x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 550x1400 PLAN	RAL9016	42,57	44,815	1 519,
PK0215516009016011	21K 550x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 550x1600 PLAN	RAL9016	48,657	51,223	1 736,
PK0215518009016011	21K 550x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 550x1800 PLAN	RAL9016	54,746	58,174	1 953,
PK0215520009016011	21K 550x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 550x2000 PLAN	RAL9016	60,833	64,642	2 170,
PK0216004009016011	21K 600x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x400 PLAN	RAL9016	12,613	13,277	461,
PK0216005009016011	21K 600x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x500 PLAN	RAL9016	15,779	16,609	576,
PK0216006009016011	21K 600x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x600 PLAN	RAL9016	18,944	19,941	691,
PK0216007009016011	21K 600x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x700 PLAN	RAL9016	22,108	23,272	806,
PK0216008005005011	21K 600x0800 PLAN, Kr, 1.0 MPa, t:1, RAL5005, ZD, uzky	21K 600x800 PLAN	RAL5005	25,273	26,604	922,
PK0216008009016011	21K 600x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x800 PLAN	RAL9016	25,273	26,604	922,
PK0216009009016011	21K 600x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x900 PLAN	RAL9016	28,437	29,936	1 037,
PK0216010009016011	21K 600x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x1000 PLAN	RAL9016	31,602	33,268	1 152,
PK0216011009016011	21K 600x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x1100 PLAN	RAL9016	34,766	36,599	1 267,
PK0216012009016011	21K 600x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x1200 PLAN	RAL9016	37,932	39,931	1 382,
PK0216013009016011	21K 600x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x1300 PLAN	RAL9016	41,097	43,263	1 498,
PK0216014009016011	21K 600x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x1400 PLAN	RAL9016	44,261	46,595	1 613,
PK0216015009016011	21K 600x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x1500 PLAN	RAL9016	47,426	49,927	1 728,
PK0216016009016011	21K 600x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x1600 PLAN	RAL9016	50,59	53,258	1 843,
PK0216017009016011	21K 600x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x1700 PLAN	RAL9016	53,755	57,122	1 958,
PK0216018009016011	21K 600x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x1800 PLAN	RAL9016	56,92	60,485	2 074,
PK0216019009016011	21K 600x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x1900 PLAN	RAL9016	60,084	63,847	2 189,
PK0216020009016011	21K 600x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 600x2000 PLAN	RAL9016	63,25	67,21	2 304,
PK0219004009016011	21K 900x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x400 PLAN	RAL9016	19,731	20,774	630,
PK0219005009016011	21K 900x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x500 PLAN	RAL9016	24,68	25,983	788,
PK0219006009016011	21K 900x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x600 PLAN	RAL9016	29,629	31,192	945,
PK0219007009016011	21K 900x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x700 PLAN	RAL9016	34,578	36,401	1 103,
PK0219008009016011	21K 900x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x800 PLAN	RAL9016	39,527	41,61	1 260,
PK0219009009016011	21K 900x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x900 PLAN	RAL9016	44,476	46,819	1 418,
PK0219010009016011	21K 900x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x1000 PLAN	RAL9016	49,425	52,028	1 575,
PK0219011009016011	21K 900x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x1100 PLAN	RAL9016	54,374	57,237	1 733,
PK0219012009016011	21K 900x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x1200 PLAN	RAL9016	59,323	62,446	1 890,
PK0219014009016011	21K 900x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x1400 PLAN	RAL9016	69,222	72,865	2 205,
PK0219016009016011	21K 900x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x1600 PLAN	RAL9016	79,12	83,283	2 520,
PK0219018009016011	21K 900x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x1800 PLAN	RAL9016	89,018	94,592	2 835,
PK0219020009016011	21K 900x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21K 900x2000 PLAN	RAL9016	98,916	105,11	3 150,
PK0223004009016011	22K 300x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x400 PLAN	RAL9016	8,057	8,6	365,
PK0223005009016011	22K 300x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x500 PLAN	RAL9016	10,107	10,75	457,
PK0223006009016011	22K 300x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x600 PLAN	RAL9016	12,133	12,906	548,
PK0223007009016011	22K 300x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x700 PLAN	RAL9016	14,159	15,062	639,
PK0223008009016011	22K 300x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x800 PLAN	RAL9016	16,185	17,218	730,
PK0223009009016011	22K 300x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x900 PLAN	RAL9016	18,211	19,374	822,
PK0223010009016011	22K 300x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x1000 PLAN	RAL9016	20,237	21,53	913,
PK0223011009016011	22K 300x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x1100 PLAN	RAL9016	22,264	23,687	1 004,
PK0223012009016011	22K 300x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x1200 PLAN	RAL9016	24,29	25,843	1 096,
PK0223013009016011	22K 300x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x1300 PLAN	RAL9016	26,316	27,999	1 187,
PK0223014009016011	22K 300x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x1400 PLAN	RAL9016	28,342	30,155	1 278,
PK0223015009016011	22K 300x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x1500 PLAN	RAL9016	30,368	32,311	1 370,
PK0223016009016011	22K 300x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x1600 PLAN	RAL9016	32,394	34,467	1 461,
PK0223017009016011	22K 300x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x1700 PLAN	RAL9016	34,42	36,623	1 552,
PK0223018009016011	22K 300x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x1800 PLAN	RAL9016	36,446	38,779	1 643,
PK0223019009016011	22K 300x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x1900 PLAN	RAL9016	38,472	40,935	1 735,
PK0223020009016011	22K 300x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 300x2000 PLAN	RAL9016	40,498	43,091	1 826,
PK0224004009016011	22K 400x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x400 PLAN	RAL9016	10,794	11,48	458,
PK0224005009016011	22K 400x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x500 PLAN	RAL9016	13,492	14,351	573,
PK0224006009016011	22K 400x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x600 PLAN	RAL9016	16,196	17,228	688,
PK0224007009016011	22K 400x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x700 PLAN	RAL9016	18,901	20,106	802,
PK0224008009016011	22K 400x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x800 PLAN	RAL9016	21,605	22,983	917,
PK0224009009016011	22K 400x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x900 PLAN	RAL9016	24,31	25,861	1 031,

PK0224010009016011	22K 400x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x1000 PLAN	RAL9016	27,015	28,739	1 146,
PK0224011009016011	22K 400x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x1100 PLAN	RAL9016	29,719	31,616	1 261,
PK0224012009016011	22K 400x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x1200 PLAN	RAL9016	32,424	34,494	1 375,
PK0224013009016011	22K 400x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x1300 PLAN	RAL9016	35,128	37,371	1 490,
PK0224014009016011	22K 400x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x1400 PLAN	RAL9016	37,833	40,249	1 604,
PK0224015009016011	22K 400x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x1500 PLAN	RAL9016	40,537	43,126	1 719,
PK0224016009016011	22K 400x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x1600 PLAN	RAL9016	43,242	46,004	1 834,
PK0224017009016011	22K 400x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x1700 PLAN	RAL9016	45,947	48,882	1 948,
PK0224018009016011	22K 400x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x1800 PLAN	RAL9016	48,651	51,759	2 063,
PK0224019009016011	22K 400x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x1900 PLAN	RAL9016	51,356	54,637	2 177,
PK0224020009016011	22K 400x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 400x2000 PLAN	RAL9016	54,06	57,514	2 292,
PK0225004009016011	22K 500x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x400 PLAN	RAL9016	11,948	12,66	546,
PK0225005009016011	22K 500x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x500 PLAN	RAL9016	14,943	15,833	682,
PK0225006009016011	22K 500x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x600 PLAN	RAL9016	17,939	19,007	818,
PK0225007009016011	22K 500x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x700 PLAN	RAL9016	20,934	22,181	955,
PK0225008009016011	22K 500x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x800 PLAN	RAL9016	23,93	25,356	1 091,
PK0225009009016011	22K 500x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x900 PLAN	RAL9016	26,925	28,529	1 228,
PK0225010009016011	22K 500x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x1000 PLAN	RAL9016	29,92	31,703	1 364,
PK0225011009016011	22K 500x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x1100 PLAN	RAL9016	32,916	34,877	1 500,
PK0225012009016011	22K 500x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x1200 PLAN	RAL9016	35,911	38,051	1 637,
PK0225013009016011	22K 500x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x1300 PLAN	RAL9016	38,906	41,224	1 773,
PK0225014009016011	22K 500x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x1400 PLAN	RAL9016	41,901	44,398	1 910,
PK0225015009016011	22K 500x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x1500 PLAN	RAL9016	44,896	47,572	2 046,
PK0225016009016011	22K 500x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x1600 PLAN	RAL9016	47,892	50,746	2 182,
PK0225017009016011	22K 500x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x1700 PLAN	RAL9016	50,887	54,587	2 319,
PK0225018009016011	22K 500x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x1800 PLAN	RAL9016	53,882	57,8	2 455,
PK0225019009016011	22K 500x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x1900 PLAN	RAL9016	56,877	61,013	2 592,
PK0225020009016011	22K 500x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 500x2000 PLAN	RAL9016	59,873	64,227	2 728,
PK0225504009016011	22K 550x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 550x400 PLAN	RAL9016	13,793	14,622	591,
PK0225505009016011	22K 550x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 550x500 PLAN	RAL9016	17,253	18,286	739,
PK0225506009016011	22K 550x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 550x600 PLAN	RAL9016	20,713	21,951	886,
PK0225507009016011	22K 550x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 550x700 PLAN	RAL9016	24,172	25,615	1 034,
PK0225508009016011	22K 550x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 550x800 PLAN	RAL9016	27,631	29,279	1 182,
PK0225509009016011	22K 550x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 550x900 PLAN	RAL9016	31,09	32,943	1 329,
PK0225510009016011	22K 550x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 550x1000 PLAN	RAL9016	34,55	36,608	1 477,
PK0225512009016011	22K 550x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 550x1200 PLAN	RAL9016	41,468	43,936	1 772,
PK0225514009016011	22K 550x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 550x1400 PLAN	RAL9016	48,387	51,265	2 068,
PK0225516009016011	22K 550x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 550x1600 PLAN	RAL9016	55,305	58,593	2 363,
PK0225518009016011	22K 550x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 550x1800 PLAN	RAL9016	62,225	66,743	2 659,
PK0225520009016011	22K 550x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 550x2000 PLAN	RAL9016	69,143	74,164	2 954,
PK0226004009016011	22K 600x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x400 PLAN	RAL9016	14,341	15,203	628,
PK0226005009016011	22K 600x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x500 PLAN	RAL9016	17,939	19,013	785,
PK0226006009016011	22K 600x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x600 PLAN	RAL9016	21,536	22,823	942,
PK0226007009016011	22K 600x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x700 PLAN	RAL9016	25,132	26,632	1 099,
PK0226008009016011	22K 600x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x800 PLAN	RAL9016	28,729	30,443	1 256,
PK0226009009016011	22K 600x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x900 PLAN	RAL9016	32,325	34,252	1 413,
PK0226010009016011	22K 600x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x1000 PLAN	RAL9016	35,922	38,062	1 570,
PK0226011009016011	22K 600x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x1100 PLAN	RAL9016	39,518	41,871	1 727,
PK0226012009016011	22K 600x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x1200 PLAN	RAL9016	43,116	45,682	1 884,
PK0226013009016011	22K 600x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x1300 PLAN	RAL9016	46,713	49,492	2 041,
PK0226014009016011	22K 600x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x1400 PLAN	RAL9016	50,309	53,301	2 198,
PK0226015009016011	22K 600x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x1500 PLAN	RAL9016	53,906	57,111	2 355,
PK0226016009016011	22K 600x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x1600 PLAN	RAL9016	57,502	60,921	2 512,
PK0226017009016011	22K 600x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x1700 PLAN	RAL9016	61,099	65,535	2 669,
PK0226018009016011	22K 600x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x1800 PLAN	RAL9016	64,696	69,394	2 826,
PK0226019009016011	22K 600x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x1900 PLAN	RAL9016	68,292	73,251	2 983,
PK0226020009016011	22K 600x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 600x2000 PLAN	RAL9016	71,89	77,109	3 140,
PK0229004009016011	22K 900x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x400 PLAN	RAL9016	22,431	23,764	852,
PK0229005009016011	22K 900x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x500 PLAN	RAL9016	28,055	29,723	1 065,
PK0229006009016011	22K 900x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x600 PLAN	RAL9016	33,679	35,682	1 277,
PK0229007009016011	22K 900x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x700 PLAN	RAL9016	39,303	41,641	1 490,
PK0229008009016011	22K 900x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x800 PLAN	RAL9016	44,927	47,6	1 703,
PK0229009009016011	22K 900x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x900 PLAN	RAL9016	50,551	53,559	1 916,
PK0229010009016011	22K 900x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x1000 PLAN	RAL9016	56,175	59,518	2 129,
PK0229011009016011	22K 900x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x1100 PLAN	RAL9016	61,799	65,477	2 342,
PK0229012009016011	22K 900x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x1200 PLAN	RAL9016	67,423	71,436	2 555,
PK0229014009016011	22K 900x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x1400 PLAN	RAL9016	78,672	83,355	2 981,
PK0229016009016011	22K 900x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x1600 PLAN	RAL9016	89,92	95,273	3 406,
PK0229018009016011	22K 900x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x1800 PLAN	RAL9016	101,168	108,511	3 832,
PK0229020009016011	22K 900x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22K 900x2000 PLAN	RAL9016	112,416	120,575	4 258,
PK02H3004009016011	20K 300x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 300x400 PLAN	RAL9016	5,95	6,4	224,
PK02H3005009016011	20K 300x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 300x500 PLAN	RAL9016	7,432	7,992	280,

PK02H3006009016011	20K 300x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 300x600 PLAN	RAL9016	8,923	9,596	335,
PK02H3007009016011	20K 300x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 300x700 PLAN	RAL9016	10,414	11,2	391,
PK02H3008009016011	20K 300x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 300x800 PLAN	RAL9016	11,905	12,804	447,
PK02H3009009016011	20K 300x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 300x900 PLAN	RAL9016	13,396	14,408	503,
PK02H3010009016011	20K 300x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 300x1000 PLAN	RAL9016	14,887	16,012	559,
PK02H3011009016011	20K 300x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 300x1100 PLAN	RAL9016	16,379	17,617	615,
PK02H3012009016011	20K 300x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 300x1200 PLAN	RAL9016	17,87	19,221	671,
PK02H3013009016011	20K 300x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 300x1300 PLAN	RAL9016	19,361	20,825	727,
PK02H3014009016011	20K 300x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 300x1400 PLAN	RAL9016	20,852	22,429	783,
PK02H3015009016011	20K 300x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 300x1500 PLAN	RAL9016	22,343	24,033	839,
PK02H3016009016011	20K 300x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 300x1600 PLAN	RAL9016	23,834	25,637	894,
PK02H3017009016011	20K 300x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 300x1700 PLAN	RAL9016	25,325	26,244	950,
PK02H3018009016011	20K 300x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 300x1800 PLAN	RAL9016	26,816	27,789	1 006,
PK02H3019009016011	20K 300x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 300x1900 PLAN	RAL9016	28,307	29,334	1 062,
PK02H3020009016011	20K 300x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 300x2000 PLAN	RAL9016	29,798	30,879	1 118,
PK02H4004009016011	20K 400x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 400x400 PLAN	RAL9016	7,94	8,543	284,
PK02H4005009016011	20K 400x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 400x500 PLAN	RAL9016	9,927	10,679	356,
PK02H4006009016011	20K 400x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 400x600 PLAN	RAL9016	11,918	12,819	427,
PK02H4007009016011	20K 400x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 400x700 PLAN	RAL9016	13,91	14,96	498,
PK02H4008009016011	20K 400x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 400x800 PLAN	RAL9016	15,901	17,1	569,
PK02H4009009016011	20K 400x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 400x900 PLAN	RAL9016	17,893	19,241	640,
PK02H4010009016011	20K 400x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 400x1000 PLAN	RAL9016	19,885	21,382	711,
PK02H4011009016011	20K 400x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 400x1100 PLAN	RAL9016	21,876	23,522	782,
PK02H4012009016011	20K 400x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 400x1200 PLAN	RAL9016	23,868	25,663	853,
PK02H4013009016011	20K 400x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 400x1300 PLAN	RAL9016	25,859	27,803	924,
PK02H4014009016011	20K 400x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 400x1400 PLAN	RAL9016	27,851	29,944	995,
PK02H4015009016011	20K 400x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 400x1500 PLAN	RAL9016	29,842	32,084	1 067,
PK02H4016009016011	20K 400x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 400x1600 PLAN	RAL9016	31,834	34,225	1 138,
PK02H4017009016011	20K 400x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 400x1700 PLAN	RAL9016	33,826	35,046	1 209,
PK02H4018009016011	20K 400x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 400x1800 PLAN	RAL9016	35,817	37,108	1 280,
PK02H4019009016011	20K 400x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 400x1900 PLAN	RAL9016	37,809	39,171	1 351,
PK02H4020009016011	20K 400x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 400x2000 PLAN	RAL9016	39,8	41,233	1 422,
PK02H5004009016011	20K 500x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 500x400 PLAN	RAL9016	9,528	10,248	342,
PK02H5005009016011	20K 500x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 500x500 PLAN	RAL9016	11,919	12,82	427,
PK02H5006009016011	20K 500x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 500x600 PLAN	RAL9016	14,311	15,392	512,
PK02H5007009016011	20K 500x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 500x700 PLAN	RAL9016	16,702	17,964	598,
PK02H5008009016011	20K 500x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 500x800 PLAN	RAL9016	19,094	20,536	683,
PK02H5009009016011	20K 500x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 500x900 PLAN	RAL9016	21,486	23,108	769,
PK02H5010009016011	20K 500x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 500x1000 PLAN	RAL9016	23,877	25,68	854,
PK02H5011009016011	20K 500x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 500x1100 PLAN	RAL9016	26,268	28,252	939,
PK02H5012009016011	20K 500x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 500x1200 PLAN	RAL9016	28,66	30,824	1 025,
PK02H5013009016011	20K 500x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 500x1300 PLAN	RAL9016	31,051	33,396	1 110,
PK02H5014009016011	20K 500x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 500x1400 PLAN	RAL9016	33,443	35,967	1 196,
PK02H5015009016011	20K 500x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 500x1500 PLAN	RAL9016	35,834	38,539	1 281,
PK02H5016009016011	20K 500x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 500x1600 PLAN	RAL9016	38,225	41,111	1 366,
PK02H5017009016011	20K 500x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 500x1700 PLAN	RAL9016	40,617	42,092	1 452,
PK02H5018009016011	20K 500x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 500x1800 PLAN	RAL9016	43,008	44,571	1 537,
PK02H5019009016011	20K 500x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 500x1900 PLAN	RAL9016	45,399	47,05	1 623,
PK02H5020009016011	20K 500x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 500x2000 PLAN	RAL9016	47,792	49,529	1 708,
PK02H5504009016011	20K 550x400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 550x400 PLAN,	RAL9016	11,005	11,836	371,
PK02H5505009016011	20K 550x500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 550x500 PLAN,	RAL9016	13,767	14,806	464,
PK02H5506009016011	20K 550x600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 550x600 PLAN,	RAL9016	16,53	17,777	557,
PK02H5507009016011	20K 550x700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 550x700 PLAN,	RAL9016	19,292	20,746	650,
PK02H5508009016011	20K 550x800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 550x800 PLAN,	RAL9016	22,054	23,716	742,
PK02H5509009016011	20K 550x900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20KW 550x900 PLAN,	RAL9016	24,816	26,686	835,
PK02H5510009016011	20K 550x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 550x1000 PLAN	RAL9016	27,579	29,656	928,
PK02H5512009016011	20K 550x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 550x1200 PLAN	RAL9016	33,1	35,596	1 114,
PK02H5514009016011	20K 550x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 550x1400 PLAN	RAL9016	38,627	41,536	1 299,
PK02H5516009016011	20K 550x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 550x1600 PLAN	RAL9016	44,152	47,476	1 485,
PK02H5518009016011	20K 550x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 550x1800 PLAN	RAL9016	49,677	51,474	1 670,
PK02H5520009016011	20K 550x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 550x2000 PLAN	RAL9016	55,2	57,197	1 856,
PK02H6004009016011	20K 600x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 600x400 PLAN	RAL9016	11,442	12,306	396,
PK02H6005009016011	20K 600x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 600x500 PLAN	RAL9016	14,315	15,395	495,
PK02H6006009016011	20K 600x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 600x600 PLAN	RAL9016	17,187	18,483	593,
PK02H6007009016011	20K 600x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 600x700 PLAN	RAL9016	20,058	21,57	692,
PK02H6008009016011	20K 600x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 600x800 PLAN	RAL9016	22,931	24,659	791,
PK02H6009009016011	20K 600x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 600x900 PLAN	RAL9016	25,802	27,746	890,
PK02H6010009016011	20K 600x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 600x1000 PLAN	RAL9016	28,674	30,834	989,
PK02H6011009016011	20K 600x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 600x1100 PLAN	RAL9016	31,546	33,922	1 088,
PK02H6012009016011	20K 600x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 600x1200 PLAN	RAL9016	34,418	37,01	1 187,
PK02H6013009016011	20K 600x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 600x1300 PLAN	RAL9016	37,29	40,098	1 286,
PK02H6014009016011	20K 600x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 600x1400 PLAN	RAL9016	40,162	43,186	1 385,

PK02H6015009016011	20K 600x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 600x1500 PLAN	RAL9016	43,034	46,274	1 484,
PK02H6016009016011	20K 600x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 600x1600 PLAN	RAL9016	45,905	49,361	1 582,
PK02H6017009016011	20K 600x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 600x1700 PLAN	RAL9016	48,778	50,542	1 681,
PK02H6018009016011	20K 600x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 600x1800 PLAN	RAL9016	51,65	53,518	1 780,
PK02H6019009016011	20K 600x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 600x1900 PLAN	RAL9016	54,521	56,493	1 879,
PK02H6020009016011	20K 600x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 600x2000 PLAN	RAL9016	57,394	59,469	1 978,
PK02H9004009016011	20K 900x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 900x400 PLAN	RAL9016	17,898	19,245	542,
PK02H9005009016011	20K 900x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 900x500 PLAN	RAL9016	22,39	24,075	678,
PK02H9006009016011	20K 900x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 900x600 PLAN	RAL9016	26,882	28,905	814,
PK02H9007009016011	20K 900x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 900x700 PLAN	RAL9016	31,374	33,735	949,
PK02H9008009016011	20K 900x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 900x800 PLAN	RAL9016	35,866	38,565	1 085,
PK02H9009009016011	20K 900x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 900x900 PLAN	RAL9016	40,358	43,395	1 220,
PK02H9010009016011	20K 900x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 900x1000 PLAN	RAL9016	44,85	48,225	1 356,
PK02H9011009016011	20K 900x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 900x1100 PLAN	RAL9016	49,342	53,055	1 492,
PK02H9012009016011	20K 900x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 900x1200 PLAN	RAL9016	53,834	57,885	1 627,
PK02H9014009016011	20K 900x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 900x1400 PLAN	RAL9016	62,819	67,546	1 898,
PK02H9016009016011	20K 900x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20KW 900x1600 PLAN	RAL9016	71,803	77,206	2 170,
PK0303004009016011	30K 300x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x400 PLAN	RAL9016	9,126	9,706	314,
PK0303005009016011	30K 300x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x500 PLAN	RAL9016	11,407	12,132	393,
PK0303006009016011	30K 300x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x600 PLAN	RAL9016	13,693	14,564	471,
PK0303007009016011	30K 300x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x700 PLAN	RAL9016	15,979	16,996	550,
PK0303008009016011	30K 300x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x800 PLAN	RAL9016	18,265	19,428	628,
PK0303009009016011	30K 300x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x900 PLAN	RAL9016	20,551	21,86	707,
PK0303010009016011	30K 300x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x1000 PLAN	RAL9016	22,837	24,292	785,
PK0303011009016011	30K 300x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x1100 PLAN	RAL9016	25,124	26,725	864,
PK0303012009016011	30K 300x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x1200 PLAN	RAL9016	27,41	29,157	942,
PK0303013009016011	30K 300x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x1300 PLAN	RAL9016	29,696	31,589	1 021,
PK0303014009016011	30K 300x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x1400 PLAN	RAL9016	31,982	34,021	1 099,
PK0303015009016011	30K 300x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x1500 PLAN	RAL9016	34,268	36,453	1 178,
PK0303016009016011	30K 300x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x1600 PLAN	RAL9016	36,554	38,885	1 256,
PK0303017009016011	30K 300x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x1700 PLAN	RAL9016	38,84	41,317	1 335,
PK0303018009016011	30K 300x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x1800 PLAN	RAL9016	41,126	43,749	1 413,
PK0303019009016011	30K 300x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x1900 PLAN	RAL9016	43,412	46,181	1 492,
PK0303020009016011	30K 300x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 300x2000 PLAN	RAL9016	45,698	48,613	1 570,
PK0304004009016011	30K 400x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x400 PLAN	RAL9016	11,834	12,73	393,
PK0304005009016011	30K 400x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x500 PLAN	RAL9016	14,792	15,914	491,
PK0304006009016011	30K 400x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x600 PLAN	RAL9016	17,756	19,103	589,
PK0304007009016011	30K 400x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x700 PLAN	RAL9016	20,721	22,293	687,
PK0304008009016011	30K 400x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x800 PLAN	RAL9016	23,685	25,482	786,
PK0304009009016011	30K 400x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x900 PLAN	RAL9016	26,65	28,672	884,
PK0304010009016011	30K 400x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x1000 PLAN	RAL9016	29,615	31,862	982,
PK0304011009016011	30K 400x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x1100 PLAN	RAL9016	32,579	35,051	1 080,
PK0304012009016011	30K 400x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x1200 PLAN	RAL9016	35,544	38,241	1 178,
PK0304013009016011	30K 400x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x1300 PLAN	RAL9016	38,508	41,43	1 277,
PK0304014009016011	30K 400x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x1400 PLAN	RAL9016	41,473	44,62	1 375,
PK0304015009016011	30K 400x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x1500 PLAN	RAL9016	44,437	47,809	1 473,
PK0304016009016011	30K 400x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x1600 PLAN	RAL9016	47,402	50,999	1 571,
PK0304017009016011	30K 400x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x1700 PLAN	RAL9016	50,367	54,189	1 669,
PK0304018009016011	30K 400x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x1800 PLAN	RAL9016	53,331	57,378	1 768,
PK0304019009016011	30K 400x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x1900 PLAN	RAL9016	56,296	60,568	1 866,
PK0304020009016011	30K 400x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 400x2000 PLAN	RAL9016	59,26	63,757	1 964,
PK0305004009016011	30K 500x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x400 PLAN	RAL9016	13,712	14,172	586,
PK0305005009016011	30K 500x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x500 PLAN	RAL9016	17,449	18,604	586,
PK0305006009016011	30K 500x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x600 PLAN	RAL9016	20,946	22,332	703,
PK0305007009016011	30K 500x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x700 PLAN	RAL9016	24,444	26,061	820,
PK0305008009016011	30K 500x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x800 PLAN	RAL9016	27,942	29,791	938,
PK0305009009016011	30K 500x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x900 PLAN	RAL9016	31,439	33,519	1 055,
PK0305010009016011	30K 500x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x1000 PLAN	RAL9016	34,936	37,248	1 172,
PK0305011009016011	30K 500x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x1100 PLAN	RAL9016	38,434	40,977	1 289,
PK0305012009016011	30K 500x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x1200 PLAN	RAL9016	41,931	44,705	1 406,
PK0305013009016011	30K 500x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x1300 PLAN	RAL9016	45,428	48,434	1 524,
PK0305014009016011	30K 500x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x1400 PLAN	RAL9016	48,925	52,163	1 641,
PK0305015009016011	30K 500x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x1500 PLAN	RAL9016	52,423	55,891	1 758,
PK0305016009016011	30K 500x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x1600 PLAN	RAL9016	55,92	59,62	1 875,
PK0305017009016011	30K 500x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x1700 PLAN	RAL9016	59,417	64,466	1 992,
PK0305018009016011	30K 500x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x1800 PLAN	RAL9016	62,915	68,261	2 110,
PK0305019009016011	30K 500x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x1900 PLAN	RAL9016	66,412	72,056	2 227,
PK0305020009016011	30K 500x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 500x2000 PLAN	RAL9016	69,91	75,852	2 344,
PK0305505009016011	30K 550x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 550x500 PLAN	RAL9016	19,908	21,482	636,
PK0305506009016011	30K 550x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 550x600 PLAN	RAL9016	23,898	25,787	763,
PK0305507009016011	30K 550x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 550x700 PLAN	RAL9016	27,888	30,092	890,
PK0305508009016011	30K 550x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 550x800 PLAN	RAL9016	31,879	34,397	1 018,

PK030550909016011	30K 550x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 550x900 PLAN	RAL9016	35,868	38,702	1 145,
PK0305510009016011	30K 550x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 550x1000 PLAN	RAL9016	39,859	43,008	1 272,
PK0305512009016011	30K 550x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 550x1200 PLAN	RAL9016	47,839	51,618	1 526,
PK0305514009016011	30K 550x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 550x1400 PLAN	RAL9016	55,82	60,228	1 781,
PK0305516009016011	30K 550x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 550x1600 PLAN	RAL9016	63,8	68,838	2 035,
PK0305518009016011	30K 550x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 550x1800 PLAN	RAL9016	71,781	78,815	2 290,
PK0305520009016011	30K 550x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 550x2000 PLAN	RAL9016	79,762	87,577	2 544,
PK0306004009016011	30K 600x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x400 PLAN	RAL9016	18,363	20,009	543,
PK0306005009016011	30K 600x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x500 PLAN	RAL9016	20,699	22,335	679,
PK0306006009016011	30K 600x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x600 PLAN	RAL9016	24,848	26,812	814,
PK0306007009016011	30K 600x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x700 PLAN	RAL9016	28,996	31,287	950,
PK0306008009016011	30K 600x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x800 PLAN	RAL9016	33,145	35,764	1 086,
PK0306009009016011	30K 600x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x900 PLAN	RAL9016	37,293	40,239	1 221,
PK0306010009016011	30K 600x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x1000 PLAN	RAL9016	41,442	44,716	1 357,
PK0306011009016011	30K 600x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x1100 PLAN	RAL9016	45,59	49,191	1 493,
PK0306012009016011	30K 600x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x1200 PLAN	RAL9016	49,74	53,668	1 628,
PK0306013009016011	30K 600x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x1300 PLAN	RAL9016	53,889	58,144	1 764,
PK0306014009016011	30K 600x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x1400 PLAN	RAL9016	58,037	62,62	1 900,
PK0306015009016011	30K 600x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x1500 PLAN	RAL9016	62,186	67,096	2 036,
PK0306016009016011	30K 600x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x1600 PLAN	RAL9016	66,334	71,572	2 171,
PK0306017009016011	30K 600x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x1700 PLAN	RAL9016	70,483	77,39	2 307,
PK0306018009016011	30K 600x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x1800 PLAN	RAL9016	74,632	81,946	2 443,
PK0306019009016011	30K 600x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x1900 PLAN	RAL9016	78,78	86,5	2 578,
PK0306020009016011	30K 600x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 600x2000 PLAN	RAL9016	82,93	91,055	2 714,
PK0309004009016011	30K 900x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x400 PLAN	RAL9016	26,04	28,82	762,
PK0309005009016011	30K 900x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x500 PLAN	RAL9016	31,965	34,92	952,
PK0309006009016011	30K 900x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x600 PLAN	RAL9016	38,372	41,919	1 142,
PK0309007009016011	30K 900x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x700 PLAN	RAL9016	44,779	48,918	1 333,
PK0309008009016011	30K 900x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x800 PLAN	RAL9016	51,186	55,917	1 523,
PK0309009009016011	30K 900x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x900 PLAN	RAL9016	57,593	62,916	1 714,
PK0309010009016011	30K 900x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x1000 PLAN	RAL9016	64,	69,915	1 904,
PK0309011009016011	30K 900x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x1100 PLAN	RAL9016	70,407	76,914	2 094,
PK0309012009016011	30K 900x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x1200 PLAN	RAL9016	76,814	83,913	2 285,
PK0309014009016011	30K 900x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x1400 PLAN	RAL9016	89,629	97,912	2 666,
PK0309016009016011	30K 900x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30K 900x1600 PLAN	RAL9016	102,443	111,91	3 046,
PK0333004009016011	33K 300x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x400 PLAN	RAL9016	11,606	11,972	520,
PK0333005009016011	33K 300x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x500 PLAN	RAL9016	14,507	14,965	650,
PK0333006009016011	33K 300x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x600 PLAN	RAL9016	17,413	17,963	780,
PK0333007009016011	33K 300x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x700 PLAN	RAL9016	20,319	20,961	910,
PK0333008009016011	33K 300x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x800 PLAN	RAL9016	23,225	23,959	1 040,
PK0333009009016011	33K 300x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x900 PLAN	RAL9016	26,131	26,957	1 170,
PK0333010009016011	33K 300x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x1000 PLAN	RAL9016	29,037	29,955	1 300,
PK0333011009016011	33K 300x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x1100 PLAN	RAL9016	31,944	32,954	1 430,
PK0333012009016011	33K 300x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x1200 PLAN	RAL9016	34,85	35,952	1 560,
PK0333013009016011	33K 300x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x1300 PLAN	RAL9016	37,756	38,95	1 690,
PK0333014009016011	33K 300x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x1400 PLAN	RAL9016	40,662	41,948	1 820,
PK0333015009016011	33K 300x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x1500 PLAN	RAL9016	43,568	44,946	1 950,
PK0333016009016011	33K 300x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x1600 PLAN	RAL9016	46,474	47,944	2 080,
PK0333017009016011	33K 300x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x1700 PLAN	RAL9016	49,38	50,501	2 210,
PK0333018009016011	33K 300x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x1800 PLAN	RAL9016	52,286	53,473	2 340,
PK0333019009016011	33K 300x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x1900 PLAN	RAL9016	55,192	56,445	2 470,
PK0333020009016011	33K 300x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 300x2000 PLAN	RAL9016	58,098	59,417	2 600,
PK0334004009016011	33K 400x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x400 PLAN	RAL9016	15,486	15,976	654,
PK0334005009016011	33K 400x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x500 PLAN	RAL9016	19,357	19,97	817,
PK0334006009016011	33K 400x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x600 PLAN	RAL9016	23,234	23,97	980,
PK0334007009016011	33K 400x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x700 PLAN	RAL9016	27,112	27,971	1 144,
PK0334008009016011	33K 400x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x800 PLAN	RAL9016	30,989	31,971	1 307,
PK0334009009016011	33K 400x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x900 PLAN	RAL9016	34,867	35,972	1 471,
PK0334010009016011	33K 400x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x1000 PLAN	RAL9016	38,745	39,973	1 634,
PK0334011009016011	33K 400x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x1100 PLAN	RAL9016	42,622	43,973	1 797,
PK0334012009016011	33K 400x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x1200 PLAN	RAL9016	46,5	47,974	1 961,
PK0334013009016011	33K 400x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x1300 PLAN	RAL9016	50,377	51,974	2 124,
PK0334014009016011	33K 400x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x1400 PLAN	RAL9016	54,255	55,975	2 288,
PK0334015009016011	33K 400x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x1500 PLAN	RAL9016	58,132	59,975	2 451,
PK0334016009016011	33K 400x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x1600 PLAN	RAL9016	62,01	63,976	2 614,
PK0334017009016011	33K 400x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x1700 PLAN	RAL9016	65,888	67,388	2 778,
PK0334018009016011	33K 400x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x1800 PLAN	RAL9016	69,765	71,353	2 941,
PK0334019009016011	33K 400x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x1900 PLAN	RAL9016	73,643	75,319	3 105,
PK0334020009016011	33K 400x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 400x2000 PLAN	RAL9016	77,52	79,284	3 268,
PK0335004009016011	33K 500x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x400 PLAN	RAL9016	16,92	18,01	780,
PK0335005009016011	33K 500x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x500 PLAN	RAL9016	21,159	22,523	976,
PK0335006009016011	33K 500x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x600 PLAN	RAL9016	25,399	27,036	1 171,

PK0335007009016011	33K 500x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x700 PLAN	RAL9016	29,638	31,548	1 366,
PK0335008009016011	33K 500x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x800 PLAN	RAL9016	33,878	36,062	1 561,
PK0335009009016011	33K 500x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x900 PLAN	RAL9016	38,118	40,575	1 756,
PK0335010009016011	33K 500x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x1000 PLAN	RAL9016	42,357	45,088	1 951,
PK0335011009016011	33K 500x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x1100 PLAN	RAL9016	46,596	49,601	2 146,
PK0335012009016011	33K 500x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x1200 PLAN	RAL9016	50,836	54,114	2 341,
PK0335013009016011	33K 500x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x1300 PLAN	RAL9016	55,075	58,627	2 536,
PK0335014009016011	33K 500x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x1400 PLAN	RAL9016	59,315	63,14	2 731,
PK0335015009016011	33K 500x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x1500 PLAN	RAL9016	63,554	67,653	2 927,
PK0335016007035011	33K 500x1600 PLAN, Kr, 1.0 MPa, t:1, RAL7035, ZD	33K 500x1600 PLAN	RAL7035	67,793	72,166	3 122,
PK0335016009016011	33K 500x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x1600 PLAN	RAL9016	67,793	72,166	3 122,
PK0335017009016011	33K 500x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x1700 PLAN	RAL9016	72,033	77,768	3 317,
PK0335018009016011	33K 500x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x1800 PLAN	RAL9016	76,272	82,344	3 512,
PK0335019009016011	33K 500x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x1900 PLAN	RAL9016	80,511	86,92	3 707,
PK0335020009016011	33K 500x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 500x2000 PLAN	RAL9016	84,752	91,498	3 902,
PK0335504009016011	33K 550x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 550x400 PLAN	RAL9016	19,536	20,796	846,
PK0335505009016011	33K 550x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 550x500 PLAN	RAL9016	24,432	26,006	1 058,
PK0335506009016011	33K 550x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 550x600 PLAN	RAL9016	29,327	31,217	1 270,
PK0335507009016011	33K 550x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 550x700 PLAN	RAL9016	34,222	36,426	1 481,
PK0335508009016011	33K 550x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 550x800 PLAN	RAL9016	39,118	41,636	1 693,
PK0335509009016011	33K 550x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 550x900 PLAN	RAL9016	44,012	46,846	1 904,
PK0335510009016011	33K 550x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 550x1000 PLAN	RAL9016	48,908	52,056	2 116,
PK0335512009016011	33K 550x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 550x1200 PLAN	RAL9016	58,698	62,476	2 539,
PK0335514009016011	33K 550x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 550x1400 PLAN	RAL9016	68,488	72,896	2 962,
PK0335516009016011	33K 550x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 550x1600 PLAN	RAL9016	78,278	83,316	3 386,
PK0335518009016011	33K 550x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 550x1800 PLAN	RAL9016	88,069	95,071	3 809,
PK0335520009016011	33K 550x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 550x2000 PLAN	RAL9016	97,859	105,638	4 232,
PK0336004009016011	33K 600x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x400 PLAN	RAL9016	20,313	21,622	902,
PK0336005009016011	33K 600x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x500 PLAN	RAL9016	25,403	27,039	1 128,
PK0336006009016011	33K 600x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x600 PLAN	RAL9016	30,492	32,457	1 353,
PK0336007009016011	33K 600x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x700 PLAN	RAL9016	35,581	37,873	1 579,
PK0336008009016011	33K 600x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x800 PLAN	RAL9016	40,671	43,29	1 804,
PK0336009009016011	33K 600x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x900 PLAN	RAL9016	45,76	48,707	2 030,
PK0336010009016011	33K 600x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x1000 PLAN	RAL9016	50,85	54,124	2 255,
PK0336011009016011	33K 600x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x1100 PLAN	RAL9016	55,939	59,54	2 481,
PK0336012009016011	33K 600x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x1200 PLAN	RAL9016	61,029	64,957	2 706,
PK0336013009016011	33K 600x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x1300 PLAN	RAL9016	66,119	70,375	2 932,
PK0336014009016011	33K 600x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x1400 PLAN	RAL9016	71,208	75,791	3 157,
PK0336015009016011	33K 600x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x1500 PLAN	RAL9016	76,298	81,208	3 383,
PK0336016009016011	33K 600x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x1600 PLAN	RAL9016	81,387	86,625	3 608,
PK0336017009016011	33K 600x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x1700 PLAN	RAL9016	86,477	93,352	3 834,
PK0336018009016011	33K 600x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x1800 PLAN	RAL9016	91,567	98,846	4 059,
PK0336019009016011	33K 600x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x1900 PLAN	RAL9016	96,656	104,34	4 285,
PK0336020009016011	33K 600x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 600x2000 PLAN	RAL9016	101,746	109,834	4 510,
PK0339004009016011	33K 900x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x400 PLAN	RAL9016	31,758	33,801	1 245,
PK0339005009016011	33K 900x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x500 PLAN	RAL9016	39,715	42,27	1 556,
PK0339006009016011	33K 900x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x600 PLAN	RAL9016	47,672	50,739	1 867,
PK0339007009016011	33K 900x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x700 PLAN	RAL9016	55,629	59,208	2 178,
PK0339008009016011	33K 900x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x800 PLAN	RAL9016	63,586	67,677	2 490,
PK0339009009016011	33K 900x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x900 PLAN	RAL9016	71,543	76,146	2 801,
PK0339010009016011	33K 900x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x1000 PLAN	RAL9016	79,5	84,615	3 112,
PK0339011009016011	33K 900x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x1100 PLAN	RAL9016	87,457	93,084	3 423,
PK0339012009016011	33K 900x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x1200 PLAN	RAL9016	95,414	101,553	3 734,
PK0339014009016011	33K 900x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x1400 PLAN	RAL9016	111,329	118,492	4 357,
PK0339016009016011	33K 900x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x1600 PLAN	RAL9016	127,243	135,43	4 979,
PK0339018009016011	33K 900x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x1800 PLAN	RAL9016	143,157	154,532	5 602,
PK0339020009016011	33K 900x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33K 900x2000 PLAN	RAL9016	159,071	171,71	6 224,
PM0103004009016011	10VKS 300x0400 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x400 PLAN	RAL9016	3,41	4,25	126,
PM0103005009016011	10VKS 300x0500 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x500 PLAN	RAL9016	4,262	5,304	158,
PM0103006009016011	10VKS 300x0600 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x600 PLAN	RAL9016	5,119	6,369	190,
PM0103007009016011	10VKS 300x0700 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x700 PLAN	RAL9016	5,976	7,434	221,
PM0103008009016011	10VKS 300x0800 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x800 PLAN	RAL9016	6,833	8,499	253,
PM0103009009016011	10VKS 300x0900 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x900 PLAN	RAL9016	7,69	9,564	284,
PM0103010009016011	10VKS 300x1000 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x1000	RAL9016	8,547	10,629	316,
PM0103011009016011	10VKS 300x1100 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x1100	RAL9016	9,405	11,695	348,
PM0103012009016011	10VKS 300x1200 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x1200	RAL9016	10,262	12,76	379,
PM0103013009016011	10VKS 300x1300 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x1300	RAL9016	11,119	13,825	411,
PM0103014009016011	10VKS 300x1400 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x1400	RAL9016	11,976	14,89	442,
PM0103015009016011	10VKS 300x1500 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x1500	RAL9016	12,833	15,955	474,
PM0103016009016011	10VKS 300x1600 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x1600	RAL9016	13,69	17,02	506,
PM0103017009016011	10VKS 300x1700 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x1700	RAL9016	14,547	18,085	537,
PM0103018009016011	10VKS 300x1800 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x1800	RAL9016	15,404	19,15	569,

PM0103019009016011	10VKS 300x1900 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x1900	RAL9016	16,261	20,215	600,
PM0103020009016011	10VKS 300x2000 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 300x2000	RAL9016	17,118	21,28	632,
PM0104004009016011	10VKS 400x0400 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x400 PLAN	RAL9016	4,52	5,67	160,
PM0104005009016011	10VKS 400x0500 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x500 PLAN	RAL9016	5,647	7,087	200,
PM0104006009016011	10VKS 400x0600 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x600 PLAN	RAL9016	6,782	8,51	239,
PM0104007009016011	10VKS 400x0700 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x700 PLAN	RAL9016	7,918	9,934	279,
PM0104008009016011	10VKS 400x0800 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x800 PLAN	RAL9016	9,053	11,357	319,
PM0104009009016011	10VKS 400x0900 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x900 PLAN	RAL9016	10,189	12,781	359,
PM0104010009016011	10VKS 400x1000 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x1000	RAL9016	11,325	14,205	399,
PM0104011009016011	10VKS 400x1100 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x1100	RAL9016	12,46	15,628	439,
PM0104012009016011	10VKS 400x1200 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x1200	RAL9016	13,596	17,052	479,
PM0104013009016011	10VKS 400x1300 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x1300	RAL9016	14,731	18,475	519,
PM0104014009016011	10VKS 400x1400 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x1400	RAL9016	15,867	19,899	559,
PM0104015009016011	10VKS 400x1500 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x1500	RAL9016	17,002	21,322	599,
PM0104016009016011	10VKS 400x1600 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x1600	RAL9016	18,138	22,746	638,
PM0104017009016011	10VKS 400x1700 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x1700	RAL9016	19,274	24,17	678,
PM0104018009016011	10VKS 400x1800 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x1800	RAL9016	20,409	25,593	718,
PM0104019009016011	10VKS 400x1900 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x1900	RAL9016	21,545	27,017	758,
PM0104020009016011	10VKS 400x2000 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 400x2000	RAL9016	22,68	28,44	798,
PM0105004009016011	10VKS 500x0400 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x400 PLAN	RAL9016	5,388	6,267	190,
PM0105005009016011	10VKS 500x0500 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x500 PLAN	RAL9016	6,745	7,834	238,
PM0105006009016011	10VKS 500x0600 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x600 PLAN	RAL9016	8,101	9,409	286,
PM0105007009016011	10VKS 500x0700 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x700 PLAN	RAL9016	9,458	10,984	333,
PM0105008009016011	10VKS 500x0800 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x800 PLAN	RAL9016	10,815	12,561	381,
PM0105009009016011	10VKS 500x0900 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x900 PLAN	RAL9016	12,172	14,136	428,
PM0105010009016011	10VKS 500x1000 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x1000	RAL9016	13,528	15,711	476,
PM0105011009016011	10VKS 500x1100 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x1100	RAL9016	14,885	17,287	524,
PM0105012009016011	10VKS 500x1200 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x1200	RAL9016	16,241	18,862	571,
PM0105013009016011	10VKS 500x1300 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x1300	RAL9016	17,598	20,437	619,
PM0105014009016011	10VKS 500x1400 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x1400	RAL9016	18,954	22,013	666,
PM0105015009016011	10VKS 500x1500 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x1500	RAL9016	20,311	23,588	714,
PM0105016009016011	10VKS 500x1600 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x1600	RAL9016	21,667	25,164	762,
PM0105017009016011	10VKS 500x1700 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x1700	RAL9016	23,024	26,739	809,
PM0105018009016011	10VKS 500x1800 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x1800	RAL9016	24,38	28,314	857,
PM0105019009016011	10VKS 500x1900 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x1900	RAL9016	25,737	29,89	904,
PM0105020009016011	10VKS 500x2000 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 500x2000	RAL9016	27,094	31,466	952,
PM0106004009016011	10VKS 600x0400 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x400 PLAN	RAL9016	6,45	7,53	219,
PM0106005009016011	10VKS 600x0500 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x500 PLAN	RAL9016	8,075	9,413	274,
PM0106006009016011	10VKS 600x0600 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x600 PLAN	RAL9016	9,699	11,305	329,
PM0106007009016011	10VKS 600x0700 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x700 PLAN	RAL9016	11,322	13,196	384,
PM0106008009016011	10VKS 600x0800 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x800 PLAN	RAL9016	12,947	15,088	438,
PM0106009009016011	10VKS 600x0900 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x900 PLAN	RAL9016	14,57	16,98	493,
PM0106010009016011	10VKS 600x1000 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x1000	RAL9016	16,194	18,872	548,
PM0106011009016011	10VKS 600x1100 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x1100	RAL9016	17,818	20,763	603,
PM0106012009016011	10VKS 600x1200 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x1200	RAL9016	19,442	22,655	658,
PM0106013009016011	10VKS 600x1300 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x1300	RAL9016	21,066	24,547	712,
PM0106014009016011	10VKS 600x1400 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x1400	RAL9016	22,69	26,438	767,
PM0106015009016011	10VKS 600x1500 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x1500	RAL9016	24,314	28,331	822,
PM0106016009016011	10VKS 600x1600 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x1600	RAL9016	25,937	30,222	877,
PM0106017009016011	10VKS 600x1700 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x1700	RAL9016	27,562	32,114	932,
PM0106018009016011	10VKS 600x1800 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x1800	RAL9016	29,186	34,006	986,
PM0106019009016011	10VKS 600x1900 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x1900	RAL9016	30,809	35,897	1 041,
PM0106020009016011	10VKS 600x2000 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 600x2000	RAL9016	32,434	37,789	1 096,
PM0109004009016011	10VKS 900x0400 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 900x400 PLAN	RAL9016	9,918	11,787	294,
PM0109005009016011	10VKS 900x0500 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 900x500 PLAN	RAL9016	12,415	14,734	368,
PM0109006009016011	10VKS 900x0600 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 900x600 PLAN	RAL9016	14,912	17,694	441,
PM0109007009016011	10VKS 900x0700 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 900x700 PLAN	RAL9016	17,409	20,654	515,
PM0109008009016011	10VKS 900x0800 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 900x800 PLAN	RAL9016	19,906	23,614	588,
PM0109009009016011	10VKS 900x0900 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 900x900 PLAN	RAL9016	22,403	26,574	662,
PM0109010009016011	10VKS 900x1000 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 900x1000	RAL9016	24,9	29,534	735,
PM0109011009016011	10VKS 900x1100 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 900x1100	RAL9016	27,397	32,494	809,
PM0109012009016011	10VKS 900x1200 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 900x1200	RAL9016	29,894	35,454	882,
PM0109014009016011	10VKS 900x1400 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 900x1400	RAL9016	34,889	41,375	1 029,
PM0109016009016011	10VKS 900x1600 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKM 900x1600	RAL9016	39,883	47,295	1 176,
PM0113004009016011	11VKS 300x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x400 PLAN	RAL9016	4,87	5,488	202,
PM0113005009016011	11VKS 300x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x500 PLAN	RAL9016	6,082	6,86	253,
PM0113006009016011	11VKS 300x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x600 PLAN	RAL9016	7,303	8,237	304,
PM0113007009016011	11VKS 300x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x700 PLAN	RAL9016	8,524	9,614	354,
PM0113008009016011	11VKS 300x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x800 PLAN	RAL9016	9,745	10,991	405,
PM0113009009016011	11VKS 300x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x900 PLAN	RAL9016	10,966	12,368	455,
PM0113010009016011	11VKS 300x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x1000	RAL9016	12,187	13,745	506,
PM0113011009016011	11VKS 300x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x1100	RAL9016	13,409	15,123	557,

PM0113012009016011	11VKS 300x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x1200	RAL9016	14,63	16,032	607,
PM0113013009016011	11VKS 300x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x1300	RAL9016	15,851	17,37	658,
PM0113014009016011	11VKS 300x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x1400	RAL9016	17,072	18,707	708,
PM0113015009016011	11VKS 300x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x1500	RAL9016	18,293	20,045	759,
PM0113016009016011	11VKS 300x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x1600	RAL9016	19,514	21,383	810,
PM0113017009016011	11VKS 300x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x1700	RAL9016	20,735	22,721	860,
PM0113018009016011	11VKS 300x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x1800	RAL9016	21,956	24,059	911,
PM0113019009016011	11VKS 300x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x1900	RAL9016	23,177	25,397	961,
PM0113020009016011	11VKS 300x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 300x2000	RAL9016	24,398	26,735	1 012,
PM0114004009016011	11VKS 400x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x400 PLAN	RAL9016	6,5	7,33	250,
PM0114005009016011	11VKS 400x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x500 PLAN	RAL9016	8,127	9,166	312,
PM0114006009016011	11VKS 400x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x600 PLAN	RAL9016	9,758	11,004	374,
PM0114007009016011	11VKS 400x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x700 PLAN	RAL9016	11,39	12,843	437,
PM0114008009016011	11VKS 400x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x800 PLAN	RAL9016	13,021	14,681	499,
PM0114009009016011	11VKS 400x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x900 PLAN	RAL9016	14,653	16,52	562,
PM0114010009016011	11VKS 400x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x1000	RAL9016	16,285	18,359	624,
PM0114011009016011	11VKS 400x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x1100	RAL9016	17,916	20,197	686,
PM0114012009016011	11VKS 400x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x1200	RAL9016	19,548	21,414	749,
PM0114013009016011	11VKS 400x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x1300	RAL9016	21,179	23,2	811,
PM0114014009016011	11VKS 400x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x1400	RAL9016	22,811	24,987	874,
PM0114015009016011	11VKS 400x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x1500	RAL9016	24,442	26,773	936,
PM0114016009016011	11VKS 400x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x1600	RAL9016	26,074	28,56	998,
PM0114017009016011	11VKS 400x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x1700	RAL9016	27,706	30,347	1 061,
PM0114018009016011	11VKS 400x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x1800	RAL9016	29,337	32,133	1 123,
PM0114019009016011	11VKS 400x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x1900	RAL9016	30,969	33,92	1 186,
PM0114020009016011	11VKS 400x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 400x2000	RAL9016	32,6	35,706	1 248,
PM0115004009016011	11VKS 500x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x400 PLAN	RAL9016	8,125	8,587	296,
PM0115005009016011	11VKS 500x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x500 PLAN	RAL9016	10,166	10,734	371,
PM0115006009016011	11VKS 500x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x600 PLAN	RAL9016	12,207	12,889	445,
PM0115007009016011	11VKS 500x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x700 PLAN	RAL9016	14,248	15,044	519,
PM0115008009016011	11VKS 500x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x800 PLAN	RAL9016	16,29	17,2	593,
PM0115009009016011	11VKS 500x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x900 PLAN	RAL9016	18,331	19,355	667,
PM0115010009016011	11VKS 500x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x1000	RAL9016	20,372	21,51	741,
PM0115011009016011	11VKS 500x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x1100	RAL9016	22,413	23,665	815,
PM0115012009016011	11VKS 500x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x1200	RAL9016	24,454	26,141	889,
PM0115013009016011	11VKS 500x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x1300	RAL9016	26,495	28,322	963,
PM0115014009016011	11VKS 500x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x1400	RAL9016	28,536	30,503	1 037,
PM0115015009016011	11VKS 500x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x1500	RAL9016	30,577	32,684	1 112,
PM0115016009016011	11VKS 500x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x1600	RAL9016	32,618	34,865	1 186,
PM0115017009016011	11VKS 500x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x1700	RAL9016	34,659	37,046	1 260,
PM0115018009016011	11VKS 500x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x1800	RAL9016	36,7	39,227	1 334,
PM0115019009016011	11VKS 500x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x1900	RAL9016	38,741	41,408	1 408,
PM0115020009016011	11VKS 500x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 500x2000	RAL9016	40,783	43,59	1 482,
PM0116004009016011	11VKS 600x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x400 PLAN	RAL9016	9,759	10,314	344,
PM0116005009016011	11VKS 600x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x500 PLAN	RAL9016	12,211	12,893	430,
PM0116006009016011	11VKS 600x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x600 PLAN	RAL9016	14,663	15,481	516,
PM0116007009016011	11VKS 600x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x700 PLAN	RAL9016	17,114	18,068	602,
PM0116008009016011	11VKS 600x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x800 PLAN	RAL9016	19,566	20,656	688,
PM0116009009016011	11VKS 600x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x900 PLAN	RAL9016	22,017	23,243	774,
PM0116010009016011	11VKS 600x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x1000	RAL9016	24,469	25,831	860,
PM0116011009016011	11VKS 600x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x1100	RAL9016	26,92	28,418	946,
PM0116012009016011	11VKS 600x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x1200	RAL9016	29,372	31,392	1 032,
PM0116013009016011	11VKS 600x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x1300	RAL9016	31,824	34,012	1 118,
PM0116014009016011	11VKS 600x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x1400	RAL9016	34,275	36,631	1 204,
PM0116015009016011	11VKS 600x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x1500	RAL9016	36,727	39,251	1 290,
PM0116016009016011	11VKS 600x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x1600	RAL9016	39,178	41,87	1 376,
PM0116017009016011	11VKS 600x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x1700	RAL9016	41,63	44,49	1 462,
PM0116018009016011	11VKS 600x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x1800	RAL9016	44,082	47,11	1 548,
PM0116019009016011	11VKS 600x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x1900	RAL9016	46,533	49,729	1 634,
PM0116020009016011	11VKS 600x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 600x2000	RAL9016	48,985	52,349	1 720,
PM0119004009016011	11VKS 900x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 900x400 PLAN	RAL9016	14,658	15,486	495,
PM0119005009016011	11VKS 900x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 900x500 PLAN	RAL9016	18,34	19,358	619,
PM0119006009016011	11VKS 900x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 900x600 PLAN	RAL9016	22,022	23,245	742,
PM0119007009016011	11VKS 900x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 900x700 PLAN	RAL9016	25,704	27,132	866,
PM0119008009016011	11VKS 900x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 900x800 PLAN	RAL9016	29,386	31,019	990,
PM0119009009016011	11VKS 900x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 900x900 PLAN	RAL9016	33,068	34,906	1 113,
PM0119010009016011	11VKS 900x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 900x1000	RAL9016	36,75	38,793	1 237,
PM0119011009016011	11VKS 900x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 900x1100	RAL9016	40,432	42,68	1 361,
PM0119012009016011	11VKS 900x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 900x1200	RAL9016	44,114	47,143	1 484,
PM0119014009016011	11VKS 900x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 900x1400	RAL9016	51,479	55,014	1 732,
PM0119016009016011	11VKS 900x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKM 900x1600	RAL9016	58,843	62,884	1 979,
PM0203004009016011	20VKS 300x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 300x400	RAL9016	5,95	6,4	224,

PM0203005009016011	20VKS 300x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 300x500	RAL9016	7,432	7,992	280,
PM0203006009016011	20VKS 300x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 300x600	RAL9016	8,923	9,596	335,
PM0203007009016011	20VKS 300x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 300x700	RAL9016	10,414	11,2	391,
PM0203008009016011	20VKS 300x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 300x800	RAL9016	11,905	12,804	447,
PM0203009009016011	20VKS 300x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 300x900	RAL9016	13,396	14,408	503,
PM0203010009016011	20VKS 300x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 300x1000	RAL9016	14,887	16,012	559,
PM0203011009016011	20VKS 300x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 300x1100	RAL9016	16,379	17,617	615,
PM0203012009016011	20VKS 300x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 300x1200	RAL9016	17,87	19,221	671,
PM0203013009016011	20VKS 300x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 300x1300	RAL9016	19,361	20,825	727,
PM0203014009016011	20VKS 300x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 300x1400	RAL9016	20,852	22,429	783,
PM0203015009016011	20VKS 300x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 300x1500	RAL9016	22,343	24,033	839,
PM0203016009016011	20VKS 300x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 300x1600	RAL9016	23,834	25,637	894,
PM0203017009016011	20VKS 300x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 300x1700	RAL9016	25,325	26,244	950,
PM0203018009016011	20VKS 300x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 300x1800	RAL9016	26,816	27,789	1 006,
PM0203019009016011	20VKS 300x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 300x1900	RAL9016	28,307	29,334	1 062,
PM0203020009016011	20VKS 300x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 300x2000	RAL9016	29,798	30,879	1 118,
PM0204004009016011	20VKS 400x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 400x400	RAL9016	7,94	8,543	284,
PM0204005009016011	20VKS 400x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 400x500	RAL9016	9,927	10,679	356,
PM0204006009016011	20VKS 400x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 400x600	RAL9016	11,918	12,819	427,
PM0204007009016011	20VKS 400x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 400x700	RAL9016	13,91	14,96	498,
PM0204008009016011	20VKS 400x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 400x800	RAL9016	15,901	17,1	569,
PM0204009009016011	20VKS 400x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 400x900	RAL9016	17,893	19,241	640,
PM0204010009016011	20VKS 400x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 400x1000	RAL9016	19,885	21,382	711,
PM0204011009016011	20VKS 400x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 400x1100	RAL9016	21,876	23,522	782,
PM0204012009016011	20VKS 400x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 400x1200	RAL9016	23,868	25,663	853,
PM0204013009016011	20VKS 400x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 400x1300	RAL9016	25,859	27,803	924,
PM0204014009016011	20VKS 400x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 400x1400	RAL9016	27,851	29,944	995,
PM0204015009016011	20VKS 400x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 400x1500	RAL9016	29,842	32,084	1 067,
PM0204016009016011	20VKS 400x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 400x1600	RAL9016	31,834	34,225	1 138,
PM0204017009016011	20VKS 400x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 400x1700	RAL9016	33,826	35,046	1 209,
PM0204018009016011	20VKS 400x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 400x1800	RAL9016	35,817	37,108	1 280,
PM0204019009016011	20VKS 400x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 400x1900	RAL9016	37,809	39,171	1 351,
PM0204020009016011	20VKS 400x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 400x2000	RAL9016	39,8	41,233	1 422,
PM0205004009016011	20VKS 500x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 500x400	RAL9016	9,528	10,248	342,
PM0205005009016011	20VKS 500x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 500x500	RAL9016	11,919	12,82	427,
PM0205006009016011	20VKS 500x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 500x600	RAL9016	14,311	15,392	512,
PM0205007009016011	20VKS 500x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 500x700	RAL9016	16,702	17,964	598,
PM0205008009016011	20VKS 500x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 500x800	RAL9016	19,094	20,536	683,
PM0205009009016011	20VKS 500x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 500x900	RAL9016	21,486	23,108	769,
PM0205010009016011	20VKS 500x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 500x1000	RAL9016	23,877	25,68	854,
PM0205011009016011	20VKS 500x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 500x1100	RAL9016	26,268	28,252	939,
PM0205012009016011	20VKS 500x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 500x1200	RAL9016	28,66	30,824	1 025,
PM0205013009016011	20VKS 500x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 500x1300	RAL9016	31,051	33,396	1 110,
PM0205014009016011	20VKS 500x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 500x1400	RAL9016	33,443	35,967	1 196,
PM0205015009016011	20VKS 500x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 500x1500	RAL9016	35,834	38,539	1 281,
PM0205016009016011	20VKS 500x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 500x1600	RAL9016	38,225	41,111	1 366,
PM0205017009016011	20VKS 500x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 500x1700	RAL9016	40,617	42,092	1 452,
PM0205018009016011	20VKS 500x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 500x1800	RAL9016	43,008	44,571	1 537,
PM0205019009016011	20VKS 500x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 500x1900	RAL9016	45,399	47,05	1 623,
PM0205020009016011	20VKS 500x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 500x2000	RAL9016	47,792	49,529	1 708,
PM0206004009016011	20VKS 600x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 600x400	RAL9016	11,442	12,306	396,
PM0206005009016011	20VKS 600x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 600x500	RAL9016	14,315	15,395	495,
PM0206006009016011	20VKS 600x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 600x600	RAL9016	17,187	18,483	593,
PM0206007009016011	20VKS 600x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 600x700	RAL9016	20,058	21,57	692,
PM0206008009016011	20VKS 600x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 600x800	RAL9016	22,931	24,659	791,
PM0206009009016011	20VKS 600x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 600x900	RAL9016	25,802	27,746	890,
PM0206010009016011	20VKS 600x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 600x1000	RAL9016	28,674	30,834	989,
PM0206011009016011	20VKS 600x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 600x1100	RAL9016	31,546	33,922	1 088,
PM0206012009016011	20VKS 600x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 600x1200	RAL9016	34,418	37,01	1 187,
PM0206013009016011	20VKS 600x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 600x1300	RAL9016	37,29	40,098	1 286,
PM0206014009016011	20VKS 600x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 600x1400	RAL9016	40,162	43,186	1 385,
PM0206015009016011	20VKS 600x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 600x1500	RAL9016	43,034	46,274	1 484,
PM0206016009016011	20VKS 600x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 600x1600	RAL9016	45,905	49,361	1 582,
PM0206017009016011	20VKS 600x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 600x1700	RAL9016	48,778	50,542	1 681,
PM0206018009016011	20VKS 600x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 600x1800	RAL9016	51,65	53,518	1 780,
PM0206019009016011	20VKS 600x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 600x1900	RAL9016	54,521	56,493	1 879,
PM0206020009016011	20VKS 600x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 600x2000	RAL9016	57,394	59,469	1 978,
PM0209004009016011	20VKS 900x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 900x400	RAL9016	17,898	19,245	542,
PM0209005009016011	20VKS 900x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 900x500	RAL9016	22,39	24,075	678,
PM0209006009016011	20VKS 900x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 900x600	RAL9016	26,882	28,905	814,
PM0209007009016011	20VKS 900x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 900x700	RAL9016	31,374	33,735	949,
PM0209008009016011	20VKS 900x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 900x800	RAL9016	35,866	38,565	1 085,

PM0209009009016011	20VKS 900x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 900x900	RAL9016	40,358	43,395	1 220,
PM0209010009016011	20VKS 900x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 900x1000	RAL9016	44,85	48,225	1 356,
PM0209011009016011	20VKS 900x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 900x1100	RAL9016	49,342	53,055	1 492,
PM0209012009016011	20VKS 900x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 900x1200	RAL9016	53,834	57,885	1 627,
PM0209014009016011	20VKS 900x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 900x1400	RAL9016	62,819	67,546	1 898,
PM0209016009016011	20VKS 900x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky,	20VKM 900x1600	RAL9016	71,803	77,206	2 170,
PM0213004009016011	21VKS 300x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x400 PLAN	RAL9016	7,166	7,51	279,
PM0213005009016011	21VKS 300x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x500 PLAN	RAL9016	8,957	9,384	349,
PM0213006009016011	21VKS 300x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x600 PLAN	RAL9016	10,753	11,264	418,
PM0213007009016011	21VKS 300x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x700 PLAN	RAL9016	12,549	13,144	488,
PM0213008009016011	21VKS 300x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x800 PLAN	RAL9016	14,345	15,024	558,
PM0213009009016011	21VKS 300x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x900 PLAN	RAL9016	16,141	16,904	627,
PM0213010009016011	21VKS 300x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x1000	RAL9016	17,937	18,784	697,
PM0213011009016011	21VKS 300x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x1100	RAL9016	19,734	20,665	767,
PM0213012009016011	21VKS 300x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x1200	RAL9016	21,53	22,545	836,
PM0213013009016011	21VKS 300x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x1300	RAL9016	23,326	24,425	906,
PM0213014009016011	21VKS 300x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x1400	RAL9016	25,122	26,305	976,
PM0213015009016011	21VKS 300x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x1500	RAL9016	26,918	28,185	1 046,
PM0213016009016011	21VKS 300x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x1600	RAL9016	28,714	30,065	1 115,
PM0213017009016011	21VKS 300x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x1700	RAL9016	30,51	31,945	1 185,
PM0213018009016011	21VKS 300x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x1800	RAL9016	32,306	33,825	1 255,
PM0213019009016011	21VKS 300x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x1900	RAL9016	34,102	35,705	1 324,
PM0213020009016011	21VKS 300x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 300x2000	RAL9016	35,898	37,585	1 394,
PM0214004009016011	21VKS 400x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x400 PLAN	RAL9016	9,27	10,015	342,
PM0214005009016011	21VKS 400x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x500 PLAN	RAL9016	11,857	12,519	428,
PM0214006009016011	21VKS 400x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x600 PLAN	RAL9016	14,234	15,03	513,
PM0214007009016011	21VKS 400x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x700 PLAN	RAL9016	16,612	17,542	599,
PM0214008009016011	21VKS 400x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x800 PLAN	RAL9016	18,989	20,053	684,
PM0214009009016011	21VKS 400x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x900 PLAN	RAL9016	21,367	22,565	770,
PM0214010009016011	21VKS 400x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x1000	RAL9016	23,745	25,077	855,
PM0214011009016011	21VKS 400x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x1100	RAL9016	26,122	27,588	941,
PM0214012009016011	21VKS 400x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x1200	RAL9016	28,5	30,1	1 026,
PM0214013009016011	21VKS 400x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x1300	RAL9016	30,877	32,611	1 112,
PM0214014009016011	21VKS 400x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x1400	RAL9016	33,255	35,123	1 197,
PM0214015009016011	21VKS 400x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x1500	RAL9016	35,632	37,634	1 283,
PM0214016009016011	21VKS 400x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x1600	RAL9016	38,01	40,146	1 368,
PM0214017009016011	21VKS 400x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x1700	RAL9016	40,388	42,658	1 454,
PM0214018009016011	21VKS 400x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x1800	RAL9016	42,765	45,169	1 539,
PM0214019009016011	21VKS 400x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x1900	RAL9016	45,143	47,681	1 625,
PM0214020009016011	21VKS 400x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 400x2000	RAL9016	47,52	50,192	1 710,
PM0215004009016011	21VKS 500x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x400 PLAN	RAL9016	10,508	11,061	402,
PM0215005009016011	21VKS 500x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x500 PLAN	RAL9016	13,143	13,836	503,
PM0215006009016011	21VKS 500x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x600 PLAN	RAL9016	15,779	16,61	604,
PM0215007009016011	21VKS 500x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x700 PLAN	RAL9016	18,414	19,384	704,
PM0215008009016011	21VKS 500x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x800 PLAN	RAL9016	21,05	22,16	805,
PM0215009009016011	21VKS 500x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x900 PLAN	RAL9016	23,685	24,934	905,
PM0215010009016011	21VKS 500x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x1000	RAL9016	26,32	27,708	1 006,
PM0215011009016011	21VKS 500x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x1100	RAL9016	28,956	30,483	1 107,
PM0215012009016011	21VKS 500x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x1200	RAL9016	31,591	33,257	1 207,
PM0215013009016011	21VKS 500x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x1300	RAL9016	34,226	36,032	1 308,
PM0215014009016011	21VKS 500x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x1400	RAL9016	36,861	38,806	1 408,
PM0215015009016011	21VKS 500x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x1500	RAL9016	39,496	41,58	1 509,
PM0215016009016011	21VKS 500x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x1600	RAL9016	42,132	44,355	1 610,
PM0215017009016011	21VKS 500x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x1700	RAL9016	44,767	47,576	1 710,
PM0215018009016011	21VKS 500x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x1800	RAL9016	47,402	50,376	1 811,
PM0215019009016011	21VKS 500x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x1900	RAL9016	50,037	53,176	1 911,
PM0215020009016011	21VKS 500x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 500x2000	RAL9016	52,673	55,978	2 012,
PM0216004009016011	21VKS 600x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x400 PLAN	RAL9016	12,613	13,277	461,
PM0216005009016011	21VKS 600x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x500 PLAN	RAL9016	15,779	16,609	576,
PM0216006009016011	21VKS 600x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x600 PLAN	RAL9016	18,944	19,941	691,
PM0216007009016011	21VKS 600x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x700 PLAN	RAL9016	22,108	23,272	806,
PM0216008009016011	21VKS 600x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x800 PLAN	RAL9016	25,273	26,604	922,
PM0216009009016011	21VKS 600x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x900 PLAN	RAL9016	28,437	29,936	1 037,
PM0216010009016011	21VKS 600x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x1000	RAL9016	31,602	33,268	1 152,
PM0216011009016011	21VKS 600x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x1100	RAL9016	34,766	36,599	1 267,
PM0216012009016011	21VKS 600x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x1200	RAL9016	37,932	39,931	1 382,
PM0216013009016011	21VKS 600x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x1300	RAL9016	41,097	43,263	1 498,
PM0216014009016011	21VKS 600x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x1400	RAL9016	44,261	46,595	1 613,
PM0216015009016011	21VKS 600x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x1500	RAL9016	47,426	49,927	1 728,
PM0216016009016011	21VKS 600x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x1600	RAL9016	50,59	53,258	1 843,
PM0216017009016011	21VKS 600x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x1700	RAL9016	53,755	57,122	1 958,
PM0216018009016011	21VKS 600x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x1800	RAL9016	56,92	60,485	2 074,

PM0216019009016011	21VKS 600x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x1900	RAL9016	60,084	63,847	2 189,
PM0216020009016011	21VKS 600x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 600x2000	RAL9016	63,25	67,21	2 304,
PM0219004009016011	21VKS 900x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 900x400 PLAN	RAL9016	19,731	20,774	630,
PM0219005009016011	21VKS 900x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 900x500 PLAN	RAL9016	24,68	25,983	788,
PM0219006009016011	21VKS 900x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 900x600 PLAN	RAL9016	29,629	31,192	945,
PM0219007009016011	21VKS 900x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 900x700 PLAN	RAL9016	34,578	36,401	1 103,
PM0219008009016011	21VKS 900x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 900x800 PLAN	RAL9016	39,527	41,61	1 260,
PM0219009009016011	21VKS 900x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 900x900 PLAN	RAL9016	44,476	46,819	1 418,
PM0219010009016011	21VKS 900x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 900x1000	RAL9016	49,425	52,028	1 575,
PM0219011009016011	21VKS 900x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 900x1100	RAL9016	54,374	57,237	1 733,
PM0219012009016011	21VKS 900x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 900x1200	RAL9016	59,323	62,446	1 890,
PM0219014009016011	21VKS 900x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 900x1400	RAL9016	69,222	72,865	2 205,
PM0219016009016011	21VKS 900x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 900x1600	RAL9016	79,12	83,283	2 520,
PM0219018009016011	21VKS 900x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 900x1800	RAL9016	89,018	94,592	2 835,
PM0219020009016011	21VKS 900x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKM 900x2000	RAL9016	98,916	105,11	3 150,
PM0223004009016011	22VKS 300x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x400 PLAN	RAL9016	8,057	8,6	365,
PM0223005009016011	22VKS 300x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x500 PLAN	RAL9016	10,107	10,75	457,
PM0223006009016011	22VKS 300x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x600 PLAN	RAL9016	12,133	12,906	548,
PM0223007009016011	22VKS 300x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x700 PLAN	RAL9016	14,159	15,062	639,
PM0223008009016011	22VKS 300x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x800 PLAN	RAL9016	16,185	17,218	730,
PM0223009009016011	22VKS 300x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x900 PLAN	RAL9016	18,211	19,374	822,
PM0223010009016011	22VKS 300x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x1000	RAL9016	20,237	21,53	913,
PM0223011009016011	22VKS 300x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x1100	RAL9016	22,264	23,687	1 004,
PM0223012009016011	22VKS 300x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x1200	RAL9016	24,29	25,843	1 096,
PM0223013009016011	22VKS 300x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x1300	RAL9016	26,316	27,999	1 187,
PM0223014009016011	22VKS 300x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x1400	RAL9016	28,342	30,155	1 278,
PM0223015009016011	22VKS 300x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x1500	RAL9016	30,368	32,311	1 370,
PM0223016009016011	22VKS 300x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x1600	RAL9016	32,394	34,467	1 461,
PM0223017009016011	22VKS 300x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x1700	RAL9016	34,42	36,623	1 552,
PM0223018009016011	22VKS 300x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x1800	RAL9016	36,446	38,779	1 643,
PM0223019009016011	22VKS 300x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x1900	RAL9016	38,472	40,935	1 735,
PM0223020009016011	22VKS 300x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 300x2000	RAL9016	40,498	43,091	1 826,
PM0224004009016011	22VKS 400x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x400 PLAN	RAL9016	10,794	11,48	458,
PM0224005009016011	22VKS 400x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x500 PLAN	RAL9016	13,492	14,351	573,
PM0224006009016011	22VKS 400x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x600 PLAN	RAL9016	16,196	17,228	688,
PM0224007009016011	22VKS 400x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x700 PLAN	RAL9016	18,901	20,106	802,
PM0224008009016011	22VKS 400x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x800 PLAN	RAL9016	21,605	22,983	917,
PM0224009009016011	22VKS 400x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x900 PLAN	RAL9016	24,31	25,861	1 031,
PM0224010009016011	22VKS 400x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x1000	RAL9016	27,015	28,739	1 146,
PM0224011009016011	22VKS 400x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x1100	RAL9016	29,719	31,616	1 261,
PM0224012009016011	22VKS 400x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x1200	RAL9016	32,424	34,494	1 375,
PM0224013009016011	22VKS 400x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x1300	RAL9016	35,128	37,371	1 490,
PM0224014009016011	22VKS 400x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x1400	RAL9016	37,833	40,249	1 604,
PM0224015009016011	22VKS 400x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x1500	RAL9016	40,537	43,126	1 719,
PM0224016009016011	22VKS 400x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x1600	RAL9016	43,242	46,004	1 834,
PM0224017009016011	22VKS 400x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x1700	RAL9016	45,947	48,882	1 948,
PM0224018009016011	22VKS 400x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x1800	RAL9016	48,651	51,759	2 063,
PM0224019009016011	22VKS 400x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x1900	RAL9016	51,356	54,637	2 177,
PM0224020009016011	22VKS 400x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 400x2000	RAL9016	54,06	57,514	2 292,
PM0225004009016011	22VKS 500x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x400 PLAN	RAL9016	11,948	12,66	546,
PM0225005009016011	22VKS 500x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x500 PLAN	RAL9016	14,943	15,833	682,
PM0225006009016011	22VKS 500x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x600 PLAN	RAL9016	17,939	19,007	818,
PM0225007009016011	22VKS 500x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x700 PLAN	RAL9016	20,934	22,181	955,
PM0225008009016011	22VKS 500x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x800 PLAN	RAL9016	23,93	25,356	1 091,
PM0225009009016011	22VKS 500x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x900 PLAN	RAL9016	26,925	28,529	1 228,
PM0225010009016011	22VKS 500x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x1000	RAL9016	29,92	31,703	1 364,
PM0225011009016011	22VKS 500x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x1100	RAL9016	32,916	34,877	1 500,
PM0225012009016011	22VKS 500x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x1200	RAL9016	35,911	38,051	1 637,
PM0225013009016011	22VKS 500x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x1300	RAL9016	38,906	41,224	1 773,
PM0225014009016011	22VKS 500x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x1400	RAL9016	41,901	44,398	1 910,
PM0225015009016011	22VKS 500x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x1500	RAL9016	44,896	47,572	2 046,
PM0225016009016011	22VKS 500x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x1600	RAL9016	47,892	50,746	2 182,
PM0225017009016011	22VKS 500x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x1700	RAL9016	50,887	54,587	2 319,
PM0225018009016011	22VKS 500x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x1800	RAL9016	53,882	57,8	2 455,
PM0225019009016011	22VKS 500x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x1900	RAL9016	56,877	61,013	2 592,
PM0225020009016011	22VKS 500x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 500x2000	RAL9016	59,873	64,227	2 728,
PM0226004009016011	22VKS 600x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x400 PLAN	RAL9016	14,341	15,203	628,
PM0226005009016011	22VKS 600x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x500 PLAN	RAL9016	17,939	19,013	785,
PM0226006009016011	22VKS 600x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x600 PLAN	RAL9016	21,536	22,823	942,
PM0226007009016011	22VKS 600x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x700 PLAN	RAL9016	25,132	26,632	1 099,
PM0226008009016011	22VKS 600x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x800 PLAN	RAL9016	28,729	30,443	1 256,
PM0226009009016011	22VKS 600x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x900 PLAN	RAL9016	32,325	34,252	1 413,

PM0226010009016011	22VKS 600x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x1000	RAL9016	35,922	38,062	1 570,
PM0226011009016011	22VKS 600x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x1100	RAL9016	39,518	41,871	1 727,
PM0226012009016011	22VKS 600x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x1200	RAL9016	43,116	45,682	1 884,
PM0226013009016011	22VKS 600x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x1300	RAL9016	46,713	49,492	2 041,
PM0226014009016011	22VKS 600x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x1400	RAL9016	50,309	53,301	2 198,
PM0226015009016011	22VKS 600x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x1500	RAL9016	53,906	57,111	2 355,
PM0226016009016011	22VKS 600x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x1600	RAL9016	57,502	60,921	2 512,
PM0226017009016011	22VKS 600x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x1700	RAL9016	61,099	65,535	2 669,
PM0226018009016011	22VKS 600x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x1800	RAL9016	64,696	69,394	2 826,
PM0226019009016011	22VKS 600x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x1900	RAL9016	68,292	73,251	2 983,
PM0226020009016011	22VKS 600x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 600x2000	RAL9016	71,89	77,109	3 140,
PM0229004009016011	22VKS 900x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x400 PLAN	RAL9016	22,431	23,764	852,
PM0229005009016011	22VKS 900x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x500 PLAN	RAL9016	28,055	29,723	1 065,
PM0229006009016011	22VKS 900x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x600 PLAN	RAL9016	33,679	35,682	1 277,
PM0229007009016011	22VKS 900x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x700 PLAN	RAL9016	39,303	41,641	1 490,
PM0229008009016011	22VKS 900x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x800 PLAN	RAL9016	44,927	47,6	1 703,
PM0229009009016011	22VKS 900x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x900 PLAN	RAL9016	50,551	53,559	1 916,
PM0229010009016011	22VKS 900x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x1000	RAL9016	56,175	59,518	2 129,
PM0229011009016011	22VKS 900x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x1100	RAL9016	61,799	65,477	2 342,
PM0229012009016011	22VKS 900x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x1200	RAL9016	67,423	71,436	2 555,
PM0229014009016011	22VKS 900x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x1400	RAL9016	78,672	83,355	2 981,
PM0229016009016011	22VKS 900x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x1600	RAL9016	89,92	95,273	3 406,
PM0229018009016011	22VKS 900x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x1800	RAL9016	101,168	108,511	3 832,
PM0229020009016011	22VKS 900x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKM 900x2000	RAL9016	112,416	120,575	4 258,
PM02H3004009016011	20VKS 300x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKSW 300x400	RAL9016	5,95	6,4	224,
PM02H3005009016011	20VKS 300x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKSW 300x500	RAL9016	7,432	7,992	280,
PM02H3006009016011	20VKS 300x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKSW 300x600	RAL9016	8,923	9,596	335,
PM02H3007009016011	20VKS 300x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKSW 300x700	RAL9016	10,414	11,2	391,
PM02H3008009016011	20VKS 300x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKSW 300x800	RAL9016	11,905	12,804	447,
PM02H3009009016011	20VKS 300x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKSW 300x900	RAL9016	13,396	14,408	503,
PM02H3010009016011	20VKS 300x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKSW 300x1000	RAL9016	14,887	16,012	559,
PM02H3011009016011	20VKS 300x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKSW 300x1100	RAL9016	16,379	17,617	615,
PM02H3012009016011	20VKS 300x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKSW 300x1200	RAL9016	17,87	19,221	671,
PM02H3013009016011	20VKS 300x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKSW 300x1300	RAL9016	19,361	20,825	727,
PM02H3014009016011	20VKS 300x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKSW 300x1400	RAL9016	20,852	22,429	783,
PM02H3015009016011	20VKS 300x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKSW 300x1500	RAL9016	22,343	24,033	839,
PM02H3016009016011	20VKS 300x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKSW 300x1600	RAL9016	23,834	25,637	894,
PM02H3017009016011	20VKS 300x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKSW 300x1700	RAL9016	25,325	26,244	950,
PM02H3018009016011	20VKS 300x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKSW 300x1800	RAL9016	26,816	27,789	1 006,
PM02H3019009016011	20VKS 300x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 300x1900	RAL9016	28,307	29,334	1 062,
PM02H3020009016011	20VKS 300x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 300x2000	RAL9016	29,798	30,879	1 118,
PM02H4004009016011	20VKS 400x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 400x400	RAL9016	7,94	8,543	284,
PM02H4005009016011	20VKS 400x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 400x500	RAL9016	9,927	10,679	356,
PM02H4006009016011	20VKS 400x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 400x600	RAL9016	11,918	12,819	427,
PM02H4007009016011	20VKS 400x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 400x700	RAL9016	13,91	14,96	498,
PM02H4008009016011	20VKS 400x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 400x800	RAL9016	15,901	17,1	569,
PM02H4009009016011	20VKS 400x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 400x900	RAL9016	17,893	19,241	640,
PM02H4010009016011	20VKS 400x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 400x1000	RAL9016	19,885	21,382	711,
PM02H4011009016011	20VKS 400x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 400x1100	RAL9016	21,876	23,522	782,
PM02H4012009016011	20VKS 400x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 400x1200	RAL9016	23,868	25,663	853,
PM02H4013009016011	20VKS 400x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 400x1300	RAL9016	25,859	27,803	924,
PM02H4014009016011	20VKS 400x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 400x1400	RAL9016	27,851	29,944	995,
PM02H4015009016011	20VKS 400x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 400x1500	RAL9016	29,842	32,084	1 067,
PM02H4016009016011	20VKS 400x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 400x1600	RAL9016	31,834	34,225	1 138,
PM02H4017009016011	20VKS 400x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 400x1700	RAL9016	33,826	35,046	1 209,
PM02H4018009016011	20VKS 400x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 400x1800	RAL9016	35,817	37,108	1 280,
PM02H4019009016011	20VKS 400x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 400x1900	RAL9016	37,809	39,171	1 351,
PM02H4020009016011	20VKS 400x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 400x2000	RAL9016	39,8	41,233	1 422,
PM02H5004009016011	20VKS 500x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 500x400	RAL9016	9,528	10,248	342,
PM02H5005009016011	20VKS 500x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 500x500	RAL9016	11,919	12,82	427,
PM02H5006009016011	20VKS 500x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 500x600	RAL9016	14,311	15,392	512,
PM02H5007009016011	20VKS 500x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 500x700	RAL9016	16,702	17,964	598,
PM02H5008009016011	20VKS 500x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 500x800	RAL9016	19,094	20,536	683,
PM02H5009009016011	20VKS 500x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 500x900	RAL9016	21,486	23,108	769,
PM02H5010009016011	20VKS 500x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 500x1000	RAL9016	23,877	25,68	854,
PM02H5011009016011	20VKS 500x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 500x1100	RAL9016	26,268	28,252	939,
PM02H5012009016011	20VKS 500x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 500x1200	RAL9016	28,66	30,824	1 025,
PM02H5013009016011	20VKS 500x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 500x1300	RAL9016	31,051	33,396	1 110,
PM02H5014009016011	20VKS 500x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 500x1400	RAL9016	33,443	35,967	1 196,
PM02H5015009016011	20VKS 500x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 500x1500	RAL9016	35,834	38,539	1 281,
PM02H5016009016011	20VKS 500x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 500x1600	RAL9016	38,225	41,111	1 366,
PM02H5017009016011	20VKS 500x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 500x1700	RAL9016	40,617	42,092	1 452,

PM02H5018009016011	20VKS 500x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 500x1800	RAL9016	43,008	44,571	1 537,
PM02H5019009016011	20VKS 500x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 500x1900	RAL9016	45,399	47,05	1 623,
PM02H5020009016011	20VKS 500x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 500x2000	RAL9016	47,792	49,529	1 708,
PM02H6004009016011	20VKS 600x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 600x400	RAL9016	11,442	12,306	396,
PM02H6005009016011	20VKS 600x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 600x500	RAL9016	14,315	15,395	495,
PM02H6006009016011	20VKS 600x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 600x600	RAL9016	17,187	18,483	593,
PM02H6007009016011	20VKS 600x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 600x700	RAL9016	20,058	21,57	692,
PM02H6008009016011	20VKS 600x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 600x800	RAL9016	22,931	24,659	791,
PM02H6009009016011	20VKS 600x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 600x900	RAL9016	25,802	27,746	890,
PM02H6010009016011	20VKS 600x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 600x1000	RAL9016	28,674	30,834	989,
PM02H6011009016011	20VKS 600x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 600x1100	RAL9016	31,546	33,922	1 088,
PM02H6012009016011	20VKS 600x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 600x1200	RAL9016	34,418	37,01	1 187,
PM02H6013009016011	20VKS 600x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 600x1300	RAL9016	37,29	40,098	1 286,
PM02H6014009016011	20VKS 600x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 600x1400	RAL9016	40,162	43,186	1 385,
PM02H6015009016011	20VKS 600x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 600x1500	RAL9016	43,034	46,274	1 484,
PM02H6016009016011	20VKS 600x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 600x1600	RAL9016	45,905	49,361	1 582,
PM02H6017009016011	20VKS 600x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 600x1700	RAL9016	48,778	50,542	1 681,
PM02H6018009016011	20VKS 600x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 600x1800	RAL9016	51,65	53,518	1 780,
PM02H6019009016011	20VKS 600x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 600x1900	RAL9016	54,521	56,493	1 879,
PM02H6020009016011	20VKS 600x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 600x2000	RAL9016	57,394	59,469	1 978,
PM02H9004009016011	20VKS 900x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 900x400	RAL9016	17,898	19,245	542,
PM02H9005009016011	20VKS 900x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 900x500	RAL9016	22,39	24,075	678,
PM02H9006009016011	20VKS 900x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 900x600	RAL9016	26,882	28,905	814,
PM02H9007009016011	20VKS 900x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 900x700	RAL9016	31,374	33,735	949,
PM02H9008009016011	20VKS 900x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 900x800	RAL9016	35,866	38,565	1 085,
PM02H9009009016011	20VKS 900x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 900x900	RAL9016	40,358	43,395	1 220,
PM02H9010009016011	20VKS 900x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 900x1000	RAL9016	44,85	48,225	1 356,
PM02H9011009016011	20VKS 900x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 900x1100	RAL9016	49,342	53,055	1 492,
PM02H9012009016011	20VKS 900x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 900x1200	RAL9016	53,834	57,885	1 627,
PM02H9014009016011	20VKS 900x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 900x1400	RAL9016	62,819	67,546	1 898,
PM02H9016009016011	20VKS 900x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKM W 900x1600	RAL9016	71,803	77,206	2 170,
PM0303004009016011	30VKS 300x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x400 PLAN	RAL9016	9,126	9,706	314,
PM0303005009016011	30VKS 300x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x500 PLAN	RAL9016	11,407	12,132	393,
PM0303006009016011	30VKS 300x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x600 PLAN	RAL9016	13,693	14,564	471,
PM0303007009016011	30VKS 300x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x700 PLAN	RAL9016	15,979	16,996	550,
PM0303008009016011	30VKS 300x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x800 PLAN	RAL9016	18,265	19,428	628,
PM0303009009016011	30VKS 300x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x900 PLAN	RAL9016	20,551	21,86	707,
PM0303010009016011	30VKS 300x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x1000	RAL9016	22,837	24,292	785,
PM0303011009016011	30VKS 300x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x1100	RAL9016	25,124	26,725	864,
PM0303012009016011	30VKS 300x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x1200	RAL9016	27,41	29,157	942,
PM0303013009016011	30VKS 300x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x1300	RAL9016	29,696	31,589	1 021,
PM0303014009016011	30VKS 300x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x1400	RAL9016	31,982	34,021	1 099,
PM0303015009016011	30VKS 300x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x1500	RAL9016	34,268	36,453	1 178,
PM0303016009016011	30VKS 300x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x1600	RAL9016	36,554	38,885	1 256,
PM0303017009016011	30VKS 300x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x1700	RAL9016	38,84	41,317	1 335,
PM0303018009016011	30VKS 300x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x1800	RAL9016	41,126	43,749	1 413,
PM0303019009016011	30VKS 300x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x1900	RAL9016	43,412	46,181	1 492,
PM0303020009016011	30VKS 300x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 300x2000	RAL9016	45,698	48,613	1 570,
PM0304004009016011	30VKS 400x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x400 PLAN	RAL9016	11,834	12,73	393,
PM0304005009016011	30VKS 400x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x500 PLAN	RAL9016	14,792	15,914	491,
PM0304006009016011	30VKS 400x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x600 PLAN	RAL9016	17,756	19,103	589,
PM0304007009016011	30VKS 400x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x700 PLAN	RAL9016	20,721	22,293	687,
PM0304008009016011	30VKS 400x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x800 PLAN	RAL9016	23,685	25,482	786,
PM0304009009016011	30VKS 400x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x900 PLAN	RAL9016	26,65	28,672	884,
PM0304010009016011	30VKS 400x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x1000	RAL9016	29,615	31,862	982,
PM0304011009016011	30VKS 400x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x1100	RAL9016	32,579	35,051	1 080,
PM0304012009016011	30VKS 400x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x1200	RAL9016	35,544	38,241	1 178,
PM0304013009016011	30VKS 400x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x1300	RAL9016	38,508	41,43	1 277,
PM0304014009016011	30VKS 400x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x1400	RAL9016	41,473	44,62	1 375,
PM0304015009016011	30VKS 400x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x1500	RAL9016	44,437	47,809	1 473,
PM0304016009016011	30VKS 400x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x1600	RAL9016	47,402	50,999	1 571,
PM0304017009016011	30VKS 400x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x1700	RAL9016	50,367	54,189	1 669,
PM0304018009016011	30VKS 400x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x1800	RAL9016	53,331	57,378	1 768,
PM0304019009016011	30VKS 400x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x1900	RAL9016	56,296	60,568	1 866,
PM0304020009016011	30VKS 400x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 400x2000	RAL9016	59,26	63,757	1 964,
PM0305004009016011	30VKS 500x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x400 PLAN	RAL9016	13,712	14,172	469,
PM0305005009016011	30VKS 500x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x500 PLAN	RAL9016	17,449	18,604	586,
PM0305006009016011	30VKS 500x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x600 PLAN	RAL9016	20,946	22,332	703,
PM0305007009016011	30VKS 500x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x700 PLAN	RAL9016	24,444	26,061	820,
PM0305008009016011	30VKS 500x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x800 PLAN	RAL9016	27,942	29,791	938,
PM0305009009016011	30VKS 500x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x900 PLAN	RAL9016	31,439	33,519	1 055,
PM0305010009016011	30VKS 500x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x1000	RAL9016	34,936	37,248	1 172,

PM0305011009016011	30VKS 500x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x1100	RAL9016	38,434	40,977	1 289,
PM0305012009016011	30VKS 500x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x1200	RAL9016	41,931	44,705	1 406,
PM0305013009016011	30VKS 500x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x1300	RAL9016	45,428	48,434	1 524,
PM0305014009016011	30VKS 500x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x1400	RAL9016	48,925	52,163	1 641,
PM0305015009016011	30VKS 500x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x1500	RAL9016	52,423	55,891	1 758,
PM0305016009016011	30VKS 500x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x1600	RAL9016	55,92	59,62	1 875,
PM0305017009016011	30VKS 500x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x1700	RAL9016	59,417	64,466	1 992,
PM0305018009016011	30VKS 500x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x1800	RAL9016	62,915	68,261	2 110,
PM0305019009016011	30VKS 500x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x1900	RAL9016	66,412	72,056	2 227,
PM0305020009016011	30VKS 500x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 500x2000	RAL9016	69,91	75,852	2 344,
PM0306004009016011	30VKS 600x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x400 PLAN	RAL9016	16,479	18,059	582,
PM0306005009016011	30VKS 600x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x500 PLAN	RAL9016	20,699	22,335	679,
PM0306006009016011	30VKS 600x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x600 PLAN	RAL9016	24,848	26,812	814,
PM0306007009016011	30VKS 600x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x700 PLAN	RAL9016	28,996	31,287	950,
PM0306008009016011	30VKS 600x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x800 PLAN	RAL9016	33,145	35,764	1 086,
PM0306009009016011	30VKS 600x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x900 PLAN	RAL9016	37,293	40,239	1 221,
PM0306010009016011	30VKS 600x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x1000	RAL9016	41,442	44,716	1 357,
PM0306011009016011	30VKS 600x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x1100	RAL9016	45,59	49,191	1 493,
PM0306012009016011	30VKS 600x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x1200	RAL9016	49,74	53,668	1 628,
PM0306013009016011	30VKS 600x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x1300	RAL9016	53,889	58,144	1 764,
PM0306014009016011	30VKS 600x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x1400	RAL9016	58,037	62,62	1 900,
PM0306015009016011	30VKS 600x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x1500	RAL9016	62,186	67,096	2 036,
PM0306016009016011	30VKS 600x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x1600	RAL9016	66,334	71,572	2 171,
PM0306017009016011	30VKS 600x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x1700	RAL9016	70,483	77,39	2 307,
PM0306018009016011	30VKS 600x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x1800	RAL9016	74,632	81,946	2 443,
PM0306019009016011	30VKS 600x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x1900	RAL9016	78,78	86,5	2 578,
PM0306020009016011	30VKS 600x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 600x2000	RAL9016	82,93	91,055	2 714,
PM0309004009016011	30VKS 900x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 900x400 PLAN	RAL9016	26,04	28,82	762,
PM0309005009016011	30VKS 900x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 900x500 PLAN	RAL9016	31,965	34,92	952,
PM0309006009016011	30VKS 900x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 900x600 PLAN	RAL9016	38,372	41,919	1 142,
PM0309007009016011	30VKS 900x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 900x700 PLAN	RAL9016	44,779	48,918	1 333,
PM0309008009016011	30VKS 900x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 900x800 PLAN	RAL9016	51,186	55,917	1 523,
PM0309009009016011	30VKS 900x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 900x900 PLAN	RAL9016	57,593	62,916	1 714,
PM0309010009016011	30VKS 900x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 900x1000	RAL9016	64,	69,915	1 904,
PM0309011009016011	30VKS 900x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 900x1100	RAL9016	70,407	76,914	2 094,
PM0309012009016011	30VKS 900x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 900x1200	RAL9016	76,814	83,913	2 285,
PM0309014009016011	30VKS 900x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 900x1400	RAL9016	89,629	97,912	2 666,
PM0309016009016011	30VKS 900x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKM 900x1600	RAL9016	102,443	111,91	3 046,
PM0333004009016011	33VKS 300x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x400 PLAN	RAL9016	11,606	11,972	520,
PM0333005009016011	33VKS 300x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x500 PLAN	RAL9016	14,507	14,965	650,
PM0333006009016011	33VKS 300x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x600 PLAN	RAL9016	17,413	17,963	780,
PM0333007009016011	33VKS 300x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x700 PLAN	RAL9016	20,319	20,961	910,
PM0333008009016011	33VKS 300x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x800 PLAN	RAL9016	23,225	23,959	1 040,
PM0333009009016011	33VKS 300x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x900 PLAN	RAL9016	26,131	26,957	1 170,
PM0333010009016011	33VKS 300x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x1000	RAL9016	29,037	29,955	1 300,
PM0333011009016011	33VKS 300x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x1100	RAL9016	31,944	32,954	1 430,
PM0333012009016011	33VKS 300x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x1200	RAL9016	34,85	35,952	1 560,
PM0333013009016011	33VKS 300x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x1300	RAL9016	37,756	38,95	1 690,
PM0333014009016011	33VKS 300x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x1400	RAL9016	40,662	41,948	1 820,
PM0333015009016011	33VKS 300x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x1500	RAL9016	43,568	44,946	1 950,
PM0333016009016011	33VKS 300x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x1600	RAL9016	46,474	47,944	2 080,
PM0333017009016011	33VKS 300x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x1700	RAL9016	49,38	50,501	2 210,
PM0333018009016011	33VKS 300x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x1800	RAL9016	52,286	53,473	2 340,
PM0333019009016011	33VKS 300x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x1900	RAL9016	55,192	56,445	2 470,
PM0333020009016011	33VKS 300x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 300x2000	RAL9016	58,098	59,417	2 600,
PM0334004009016011	33VKS 400x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x400 PLAN	RAL9016	15,486	15,976	654,
PM0334005009016011	33VKS 400x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x500 PLAN	RAL9016	19,357	19,97	817,
PM0334006009016011	33VKS 400x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x600 PLAN	RAL9016	23,234	23,97	980,
PM0334007009016011	33VKS 400x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x700 PLAN	RAL9016	27,112	27,971	1 144,
PM0334008009016011	33VKS 400x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x800 PLAN	RAL9016	30,989	31,971	1 307,
PM0334009009016011	33VKS 400x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x900 PLAN	RAL9016	34,867	35,972	1 471,
PM0334010009016011	33VKS 400x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x1000	RAL9016	38,745	39,973	1 634,
PM0334011009016011	33VKS 400x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x1100	RAL9016	42,622	43,973	1 797,
PM0334012009016011	33VKS 400x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x1200	RAL9016	46,5	47,974	1 961,
PM0334013009016011	33VKS 400x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x1300	RAL9016	50,377	51,974	2 124,
PM0334014009016011	33VKS 400x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x1400	RAL9016	54,255	55,975	2 288,
PM0334015009016011	33VKS 400x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x1500	RAL9016	58,132	59,975	2 451,
PM0334016009016011	33VKS 400x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x1600	RAL9016	62,01	63,976	2 614,
PM0334017009016011	33VKS 400x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x1700	RAL9016	65,888	67,388	2 778,
PM0334018009016011	33VKS 400x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x1800	RAL9016	69,765	71,353	2 941,
PM0334019009016011	33VKS 400x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x1900	RAL9016	73,643	75,319	3 105,
PM0334020009016011	33VKS 400x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 400x2000	RAL9016	77,52	79,284	3 268,

PM0335004009016011	33VKS 500x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x400 PLAN	RAL9016	16,92	18,01	780,
PM0335005009016011	33VKS 500x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x500 PLAN	RAL9016	21,159	22,523	976,
PM0335006009016011	33VKS 500x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x600 PLAN	RAL9016	25,399	27,036	1 171,
PM0335007009016011	33VKS 500x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x700 PLAN	RAL9016	29,638	31,548	1 366,
PM0335008009016011	33VKS 500x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x800 PLAN	RAL9016	33,878	36,062	1 561,
PM0335009009016011	33VKS 500x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x900 PLAN	RAL9016	38,118	40,575	1 756,
PM0335010009016011	33VKS 500x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x1000	RAL9016	42,357	45,088	1 951,
PM0335011009016011	33VKS 500x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x1100	RAL9016	46,596	49,601	2 146,
PM0335012009016011	33VKS 500x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x1200	RAL9016	50,836	54,114	2 341,
PM0335013009016011	33VKS 500x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x1300	RAL9016	55,075	58,627	2 536,
PM0335014009016011	33VKS 500x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x1400	RAL9016	59,315	63,14	2 731,
PM0335015009016011	33VKS 500x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x1500	RAL9016	63,554	67,653	2 927,
PM0335016009016011	33VKS 500x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x1600	RAL9016	67,793	72,166	3 122,
PM0335017009016011	33VKS 500x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x1700	RAL9016	72,033	77,768	3 317,
PM0335018009016011	33VKS 500x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x1800	RAL9016	76,272	82,344	3 512,
PM0335019009016011	33VKS 500x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x1900	RAL9016	80,511	86,92	3 707,
PM0335020009016011	33VKS 500x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 500x2000	RAL9016	84,752	91,498	3 902,
PM0336004009016011	33VKS 600x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x400 PLAN	RAL9016	20,313	21,622	902,
PM0336005009016011	33VKS 600x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x500 PLAN	RAL9016	25,403	27,039	1 128,
PM0336006009016011	33VKS 600x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x600 PLAN	RAL9016	30,492	32,457	1 353,
PM0336007009016011	33VKS 600x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x700 PLAN	RAL9016	35,581	37,873	1 579,
PM0336008009016011	33VKS 600x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x800 PLAN	RAL9016	40,671	43,29	1 804,
PM0336009009016011	33VKS 600x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x900 PLAN	RAL9016	45,76	48,707	2 030,
PM0336010009016011	33VKS 600x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x1000	RAL9016	50,85	54,124	2 255,
PM0336011009016011	33VKS 600x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x1100	RAL9016	55,939	59,54	2 481,
PM0336012009016011	33VKS 600x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x1200	RAL9016	61,029	64,957	2 706,
PM0336013009016011	33VKS 600x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x1300	RAL9016	66,119	70,375	2 932,
PM0336014009016011	33VKS 600x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x1400	RAL9016	71,208	75,791	3 157,
PM0336015009016011	33VKS 600x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x1500	RAL9016	76,298	81,208	3 383,
PM0336016009016011	33VKS 600x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x1600	RAL9016	81,387	86,625	3 608,
PM0336017009016011	33VKS 600x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x1700	RAL9016	86,477	93,352	3 834,
PM0336018009016011	33VKS 600x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x1800	RAL9016	91,567	98,846	4 059,
PM0336019009016011	33VKS 600x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x1900	RAL9016	96,656	104,34	4 285,
PM0336020009016011	33VKS 600x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 600x2000	RAL9016	101,746	109,834	4 510,
PM0339004009016011	33VKS 900x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x400 PLAN	RAL9016	31,758	33,801	1 245,
PM0339005009016011	33VKS 900x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x500 PLAN	RAL9016	39,715	42,27	1 556,
PM0339006009016011	33VKS 900x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x600 PLAN	RAL9016	47,672	50,739	1 867,
PM0339007009016011	33VKS 900x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x700 PLAN	RAL9016	55,629	59,208	2 178,
PM0339008009016011	33VKS 900x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x800 PLAN	RAL9016	63,586	67,677	2 490,
PM0339009009016011	33VKS 900x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x900 PLAN	RAL9016	71,543	76,146	2 801,
PM0339010009016011	33VKS 900x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x1000	RAL9016	79,5	84,615	3 112,
PM0339011009016011	33VKS 900x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x1100	RAL9016	87,457	93,084	3 423,
PM0339012009016011	33VKS 900x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x1200	RAL9016	95,414	101,553	3 734,
PM0339014009016011	33VKS 900x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x1400	RAL9016	111,329	118,492	4 357,
PM0339016009016011	33VKS 900x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x1600	RAL9016	127,243	135,43	4 979,
PM0339018009016011	33VKS 900x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x1800	RAL9016	143,157	154,532	5 602,
PM0339020009016011	33VKS 900x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKM 900x2000	RAL9016	159,071	171,71	6 224,
PV0103004009016011	10VKP 300x0400 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 300x400 PLAN	RAL9016	3,41	4,25	126,
PV0103004L09016011	10VKL 300x0400 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 300x400 PLAN	RAL9016	3,41	4,25	126,
PV0103004U09016011	10VK 300x0400 PLAN,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 300x400 PLAN	RAL9016	3,41	4,25	126,
PV0103005009016011	10VKP 300x0500 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 300x500 PLAN	RAL9016	4,262	5,304	158,
PV0103005L09016011	10VKL 300x0500 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 300x500 PLAN	RAL9016	4,262	5,304	158,
PV0103005U09016011	10VK 300x0500 PLAN,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 300x500 PLAN	RAL9016	4,262	5,304	158,
PV0103006009016011	10VKP 300x0600 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 300x600 PLAN	RAL9016	5,119	6,369	190,
PV0103006L09016011	10VKL 300x0600 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 300x600 PLAN	RAL9016	5,119	6,369	190,
PV0103006U09016011	10VK 300x0600 PLAN,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 300x600 PLAN	RAL9016	5,119	6,369	190,
PV0103007009016011	10VKP 300x0700 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 300x700 PLAN	RAL9016	5,976	7,434	221,
PV0103007L09016011	10VKL 300x0700 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 300x700 PLAN	RAL9016	5,976	7,434	221,
PV0103007U09016011	10VK 300x0700 PLAN,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 300x700 PLAN	RAL9016	5,976	7,434	221,
PV0103008009016011	10VKP 300x0800 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 300x800 PLAN	RAL9016	6,833	8,499	253,
PV0103008L09016011	10VKL 300x0800 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 300x800 PLAN	RAL9016	6,833	8,499	253,
PV0103008U09016011	10VK 300x0800 PLAN,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 300x800 PLAN	RAL9016	6,833	8,499	253,
PV0103009009016011	10VKP 300x0900 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 300x900 PLAN	RAL9016	7,69	9,564	284,
PV0103009L09016011	10VKL 300x0900 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 300x900 PLAN	RAL9016	7,69	9,564	284,
PV0103009U09016011	10VK 300x0900 PLAN,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 300x900 PLAN	RAL9016	7,69	9,564	284,
PV0103010009016011	10VKP 300x1000 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 300x1000 PLAN	RAL9016	8,547	10,629	316,
PV0103010L09016011	10VKL 300x1000 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 300x1000	RAL9016	8,547	10,629	316,
PV0103010U09016011	10VK 300x1000 PLAN,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 300x1000	RAL9016	8,547	10,629	316,
PV0103011009016011	10VKP 300x1100 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 300x1100 PLAN	RAL9016	9,405	11,695	348,
PV0103011L09016011	10VKL 300x1100 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 300x1100	RAL9016	9,405	11,695	348,
PV0103011U09016011	10VK 300x1100 PLAN,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 300x1100	RAL9016	9,405	11,695	348,
PV0103012009016011	10VKP 300x1200 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 300x1200 PLAN	RAL9016	10,262	12,76	379,

PV0106009L09016011	10VKL 600x0900 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 600x900 PLAN	RAL9016	14,57	16,98	493,
PV0106009U09016011	10VK 600x0900 PLAN,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 600x900 PLAN	RAL9016	14,57	16,98	493,
PV0106010009016011	10VKP 600x1000 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 600x1000 PLAN	RAL9016	16,194	18,872	548,
PV0106010L09016011	10VKL 600x1000 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 600x1000	RAL9016	16,194	18,872	548,
PV0106010U09016011	10VK 600x1000 PLAN,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 600x1000	RAL9016	16,194	18,872	548,
PV0106011009016011	10VKP 600x1100 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 600x1100 PLAN	RAL9016	17,818	20,763	603,
PV0106011L09016011	10VKL 600x1100 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 600x1100	RAL9016	17,818	20,763	603,
PV0106011U09016011	10VK 600x1100 PLAN,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 600x1100	RAL9016	17,818	20,763	603,
PV0106012009016011	10VKP 600x1200 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 600x1200 PLAN	RAL9016	19,442	22,655	658,
PV0106012L09016011	10VKL 600x1200 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 600x1200	RAL9016	19,442	22,655	658,
PV0106012U09016011	10VK 600x1200 PLAN,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 600x1200	RAL9016	19,442	22,655	658,
PV0106013009016011	10VKP 600x1300 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 600x1300 PLAN	RAL9016	21,066	24,547	712,
PV0106013L09016011	10VKL 600x1300 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 600x1300	RAL9016	21,066	24,547	712,
PV0106013U09016011	10VK 600x1300 PLAN,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 600x1300	RAL9016	21,066	24,547	712,
PV0106014009016011	10VKP 600x1400 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 600x1400 PLAN	RAL9016	22,69	26,438	767,
PV0106014L09016011	10VKL 600x1400 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 600x1400	RAL9016	22,69	26,438	767,
PV0106014U09016011	10VK 600x1400 PLAN,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 600x1400	RAL9016	22,69	26,438	767,
PV0106015009016011	10VKP 600x1500 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 600x1500 PLAN	RAL9016	24,314	28,331	822,
PV0106015L09016011	10VKL 600x1500 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 600x1500	RAL9016	24,314	28,331	822,
PV0106015U09016011	10VK 600x1500 PLAN,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 600x1500	RAL9016	24,314	28,331	822,
PV0106016009016011	10VKP 600x1600 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 600x1600 PLAN	RAL9016	25,937	30,222	877,
PV0106016L09016011	10VKL 600x1600 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 600x1600	RAL9016	25,937	30,222	877,
PV0106016U09016011	10VK 600x1600 PLAN,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 600x1600	RAL9016	25,937	30,222	877,
PV0106017009016011	10VKP 600x1700 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 600x1700 PLAN	RAL9016	27,562	32,114	932,
PV0106017L09016011	10VKL 600x1700 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 600x1700	RAL9016	27,562	32,114	932,
PV0106017U09016011	10VK 600x1700 PLAN,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 600x1700	RAL9016	27,562	32,114	932,
PV0106018009016011	10VKP 600x1800 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 600x1800 PLAN	RAL9016	29,186	34,006	986,
PV0106018L09016011	10VKL 600x1800 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 600x1800	RAL9016	29,186	34,006	986,
PV0106018U09016011	10VK 600x1800 PLAN,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 600x1800	RAL9016	29,186	34,006	986,
PV0106019009016011	10VKP 600x1900 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 600x1900 PLAN	RAL9016	30,809	35,897	1 041,
PV0106019L09016011	10VKL 600x1900 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 600x1900	RAL9016	30,809	35,897	1 041,
PV0106019U09016011	10VK 600x1900 PLAN,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 600x1900	RAL9016	30,809	35,897	1 041,
PV0106020009016011	10VKP 600x2000 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 600x2000 PLAN	RAL9016	32,434	37,789	1 096,
PV0106020L09016011	10VKL 600x2000 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 600x2000	RAL9016	32,434	37,789	1 096,
PV0106020U09016011	10VK 600x2000 PLAN,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 600x2000	RAL9016	32,434	37,789	1 096,
PV0109004009016011	10VKP 900x0400 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 900x400 PLAN	RAL9016	9,918	11,787	294,
PV0109004L09016011	10VKL 900x0400 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 900x400 PLAN	RAL9016	9,918	11,787	294,
PV0109004U09016011	10VK 900x0400 PLAN,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 900x400 PLAN	RAL9016	9,918	11,787	294,
PV0109005009016011	10VKP 900x0500 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 900x500 PLAN	RAL9016	12,415	14,734	368,
PV0109005L09016011	10VKL 900x0500 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 900x500 PLAN	RAL9016	12,415	14,734	368,
PV0109005U09016011	10VK 900x0500 PLAN,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 900x500 PLAN	RAL9016	12,415	14,734	368,
PV0109006009016011	10VKP 900x0600 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 900x600 PLAN	RAL9016	14,912	17,694	441,
PV0109006L09016011	10VKL 900x0600 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 900x600 PLAN	RAL9016	14,912	17,694	441,
PV0109006U09016011	10VK 900x0600 PLAN,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 900x600 PLAN	RAL9016	14,912	17,694	441,
PV0109007009016011	10VKP 900x0700 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 900x700 PLAN	RAL9016	17,409	20,654	515,
PV0109007L09016011	10VKL 900x0700 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 900x700 PLAN	RAL9016	17,409	20,654	515,
PV0109007U09016011	10VK 900x0700 PLAN,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 900x700 PLAN	RAL9016	17,409	20,654	515,
PV0109008009016011	10VKP 900x0800 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 900x800 PLAN	RAL9016	19,906	23,614	588,
PV0109008L09016011	10VKL 900x0800 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 900x800 PLAN	RAL9016	19,906	23,614	588,
PV0109008U09016011	10VK 900x0800 PLAN,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 900x800 PLAN	RAL9016	19,906	23,614	588,
PV0109009009016011	10VKP 900x0900 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 900x900 PLAN	RAL9016	22,403	26,574	662,
PV0109009L09016011	10VKL 900x0900 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 900x900 PLAN	RAL9016	22,403	26,574	662,
PV0109009U09016011	10VK 900x0900 PLAN,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 900x900 PLAN	RAL9016	22,403	26,574	662,
PV0109010009016011	10VKP 900x1000 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 900x1000 PLAN	RAL9016	24,9	29,534	735,
PV0109010L09016011	10VKL 900x1000 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 900x1000	RAL9016	24,9	29,534	735,
PV0109010U09016011	10VK 900x1000 PLAN,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 900x1000	RAL9016	24,9	29,534	735,
PV0109011009016011	10VKP 900x1100 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 900x1100 PLAN	RAL9016	27,397	32,494	809,
PV0109011L09016011	10VKL 900x1100 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 900x1100	RAL9016	27,397	32,494	809,
PV0109011U09016011	10VK 900x1100 PLAN,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 900x1100	RAL9016	27,397	32,494	809,
PV0109012009016011	10VKP 900x1200 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 900x1200 PLAN	RAL9016	29,894	35,454	882,
PV0109012L09016011	10VKL 900x1200 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 900x1200	RAL9016	29,894	35,454	882,
PV0109012U09016011	10VK 900x1200 PLAN,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 900x1200	RAL9016	29,894	35,454	882,
PV0109014009016011	10VKP 900x1400 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 900x1400 PLAN	RAL9016	34,889	41,375	1 029,
PV0109014L09016011	10VKL 900x1400 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 900x1400	RAL9016	34,889	41,375	1 029,
PV0109014U09016011	10VK 900x1400 PLAN,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 900x1400	RAL9016	34,889	41,375	1 029,
PV0109016009016011	10VKP 900x1600 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 900x1600 PLAN	RAL9016	39,883	47,295	1 176,
PV0109016L09016011	10VKL 900x1600 PLAN,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 900x1600	RAL9016	39,883	47,295	1 176,
PV0109016U09016011	10VK 900x1600 PLAN,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 900x1600	RAL9016	39,883	47,295	1 176,
PV0113004009016011	11VKP 300x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x400 PLAN	RAL9016	4,87	5,488	202,
PV0113004L09016011	11VKL 300x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x400 PLAN	RAL9016	4,87	5,488	202,
PV0113004U09016011	11VK 300x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 300x400 PLAN	RAL9016	4,87	5,488	202,
PV0113005009016011	11VKP 300x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x500 PLAN	RAL9016	6,082	6,86	253,

PV0113005L09016011	11VKL 300x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x500 PLAN	RAL9016	6,082	6,86	253,
PV0113005U09016011	11VK 300x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 300x500 PLAN	RAL9016	6,082	6,86	253,
PV0113006009016011	11VKP 300x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x600 PLAN	RAL9016	7,303	8,237	304,
PV0113006L09016011	11VKL 300x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x600 PLAN	RAL9016	7,303	8,237	304,
PV0113006U09016011	11VK 300x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 300x600 PLAN	RAL9016	7,303	8,237	304,
PV0113007009016011	11VKP 300x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x700 PLAN	RAL9016	8,524	9,614	354,
PV0113007L09016011	11VKL 300x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x700 PLAN	RAL9016	8,524	9,614	354,
PV0113007U09016011	11VK 300x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 300x700 PLAN	RAL9016	8,524	9,614	354,
PV0113008009016011	11VKP 300x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x800 PLAN	RAL9016	9,745	10,991	405,
PV0113008L09016011	11VKL 300x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x800 PLAN	RAL9016	9,745	10,991	405,
PV0113008U09016011	11VK 300x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 300x800 PLAN	RAL9016	9,745	10,991	405,
PV0113009009016011	11VKP 300x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x900 PLAN	RAL9016	10,966	12,368	455,
PV0113009L09016011	11VKL 300x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x900 PLAN	RAL9016	10,966	12,368	455,
PV0113009U09016011	11VK 300x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 300x900 PLAN	RAL9016	10,966	12,368	455,
PV0113010009016011	11VKP 300x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x1000 PLAN	RAL9016	12,187	13,745	506,
PV0113010L09016011	11VKL 300x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x1000	RAL9016	12,187	13,745	506,
PV0113010U09016011	11VK 300x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 300x1000	RAL9016	12,187	13,745	506,
PV0113011009016011	11VKP 300x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x1100 PLAN	RAL9016	13,409	15,123	557,
PV0113011L09016011	11VKL 300x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x1100	RAL9016	13,409	15,123	557,
PV0113011U09016011	11VK 300x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 300x1100	RAL9016	13,409	15,123	557,
PV0113012009016011	11VKP 300x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x1200 PLAN	RAL9016	14,63	16,032	607,
PV0113012L09016011	11VKL 300x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x1200	RAL9016	14,63	16,032	607,
PV0113012U09016011	11VK 300x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 300x1200	RAL9016	14,63	16,032	607,
PV0113013009016011	11VKP 300x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x1300 PLAN	RAL9016	15,851	17,37	658,
PV0113013L09016011	11VKL 300x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x1300	RAL9016	15,851	17,37	658,
PV0113013U09016011	11VK 300x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 300x1300	RAL9016	15,851	17,37	658,
PV0113014009016011	11VKP 300x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x1400 PLAN	RAL9016	17,072	18,707	708,
PV0113014L09016011	11VKL 300x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x1400	RAL9016	17,072	18,707	708,
PV0113014U09016011	11VK 300x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 300x1400	RAL9016	17,072	18,707	708,
PV0113015009016011	11VKP 300x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x1500 PLAN	RAL9016	18,293	20,045	759,
PV0113015L09016011	11VKL 300x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x1500	RAL9016	18,293	20,045	759,
PV0113015U09016011	11VK 300x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 300x1500	RAL9016	18,293	20,045	759,
PV0113016009016011	11VKP 300x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x1600 PLAN	RAL9016	19,514	21,383	810,
PV0113016L09016011	11VKL 300x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x1600	RAL9016	19,514	21,383	810,
PV0113016U09016011	11VK 300x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 300x1600	RAL9016	19,514	21,383	810,
PV0113017009016011	11VKP 300x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x1700 PLAN	RAL9016	20,735	22,721	860,
PV0113017L09016011	11VKL 300x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x1700	RAL9016	20,735	22,721	860,
PV0113017U09016011	11VK 300x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 300x1700	RAL9016	20,735	22,721	860,
PV0113018009016011	11VKP 300x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x1800 PLAN	RAL9016	21,956	24,059	911,
PV0113018L09016011	11VKL 300x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x1800	RAL9016	21,956	24,059	911,
PV0113018U09016011	11VK 300x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 300x1800	RAL9016	21,956	24,059	911,
PV0113019009016011	11VKP 300x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x1900 PLAN	RAL9016	23,177	25,397	961,
PV0113019L09016011	11VKL 300x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x1900	RAL9016	23,177	25,397	961,
PV0113019U09016011	11VK 300x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 300x1900	RAL9016	23,177	25,397	961,
PV0113020009016011	11VKP 300x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x2000 PLAN	RAL9016	24,398	26,735	1 012,
PV0113020L09016011	11VKL 300x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x2000	RAL9016	24,398	26,735	1 012,
PV0113020U09016011	11VK 300x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 300x2000	RAL9016	24,398	26,735	1 012,
PV0114004009016011	11VKP 400x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x400 PLAN	RAL9016	6,5	7,33	250,
PV0114004L09016011	11VKL 400x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x400 PLAN	RAL9016	6,5	7,33	250,
PV0114004U09016011	11VK 400x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x400 PLAN	RAL9016	6,5	7,33	250,
PV0114005009016011	11VKP 400x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x500 PLAN	RAL9016	8,127	9,166	312,
PV0114005L09016011	11VKL 400x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x500 PLAN	RAL9016	8,127	9,166	312,
PV0114005U09016011	11VK 400x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x500 PLAN	RAL9016	8,127	9,166	312,
PV0114006009016011	11VKP 400x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x600 PLAN	RAL9016	9,758	11,004	374,
PV0114006L09016011	11VKL 400x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x600 PLAN	RAL9016	9,758	11,004	374,
PV0114006U09016011	11VK 400x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x600 PLAN	RAL9016	9,758	11,004	374,
PV0114007009016011	11VKP 400x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x700 PLAN	RAL9016	11,39	12,843	437,
PV0114007L09016011	11VKL 400x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x700 PLAN	RAL9016	11,39	12,843	437,
PV0114007U09016011	11VK 400x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x700 PLAN	RAL9016	11,39	12,843	437,
PV0114008009016011	11VKP 400x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x800 PLAN	RAL9016	13,021	14,681	499,
PV0114008L09016011	11VKL 400x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x800 PLAN	RAL9016	13,021	14,681	499,
PV0114008U09016011	11VK 400x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x800 PLAN	RAL9016	13,021	14,681	499,
PV0114009009016011	11VKP 400x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x900 PLAN	RAL9016	14,653	16,52	562,
PV0114009L09016011	11VKL 400x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x900 PLAN	RAL9016	14,653	16,52	562,
PV0114009U09016011	11VK 400x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x900 PLAN	RAL9016	14,653	16,52	562,
PV0114010009016011	11VKP 400x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x1000 PLAN	RAL9016	16,285	18,359	624,
PV0114010L09016011	11VKL 400x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x1000	RAL9016	16,285	18,359	624,
PV0114010U09016011	11VK 400x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x1000	RAL9016	16,285	18,359	624,
PV0114011009016011	11VKP 400x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x1100 PLAN	RAL9016	17,916	20,197	686,
PV0114011L09016011	11VKL 400x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x1100	RAL9016	17,916	20,197	686,
PV0114011U09016011	11VK 400x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x1100	RAL9016	17,916	20,197	686,
PV0114012009016011	11VKP 400x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x1200 PLAN	RAL9016	19,548	21,414	749,

PV0114012L09016011	11VKL 400x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x1200	RAL9016	19,548	21,414	749,
PV0114012U09016011	11VK 400x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x1200	RAL9016	19,548	21,414	749,
PV0114013009016011	11VKP 400x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x1300 PLAN	RAL9016	21,179	23,2	811,
PV0114013L09016011	11VKL 400x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x1300	RAL9016	21,179	23,2	811,
PV0114013U09016011	11VK 400x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x1300	RAL9016	21,179	23,2	811,
PV0114014009016011	11VKP 400x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x1400 PLAN	RAL9016	22,811	24,987	874,
PV0114014L09016011	11VKL 400x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x1400	RAL9016	22,811	24,987	874,
PV0114014U09016011	11VK 400x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x1400	RAL9016	22,811	24,987	874,
PV0114015009016011	11VKP 400x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x1500 PLAN	RAL9016	24,442	26,773	936,
PV0114015L09016011	11VKL 400x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x1500	RAL9016	24,442	26,773	936,
PV0114015U09016011	11VK 400x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x1500	RAL9016	24,442	26,773	936,
PV0114016009016011	11VKP 400x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x1600 PLAN	RAL9016	26,074	28,56	998,
PV0114016L09016011	11VKL 400x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x1600	RAL9016	26,074	28,56	998,
PV0114016U09016011	11VK 400x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x1600	RAL9016	26,074	28,56	998,
PV0114017009016011	11VKP 400x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x1700 PLAN	RAL9016	27,706	30,347	1 061,
PV0114017L09016011	11VKL 400x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x1700	RAL9016	27,706	30,347	1 061,
PV0114017U09016011	11VK 400x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x1700	RAL9016	27,706	30,347	1 061,
PV0114018009016011	11VKP 400x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x1800 PLAN	RAL9016	29,337	32,133	1 123,
PV0114018L09016011	11VKL 400x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x1800	RAL9016	29,337	32,133	1 123,
PV0114018U09016011	11VK 400x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x1800	RAL9016	29,337	32,133	1 123,
PV0114019009016011	11VKP 400x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x1900 PLAN	RAL9016	30,969	33,92	1 186,
PV0114019L09016011	11VKL 400x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x1900	RAL9016	30,969	33,92	1 186,
PV0114019U09016011	11VK 400x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x1900	RAL9016	30,969	33,92	1 186,
PV0114020009016011	11VKP 400x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x2000 PLAN	RAL9016	32,6	35,706	1 248,
PV0114020L09016011	11VKL 400x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x2000	RAL9016	32,6	35,706	1 248,
PV0114020U09016011	11VK 400x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x2000	RAL9016	32,6	35,706	1 248,
PV0115004009016011	11VKP 500x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x400 PLAN	RAL9016	8,125	8,587	296,
PV0115004L09016011	11VKL 500x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x400 PLAN	RAL9016	8,125	8,587	296,
PV0115004U09016011	11VK 500x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x400 PLAN	RAL9016	8,125	8,587	296,
PV0115005009016011	11VKP 500x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x500 PLAN	RAL9016	10,166	10,734	371,
PV0115005L09016011	11VKL 500x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x500 PLAN	RAL9016	10,166	10,734	371,
PV0115005U09016011	11VK 500x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x500 PLAN	RAL9016	10,166	10,734	371,
PV0115006009016011	11VKP 500x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x600 PLAN	RAL9016	12,207	12,889	445,
PV0115006L09016011	11VKL 500x0600 PLAN Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x600 PLAN	RAL9016	12,207	12,889	445,
PV0115006U09016011	11VKU 500x0600 PLAN Kr, 1.0 MPa, t:1, RAL9016, bez ZD	11VKU 500x600 PLAN	RAL9016	12,207	12,889	445,
PV0115007009016011	11VKP 500x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x700 PLAN	RAL9016	14,248	15,044	519,
PV0115007L09016011	11VKL 500x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x700 PLAN	RAL9016	14,248	15,044	519,
PV0115007U09016011	11VK 500x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x700 PLAN	RAL9016	14,248	15,044	519,
PV0115008009016011	11VKP 500x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x800 PLAN	RAL9016	16,29	17,2	593,
PV0115008L09016011	11VKL 500x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x800 PLAN	RAL9016	16,29	17,2	593,
PV0115008U09016011	11VK 500x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x800 PLAN	RAL9016	16,29	17,2	593,
PV0115009009016011	11VKP 500x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x900 PLAN	RAL9016	18,331	19,355	667,
PV0115009L09016011	11VKL 500x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x900 PLAN	RAL9016	18,331	19,355	667,
PV0115009U09016011	11VK 500x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x900 PLAN	RAL9016	18,331	19,355	667,
PV0115010009016011	11VKP 500x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x1000 PLAN	RAL9016	20,372	21,51	741,
PV0115010L09016011	11VKL 500x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x1000	RAL9016	20,372	21,51	741,
PV0115010U09016011	11VK 500x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x1000	RAL9016	20,372	21,51	741,
PV0115011009016011	11VKP 500x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x1100 PLAN	RAL9016	22,413	23,665	815,
PV0115011L09016011	11VKL 500x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x1100	RAL9016	22,413	23,665	815,
PV0115011U09016011	11VK 500x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x1100	RAL9016	22,413	23,665	815,
PV0115012009016011	11VKP 500x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x1200 PLAN	RAL9016	24,454	26,141	889,
PV0115012L09016011	11VKL 500x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x1200	RAL9016	24,454	26,141	889,
PV0115012U09016011	11VK 500x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x1200	RAL9016	24,454	26,141	889,
PV0115013009016011	11VKP 500x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x1300 PLAN	RAL9016	26,495	28,322	963,
PV0115013L09016011	11VKL 500x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x1300	RAL9016	26,495	28,322	963,
PV0115013U09016011	11VK 500x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x1300	RAL9016	26,495	28,322	963,
PV0115014009016011	11VKP 500x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x1400 PLAN	RAL9016	28,536	30,503	1 037,
PV0115014L09016011	11VKL 500x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x1400	RAL9016	28,536	30,503	1 037,
PV0115014U09016011	11VK 500x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x1400	RAL9016	28,536	30,503	1 037,
PV0115015009016011	11VKP 500x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x1500 PLAN	RAL9016	30,577	32,684	1 112,
PV0115015L09016011	11VKL 500x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x1500	RAL9016	30,577	32,684	1 112,
PV0115015U09016011	11VK 500x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x1500	RAL9016	30,577	32,684	1 112,
PV0115016009016011	11VKP 500x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x1600 PLAN	RAL9016	32,618	34,865	1 186,
PV0115016L09016011	11VKL 500x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x1600	RAL9016	32,618	34,865	1 186,
PV0115016U09016011	11VK 500x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x1600	RAL9016	32,618	34,865	1 186,
PV0115017009016011	11VKP 500x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x1700 PLAN	RAL9016	34,659	37,046	1 260,
PV0115017L09016011	11VKL 500x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x1700	RAL9016	34,659	37,046	1 260,
PV0115017U09016011	11VK 500x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x1700	RAL9016	34,659	37,046	1 260,
PV0115018009016011	11VKP 500x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x1800 PLAN	RAL9016	36,7	39,227	1 334,
PV0115018L09016011	11VKL 500x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x1800	RAL9016	36,7	39,227	1 334,
PV0115018U09016011	11VK 500x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x1800	RAL9016	36,7	39,227	1 334,
PV0115019009016011	11VKP 500x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x1900 PLAN	RAL9016	38,741	41,408	1 408,

PV0115019L09016011	11VKL 500x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x1900	RAL9016	38,741	41,408	1 408,
PV0115019U09016011	11VK 500x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x1900	RAL9016	38,741	41,408	1 408,
PV0115020009016011	11VKP 500x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x2000 PLAN	RAL9016	40,783	43,59	1 482,
PV0115020L09016011	11VKL 500x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x2000	RAL9016	40,783	43,59	1 482,
PV0115020U09016011	11VK 500x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x2000	RAL9016	40,783	43,59	1 482,
PV0116004009016011	11VKP 600x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x400 PLAN	RAL9016	9,759	10,314	344,
PV0116004L09016011	11VKL 600x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x400 PLAN	RAL9016	9,759	10,314	344,
PV0116004U09016011	11VK 600x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x400 PLAN	RAL9016	9,759	9,759	344,
PV0116005009016011	11VKP 600x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x500 PLAN	RAL9016	12,211	12,893	430,
PV0116005L09016011	11VKL 600x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x500 PLAN	RAL9016	12,211	12,893	430,
PV0116005U09016011	11VK 600x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x500 PLAN	RAL9016	12,211	12,893	430,
PV0116006009016011	11VKP 600x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x600 PLAN	RAL9016	14,663	15,481	516,
PV0116006L09016011	11VKL 600x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x600 PLAN	RAL9016	14,663	15,481	516,
PV0116006U09016011	11VK 600x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x600 PLAN	RAL9016	14,663	15,481	516,
PV0116007009016011	11VKP 600x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x700 PLAN	RAL9016	17,114	18,068	602,
PV0116007L09016011	11VKL 600x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x700 PLAN	RAL9016	17,114	18,068	602,
PV0116007U09016011	11VK 600x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x700 PLAN	RAL9016	17,114	18,068	602,
PV0116008009016011	11VKP 600x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x800 PLAN	RAL9016	19,566	20,656	688,
PV0116008L09016011	11VKL 600x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x800 PLAN	RAL9016	19,566	20,656	688,
PV0116008U09016011	11VK 600x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x800 PLAN	RAL9016	19,566	20,656	688,
PV0116009009016011	11VKP 600x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x900 PLAN	RAL9016	22,017	23,243	774,
PV0116009L09016011	11VKL 600x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x900 PLAN	RAL9016	22,017	23,243	774,
PV0116009U09016011	11VK 600x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x900 PLAN	RAL9016	22,017	23,243	774,
PV0116010009016011	11VKP 600x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x1000 PLAN	RAL9016	24,469	25,831	860,
PV0116010L09016011	11VKL 600x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x1000	RAL9016	24,469	25,831	860,
PV0116010U09016011	11VK 600x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x1000	RAL9016	24,469	25,831	860,
PV0116011009016011	11VKP 600x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x1100 PLAN	RAL9016	26,92	28,418	946,
PV0116011L09016011	11VKL 600x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x1100	RAL9016	26,92	28,418	946,
PV0116011U09016011	11VK 600x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x1100	RAL9016	26,92	28,418	946,
PV0116012009016011	11VKP 600x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x1200 PLAN	RAL9016	29,372	31,392	1 032,
PV0116012L09016011	11VKL 600x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x1200	RAL9016	29,372	31,392	1 032,
PV0116012U09016011	11VK 600x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x1200	RAL9016	29,372	31,392	1 032,
PV0116013009016011	11VKP 600x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x1300 PLAN	RAL9016	31,824	34,012	1 118,
PV0116013L09016011	11VKL 600x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x1300	RAL9016	31,824	34,012	1 118,
PV0116013U09016011	11VK 600x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x1300	RAL9016	31,824	34,012	1 118,
PV0116014009016011	11VKP 600x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x1400 PLAN	RAL9016	34,275	36,631	1 204,
PV0116014L09016011	11VKL 600x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x1400	RAL9016	34,275	36,631	1 204,
PV0116014U09016011	11VK 600x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x1400	RAL9016	34,275	36,631	1 204,
PV0116015009016011	11VKP 600x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x1500 PLAN	RAL9016	36,727	39,251	1 290,
PV0116015L09016011	11VKL 600x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x1500	RAL9016	36,727	39,251	1 290,
PV0116015U09016011	11VK 600x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x1500	RAL9016	36,727	39,251	1 290,
PV0116016009016011	11VKP 600x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x1600 PLAN	RAL9016	39,178	41,87	1 376,
PV0116016L09016011	11VKL 600x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x1600	RAL9016	39,178	41,87	1 376,
PV0116016U09016011	11VK 600x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x1600	RAL9016	39,178	41,87	1 376,
PV0116017009016011	11VKP 600x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x1700 PLAN	RAL9016	41,63	44,49	1 462,
PV0116017L09016011	11VKL 600x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x1700	RAL9016	41,63	44,49	1 462,
PV0116017U09016011	11VK 600x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x1700	RAL9016	41,63	44,49	1 462,
PV0116018009016011	11VKP 600x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x1800 PLAN	RAL9016	44,082	47,11	1 548,
PV0116018L09016011	11VKL 600x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x1800	RAL9016	44,082	47,11	1 548,
PV0116018U09016011	11VK 600x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x1800	RAL9016	44,082	47,11	1 548,
PV0116019009016011	11VKP 600x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x1900 PLAN	RAL9016	46,533	49,729	1 634,
PV0116019L09016011	11VKL 600x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x1900	RAL9016	46,533	49,729	1 634,
PV0116019U09016011	11VK 600x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x1900	RAL9016	46,533	49,729	1 634,
PV0116020009016011	11VKP 600x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x2000 PLAN	RAL9016	48,985	52,349	1 720,
PV0116020L09016011	11VKL 600x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x2000	RAL9016	48,985	52,349	1 720,
PV0116020U09016011	11VK 600x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x2000	RAL9016	48,985	52,349	1 720,
PV0119004009016011	11VKP 900x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 900x400 PLAN	RAL9016	14,658	15,486	495,
PV0119004L09016011	11VKL 900x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 900x400 PLAN	RAL9016	14,658	15,486	495,
PV0119004U09016011	11VK 900x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 900x400 PLAN	RAL9016	14,658	15,486	495,
PV0119005009016011	11VKP 900x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 900x500 PLAN	RAL9016	18,34	19,358	619,
PV0119005L09016011	11VKL 900x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 900x500 PLAN	RAL9016	18,34	19,358	619,
PV0119005U09016011	11VK 900x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 900x500 PLAN	RAL9016	18,34	19,358	619,
PV0119006009016011	11VKP 900x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 900x600 PLAN	RAL9016	22,022	23,245	742,
PV0119006L09016011	11VKL 900x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 900x600 PLAN	RAL9016	22,022	23,245	742,
PV0119006U09016011	11VK 900x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 900x600 PLAN	RAL9016	22,022	23,245	742,
PV0119007009016011	11VKP 900x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 900x700 PLAN	RAL9016	25,704	27,132	866,
PV0119007L09016011	11VKL 900x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 900x700 PLAN	RAL9016	25,704	27,132	866,
PV0119007U09016011	11VK 900x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 900x700 PLAN	RAL9016	25,704	27,132	866,
PV0119008009016011	11VKP 900x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 900x800 PLAN	RAL9016	29,386	31,019	990,
PV0119008L09016011	11VKL 900x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 900x800 PLAN	RAL9016	29,386	31,019	990,
PV0119008U09016011	11VK 900x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 900x800 PLAN	RAL9016	29,386	31,019	990,
PV0119009009016011	11VKP 900x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 900x900 PLAN	RAL9016	33,068	34,906	1 113,

PV0216012007036011	21VKP 600x1200 PLAN, Kr, 1.0 MPa, t:1, RAL7036, ZD, uzky	21VKP 600x1200 PLAN	RAL7036	37,932	39,931	1 382,
PV0216012009016011	21VKP 600x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 600x1200 PLAN	RAL9016	37,932	39,931	1 382,
PV0216012L09016011	21VKL 600x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 600x1200	RAL9016	37,932	39,931	1 382,
PV0216012U09016011	21VK 600x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 600x1200	RAL9016	37,932	39,931	1 382,
PV0216013009016011	21VKP 600x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 600x1300 PLAN	RAL9016	41,097	43,263	1 498,
PV0216013L09016011	21VKL 600x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 600x1300	RAL9016	41,097	43,263	1 498,
PV0216013U09016011	21VK 600x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 600x1300	RAL9016	41,097	43,263	1 498,
PV0216014007036011	21VKP 600x1400 PLAN, Kr, 1.0 MPa, t:1, RAL7036, ZD, uzky	21VKP 600x1400 PLAN	RAL7036	44,261	46,595	1 613,
PV0216014009016011	21VKP 600x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 600x1400 PLAN	RAL9016	44,261	46,595	1 613,
PV0216014L09016011	21VKL 600x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 600x1400	RAL9016	44,261	46,595	1 613,
PV0216014U09016011	21VK 600x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 600x1400	RAL9016	44,261	46,595	1 613,
PV0216015009016011	21VKP 600x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 600x1500 PLAN	RAL9016	47,426	49,927	1 728,
PV0216015L09016011	21VKL 600x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 600x1500	RAL9016	47,426	49,927	1 728,
PV0216015U09016011	21VK 600x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 600x1500	RAL9016	47,426	49,927	1 728,
PV0216016009016011	21VKP 600x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 600x1600 PLAN	RAL9016	50,59	53,258	1 843,
PV0216016L09016011	21VKL 600x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 600x1600	RAL9016	50,59	53,258	1 843,
PV0216016U09016011	21VK 600x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 600x1600	RAL9016	50,59	53,258	1 843,
PV0216017009016011	21VKP 600x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 600x1700 PLAN	RAL9016	53,755	57,122	1 958,
PV0216017L09016011	21VKL 600x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 600x1700	RAL9016	53,755	57,122	1 958,
PV0216017U09016011	21VK 600x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 600x1700	RAL9016	53,755	57,122	1 958,
PV0216018009016011	21VKP 600x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 600x1800 PLAN	RAL9016	56,92	60,485	2 074,
PV0216018L09016011	21VKL 600x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 600x1800	RAL9016	56,92	60,485	2 074,
PV0216018U09016011	21VK 600x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 600x1800	RAL9016	56,92	60,485	2 074,
PV0216019009016011	21VKP 600x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 600x1900 PLAN	RAL9016	60,084	63,847	2 189,
PV0216019L09016011	21VKL 600x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 600x1900	RAL9016	60,084	63,847	2 189,
PV0216019U09016011	21VK 600x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 600x1900	RAL9016	60,084	63,847	2 189,
PV0216020009016011	21VKP 600x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 600x2000 PLAN	RAL9016	63,25	67,21	2 304,
PV0216020L09016011	21VKL 600x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 600x2000	RAL9016	63,25	67,21	2 304,
PV0216020U09016011	21VK 600x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 600x2000	RAL9016	63,25	67,21	2 304,
PV0219004009016011	21VKP 900x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 900x400 PLAN	RAL9016	19,731	20,774	630,
PV0219004L09016011	21VKL 900x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x400 PLAN	RAL9016	19,731	20,774	630,
PV0219004U09016011	21VK 900x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 900x400 PLAN	RAL9016	19,731	20,774	630,
PV0219005009016011	21VKP 900x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 900x500 PLAN	RAL9016	24,68	25,983	788,
PV0219005L09016011	21VKL 900x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x500 PLAN	RAL9016	24,68	25,983	788,
PV0219005U09016011	21VK 900x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 900x500 PLAN	RAL9016	24,68	25,983	788,
PV0219006009016011	21VKP 900x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 900x600 PLAN	RAL9016	29,629	31,192	945,
PV0219006L09016011	21VKL 900x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x600 PLAN	RAL9016	29,629	31,192	945,
PV0219006U09016011	21VK 900x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 900x600 PLAN	RAL9016	29,629	31,192	945,
PV0219007009016011	21VKP 900x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 900x700 PLAN	RAL9016	34,578	36,401	1 103,
PV0219007L09016011	21VKL 900x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x700 PLAN	RAL9016	34,578	36,401	1 103,
PV0219007U09016011	21VK 900x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 900x700 PLAN	RAL9016	34,578	36,401	1 103,
PV0219008009016011	21VKP 900x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 900x800 PLAN	RAL9016	39,527	41,61	1 260,
PV0219008L09016011	21VKL 900x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x800 PLAN	RAL9016	39,527	41,61	1 260,
PV0219008U09016011	21VK 900x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 900x800 PLAN	RAL9016	39,527	41,61	1 260,
PV0219009009016011	21VKP 900x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 900x900 PLAN	RAL9016	44,476	46,819	1 418,
PV0219009L09016011	21VKL 900x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x900 PLAN	RAL9016	44,476	46,819	1 418,
PV0219009U09016011	21VK 900x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 900x900 PLAN	RAL9016	44,476	46,819	1 418,
PV0219010009016011	21VKP 900x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 900x1000 PLAN	RAL9016	49,425	52,028	1 575,
PV0219010L09016011	21VKL 900x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x1000	RAL9016	49,425	52,028	1 575,
PV0219010U09016011	21VK 900x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 900x1000	RAL9016	49,425	52,028	1 575,
PV0219011009016011	21VKP 900x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 900x1100 PLAN	RAL9016	54,374	57,237	1 733,
PV0219011L09016011	21VKL 900x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x1100	RAL9016	54,374	57,237	1 733,
PV0219011U09016011	21VK 900x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 900x1100	RAL9016	54,374	57,237	1 733,
PV0219012009016011	21VKP 900x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 900x1200 PLAN	RAL9016	59,323	62,446	1 890,
PV0219012L09016011	21VKL 900x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x1200	RAL9016	59,323	62,446	1 890,
PV0219012U09016011	21VK 900x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 900x1200	RAL9016	59,323	62,446	1 890,
PV0219014009016011	21VKP 900x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 900x1400 PLAN	RAL9016	69,222	72,865	2 205,
PV0219014L09016011	21VKL 900x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x1400	RAL9016	69,222	72,865	2 205,
PV0219014U09016011	21VK 900x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 900x1400	RAL9016	69,222	72,865	2 205,
PV0219016009016011	21VKP 900x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 900x1600 PLAN	RAL9016	79,12	83,283	2 520,
PV0219016L09016011	21VKL 900x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x1600	RAL9016	79,12	83,283	2 520,
PV0219016U09016011	21VK 900x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 900x1600	RAL9016	79,12	83,283	2 520,
PV0219018009016011	21VKP 900x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 900x1800 PLAN	RAL9016	89,018	94,592	2 835,
PV0219018L09016011	21VKL 900x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x1800	RAL9016	89,018	94,592	2 835,
PV0219018U09016011	21VK 900x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 900x1800	RAL9016	89,018	94,592	2 835,
PV0219020009016011	21VKP 900x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 900x2000 PLAN	RAL9016	98,916	105,11	3 150,
PV0219020L09016011	21VKL 900x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x2000	RAL9016	98,916	105,11	3 150,
PV0219020U09016011	21VK 900x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 900x2000	RAL9016	98,916	105,11	3 150,
PV0223004009016011	22VKP 300x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x400 PLAN	RAL9016	8,057	8,6	365,
PV0223004L09016011	22VKL 300x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x400 PLAN	RAL9016	8,057	8,6	365,
PV0223004U09016011	22VK 300x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x400 PLAN	RAL9016	8,057	8,6	365,
PV0223005009016011	22VKP 300x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x500 PLAN	RAL9016	10,107	10,75	457,

PV0223005L09016011	22VKL 300x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x500 PLAN	RAL9016	10,107	10,75	457,
PV0223005U09016011	22VK 300x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x500 PLAN	RAL9016	10,107	10,75	457,
PV0223006009016011	22VKP 300x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x600 PLAN	RAL9016	12,133	12,906	548,
PV0223006L09016011	22VKL 300x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x600 PLAN	RAL9016	12,133	12,906	548,
PV0223006U09016011	22VK 300x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x600 PLAN	RAL9016	12,133	12,906	548,
PV0223007009016011	22VKP 300x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x700 PLAN	RAL9016	14,159	15,062	639,
PV0223007L09016011	22VKL 300x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x700 PLAN	RAL9016	14,159	15,062	639,
PV0223007U09016011	22VK 300x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x700 PLAN	RAL9016	14,159	15,062	639,
PV0223008009016011	22VKP 300x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x800 PLAN	RAL9016	16,185	17,218	730,
PV0223008L09016011	22VKL 300x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x800 PLAN	RAL9016	16,185	17,218	730,
PV0223008U09016011	22VK 300x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x800 PLAN	RAL9016	16,185	17,218	730,
PV0223009009016011	22VKP 300x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x900 PLAN	RAL9016	18,211	19,374	822,
PV0223009L09016011	22VKL 300x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x900 PLAN	RAL9016	18,211	19,374	822,
PV0223009U09016011	22VK 300x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x900 PLAN	RAL9016	18,211	19,374	822,
PV0223010009016011	22VKP 300x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x1000 PLAN	RAL9016	20,237	21,53	913,
PV0223010L09016011	22VKL 300x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x1000	RAL9016	20,237	21,53	913,
PV0223010U09016011	22VK 300x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x1000	RAL9016	20,237	21,53	913,
PV0223011009016011	22VKP 300x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x1100 PLAN	RAL9016	22,264	23,687	1 004,
PV0223011L09016011	22VKL 300x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x1100	RAL9016	22,264	23,687	1 004,
PV0223011U09016011	22VK 300x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x1100	RAL9016	22,264	23,687	1 004,
PV0223012009016011	22VKP 300x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x1200 PLAN	RAL9016	24,29	25,843	1 096,
PV0223012L09016011	22VKL 300x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x1200	RAL9016	24,29	25,843	1 096,
PV0223012U09016011	22VK 300x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x1200	RAL9016	24,29	25,843	1 096,
PV0223013009016011	22VKP 300x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x1300 PLAN	RAL9016	26,316	27,999	1 187,
PV0223013L09016011	22VKL 300x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x1300	RAL9016	26,316	27,999	1 187,
PV0223013U09016011	22VK 300x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x1300	RAL9016	26,316	27,999	1 187,
PV0223014009016011	22VKP 300x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x1400 PLAN	RAL9016	28,342	30,155	1 278,
PV0223014L09016011	22VKL 300x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x1400	RAL9016	28,342	30,155	1 278,
PV0223014U09016011	22VK 300x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x1400	RAL9016	28,342	30,155	1 278,
PV0223015009016011	22VKP 300x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x1500 PLAN	RAL9016	30,368	32,311	1 370,
PV0223015L09016011	22VKL 300x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x1500	RAL9016	30,368	32,311	1 370,
PV0223015U09016011	22VK 300x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x1500	RAL9016	30,368	32,311	1 370,
PV0223016009016011	22VKP 300x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x1600 PLAN	RAL9016	32,394	34,467	1 461,
PV0223016L09016011	22VKL 300x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x1600	RAL9016	32,394	34,467	1 461,
PV0223016U09016011	22VK 300x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x1600	RAL9016	32,394	34,467	1 461,
PV0223017009016011	22VKP 300x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x1700 PLAN	RAL9016	34,42	36,623	1 552,
PV0223017L09016011	22VKL 300x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x1700	RAL9016	34,42	36,623	1 552,
PV0223017U09016011	22VK 300x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x1700	RAL9016	34,42	36,623	1 552,
PV0223018009016011	22VKP 300x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x1800 PLAN	RAL9016	36,446	38,779	1 643,
PV0223018L09016011	22VKL 300x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x1800	RAL9016	36,446	38,779	1 643,
PV0223018U09016011	22VK 300x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x1800	RAL9016	36,446	38,779	1 643,
PV0223019009016011	22VKP 300x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x1900 PLAN	RAL9016	38,472	40,935	1 735,
PV0223019L09016011	22VKL 300x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x1900	RAL9016	38,472	40,935	1 735,
PV0223019U09016011	22VK 300x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x1900	RAL9016	38,472	40,935	1 735,
PV0223020009016011	22VKP 300x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x2000 PLAN	RAL9016	40,498	43,091	1 826,
PV0223020L09016011	22VKL 300x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x2000	RAL9016	40,498	43,091	1 826,
PV0223020U09016011	22VK 300x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x2000	RAL9016	40,498	43,091	1 826,
PV0224004009016011	22VKP 400x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x400 PLAN	RAL9016	10,794	11,48	458,
PV0224004L09016011	22VKL 400x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x400 PLAN	RAL9016	10,794	11,48	458,
PV0224004U09016011	22VK 400x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x400 PLAN	RAL9016	10,794	11,48	458,
PV0224005009016011	22VKP 400x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x500 PLAN	RAL9016	13,492	14,351	573,
PV0224005L09016011	22VKL 400x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x500 PLAN	RAL9016	13,492	14,351	573,
PV0224005U09016011	22VK 400x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x500 PLAN	RAL9016	13,492	14,351	573,
PV0224006009016011	22VKP 400x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x600 PLAN	RAL9016	16,196	17,228	688,
PV0224006L09016011	22VKL 400x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x600 PLAN	RAL9016	16,196	17,228	688,
PV0224006U09016011	22VK 400x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x600 PLAN	RAL9016	16,196	17,228	688,
PV0224007009016011	22VKP 400x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x700 PLAN	RAL9016	18,901	20,106	802,
PV0224007L09016011	22VKL 400x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x700 PLAN	RAL9016	18,901	20,106	802,
PV0224007U09016011	22VK 400x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x700 PLAN	RAL9016	18,901	20,106	802,
PV0224008009016011	22VKP 400x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x800 PLAN	RAL9016	21,605	22,983	917,
PV0224008L09016011	22VKL 400x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x800 PLAN	RAL9016	21,605	22,983	917,
PV0224008U09016011	22VK 400x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x800 PLAN	RAL9016	21,605	22,983	917,
PV0224009009016011	22VKP 400x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x900 PLAN	RAL9016	24,31	25,861	1 031,
PV0224009L09016011	22VKL 400x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x900 PLAN	RAL9016	24,31	25,861	1 031,
PV0224009U09016011	22VK 400x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x900 PLAN	RAL9016	24,31	25,861	1 031,
PV0224010009016011	22VKP 400x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x1000 PLAN	RAL9016	27,015	28,739	1 146,
PV0224010L09016011	22VKL 400x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x1000	RAL9016	27,015	28,739	1 146,
PV0224010U09016011	22VK 400x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x1000	RAL9016	27,015	28,739	1 146,
PV0224011009016011	22VKP 400x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x1100 PLAN	RAL9016	29,719	31,616	1 261,
PV0224011L09016011	22VKL 400x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x1100	RAL9016	29,719	31,616	1 261,
PV0224011U09016011	22VK 400x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x1100	RAL9016	29,719	31,616	1 261,
PV0224012009016011	22VKP 400x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x1200 PLAN	RAL9016	32,424	34,494	1 375,

PV0225019L09016011	22VKL 500x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 500x1900	RAL9016	56,877	61,013	2 592,
PV0225019U09016011	22VK 500x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 500x1900	RAL9016	56,877	61,013	2 592,
PV0225020009016011	22VKP 500x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 500x2000 PLAN	RAL9016	59,873	64,227	2 728,
PV0225020L09016011	22VKL 500x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 500x2000	RAL9016	59,873	64,227	2 728,
PV0225020U09016011	22VK 500x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 500x2000	RAL9016	59,873	64,227	2 728,
PV0226004009016011	22VKP 600x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x400 PLAN	RAL9016	14,341	15,203	628,
PV0226004L09016011	22VKL 600x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x400 PLAN	RAL9016	14,341	15,203	628,
PV0226004U09016011	22VK 600x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x400 PLAN	RAL9016	14,341	15,203	628,
PV0226005009016011	22VKP 600x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x500 PLAN	RAL9016	17,939	19,013	785,
PV0226005L09016011	22VKL 600x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x500 PLAN	RAL9016	17,939	19,013	785,
PV0226005U09016011	22VK 600x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x500 PLAN	RAL9016	17,939	19,013	785,
PV0226006009016011	22VKP 600x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x600 PLAN	RAL9016	21,536	22,823	942,
PV0226006L09016011	22VKL 600x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x600 PLAN	RAL9016	21,536	22,823	942,
PV0226006U09016011	22VK 600x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x600 PLAN	RAL9016	21,536	22,823	942,
PV0226007009016011	22VKP 600x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x700 PLAN	RAL9016	25,132	26,632	1 099,
PV0226007L09016011	22VKL 600x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x700 PLAN	RAL9016	25,132	26,632	1 099,
PV0226007U09016011	22VK 600x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x700 PLAN	RAL9016	25,132	26,632	1 099,
PV0226008009016011	22VKP 600x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x800 PLAN	RAL9016	28,729	30,443	1 256,
PV0226008L09016011	22VKL 600x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x800 PLAN	RAL9016	28,729	30,443	1 256,
PV0226008U09016011	22VK 600x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x800 PLAN	RAL9016	28,729	30,443	1 256,
PV0226009009016011	22VKP 600x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x900 PLAN	RAL9016	32,325	34,252	1 413,
PV0226009L09016011	22VKL 600x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x900 PLAN	RAL9016	32,325	34,252	1 413,
PV0226009U09016011	22VK 600x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x900 PLAN	RAL9016	32,325	34,252	1 413,
PV0226010009001011	22VKP 600x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9001, ZD	22VKP 600x1000 PLAN	RAL9001	35,922	38,062	1 570,
PV0226010009016011	22VKP 600x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x1000 PLAN	RAL9016	35,922	38,062	1 570,
PV0226010L09016011	22VKL 600x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x1000	RAL9016	35,922	38,062	1 570,
PV0226010U09016011	22VK 600x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x1000	RAL9016	35,922	38,062	1 570,
PV0226011009016011	22VKP 600x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x1100 PLAN	RAL9016	39,518	41,871	1 727,
PV0226011L09016011	22VKL 600x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x1100	RAL9016	39,518	41,871	1 727,
PV0226011U09016011	22VK 600x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x1100	RAL9016	39,518	41,871	1 727,
PV0226012009005011	22VKP 600x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9005, ZD	22VKP 600x1200 PLAN	RAL9005	43,116	45,468	1 884,
PV0226012009016011	22VKP 600x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x1200 PLAN	RAL9016	43,116	45,682	1 884,
PV0226012L09016011	22VKL 600x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x1200	RAL9016	43,116	45,682	1 884,
PV0226012U09016011	22VK 600x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x1200	RAL9016	43,116	45,682	1 884,
PV0226013009016011	22VKP 600x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x1300 PLAN	RAL9016	46,713	49,492	2 041,
PV0226013L09016011	22VKL 600x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x1300	RAL9016	46,713	49,492	2 041,
PV0226013U09016011	22VK 600x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x1300	RAL9016	46,713	49,492	2 041,
PV0226014009016011	22VKP 600x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x1400 PLAN	RAL9016	50,309	53,301	2 198,
PV0226014L09016011	22VKL 600x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x1400	RAL9016	50,309	53,301	2 198,
PV0226014U09016011	22VK 600x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x1400	RAL9016	50,309	53,301	2 198,
PV0226015009016011	22VKP 600x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x1500 PLAN	RAL9016	53,906	57,111	2 355,
PV0226015L09016011	22VKL 600x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x1500	RAL9016	53,906	57,111	2 355,
PV0226015U09016011	22VK 600x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x1500	RAL9016	53,906	57,111	2 355,
PV0226016009016011	22VKP 600x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x1600 PLAN	RAL9016	57,502	60,921	2 512,
PV0226016L09016011	22VKL 600x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x1600	RAL9016	57,502	60,921	2 512,
PV0226016U09016011	22VK 600x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x1600	RAL9016	57,502	60,921	2 512,
PV0226017009016011	22VKP 600x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x1700 PLAN	RAL9016	61,099	65,535	2 669,
PV0226017L09016011	22VKL 600x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x1700	RAL9016	61,099	65,535	2 669,
PV0226017U09016011	22VK 600x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x1700	RAL9016	61,099	65,535	2 669,
PV0226018009016011	22VKP 600x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x1800 PLAN	RAL9016	64,696	69,394	2 826,
PV0226018L09016011	22VKL 600x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x1800	RAL9016	64,696	69,394	2 826,
PV0226018U09016011	22VK 600x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x1800	RAL9016	64,696	69,394	2 826,
PV0226019009016011	22VKP 600x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x1900 PLAN	RAL9016	68,292	73,251	2 983,
PV0226019L09016011	22VKL 600x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x1900	RAL9016	68,292	73,251	2 983,
PV0226019U09016011	22VK 600x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x1900	RAL9016	68,292	73,251	2 983,
PV0226020009016011	22VKP 600x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x2000 PLAN	RAL9016	71,89	77,109	3 140,
PV0226020L09016011	22VKL 600x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x2000	RAL9016	71,89	77,109	3 140,
PV0226020U09016011	22VK 600x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x2000	RAL9016	71,89	77,109	3 140,
PV0229004009016011	22VKP 900x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 900x400 PLAN	RAL9016	22,431	23,764	852,
PV0229004L09016011	22VKL 900x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x400 PLAN	RAL9016	22,431	23,764	852,
PV0229004U09016011	22VK 900x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 900x400 PLAN	RAL9016	22,431	23,764	852,
PV0229005009016011	22VKP 900x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 900x500 PLAN	RAL9016	28,055	29,723	1 065,
PV0229005L09016011	22VKL 900x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x500 PLAN	RAL9016	28,055	29,723	1 065,
PV0229005U09016011	22VK 900x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 900x500 PLAN	RAL9016	28,055	29,723	1 065,
PV0229006009016011	22VKP 900x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 900x600 PLAN	RAL9016	33,679	35,682	1 277,
PV0229006L09016011	22VKL 900x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x600 PLAN	RAL9016	33,679	35,682	1 277,
PV0229006U09016011	22VK 900x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 900x600 PLAN	RAL9016	33,679	35,682	1 277,
PV0229007009016011	22VKP 900x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 900x700 PLAN	RAL9016	39,303	41,641	1 490,
PV0229007L09016011	22VKL 900x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x700 PLAN	RAL9016	39,303	41,641	1 490,
PV0229007U09016011	22VK 900x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 900x700 PLAN	RAL9016	39,303	41,641	1 490,
PV0229008009016011	22VKP 900x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 900x800 PLAN	RAL9016	44,927	47,6	1 703,
PV0229008L09016011	22VKL 900x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x800 PLAN	RAL9016	44,927	47,6	1 703,

PV0229008U09016011	22VK 900x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 900x800 PLAN	RAL9016	44,927	47,6	1 703,
PV0229009009016011	22VKP 900x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 900x900 PLAN	RAL9016	50,551	53,559	1 916,
PV0229009L09016011	22VKL 900x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x900 PLAN	RAL9016	50,551	53,559	1 916,
PV0229009U09016011	22VK 900x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 900x900 PLAN	RAL9016	50,551	53,559	1 916,
PV0229010009016011	22VKP 900x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 900x1000 PLAN	RAL9016	56,175	59,518	2 129,
PV0229010L09016011	22VKL 900x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x1000	RAL9016	56,175	59,518	2 129,
PV0229010U09016011	22VK 900x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 900x1000	RAL9016	56,175	59,518	2 129,
PV0229011009016011	22VKP 900x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 900x1100 PLAN	RAL9016	61,799	65,477	2 342,
PV0229011L09016011	22VKL 900x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x1100	RAL9016	61,799	65,477	2 342,
PV0229011U09016011	22VK 900x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 900x1100	RAL9016	61,799	65,477	2 342,
PV0229012009016011	22VKP 900x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 900x1200 PLAN	RAL9016	67,423	71,436	2 555,
PV0229012L09016011	22VKL 900x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x1200	RAL9016	67,423	71,436	2 555,
PV0229012U09016011	22VK 900x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 900x1200	RAL9016	67,423	71,436	2 555,
PV0229014009016011	22VKP 900x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 900x1400 PLAN	RAL9016	78,672	83,355	2 981,
PV0229014L09016011	22VKL 900x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x1400	RAL9016	78,672	83,355	2 981,
PV0229014U09016011	22VK 900x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 900x1400	RAL9016	78,672	83,355	2 981,
PV0229016009016011	22VKP 900x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 900x1600 PLAN	RAL9016	89,92	95,273	3 406,
PV0229016L09016011	22VKL 900x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x1600	RAL9016	89,92	95,273	3 406,
PV0229016U09016011	22VK 900x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 900x1600	RAL9016	89,92	95,273	3 406,
PV0229018009016011	22VKP 900x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 900x1800 PLAN	RAL9016	101,168	108,511	3 832,
PV0229018L09016011	22VKL 900x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x1800	RAL9016	101,168	108,511	3 832,
PV0229018U09016011	22VK 900x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 900x1800	RAL9016	101,168	108,511	3 832,
PV0229020009016011	22VKP 900x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 900x2000 PLAN	RAL9016	112,416	120,575	4 258,
PV0229020L09016011	22VKL 900x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x2000	RAL9016	112,416	120,575	4 258,
PV0229020U09016011	22VK 900x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 900x2000	RAL9016	112,416	120,575	4 258,
PV02H3004009016011	20VKP 300x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKPW 300x400	RAL9016	5,95	6,4	224,
PV02H3004L09016011	20VKL 300x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKLW 300x400	RAL9016	5,95	6,4	224,
PV02H3004U09016011	20VK 300x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky,	20VKUW 300x400	RAL9016	5,95	6,4	224,
PV02H3005009016011	20VKP 300x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKPW 300x500	RAL9016	7,432	7,992	280,
PV02H3005L09016011	20VKL 300x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKLW 300x500	RAL9016	7,432	7,992	280,
PV02H3005U09016011	20VK 300x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky,	20VKUW 300x500	RAL9016	7,432	7,992	280,
PV02H3006009016011	20VKP 300x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKPW 300x600	RAL9016	8,923	9,596	335,
PV02H3006L09016011	20VKL 300x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKLW 300x600	RAL9016	8,923	9,596	335,
PV02H3006U09016011	20VK 300x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky,	20VKUW 300x600	RAL9016	8,923	9,596	335,
PV02H3007009016011	20VKP 300x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKPW 300x700	RAL9016	10,414	11,2	391,
PV02H3007L09016011	20VKL 300x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKLW 300x700	RAL9016	10,414	11,2	391,
PV02H3007U09016011	20VK 300x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky,	20VKUW 300x700	RAL9016	10,414	11,2	391,
PV02H3008009016011	20VKP 300x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKPW 300x800	RAL9016	11,905	12,804	447,
PV02H3008L09016011	20VKL 300x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKLW 300x800	RAL9016	11,905	12,804	447,
PV02H3008U09016011	20VK 300x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky,	20VKUW 300x800	RAL9016	11,905	12,804	447,
PV02H3009009016011	20VKP 300x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKPW 300x900	RAL9016	13,396	14,408	503,
PV02H3009L09016011	20VKL 300x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKLW 300x900	RAL9016	13,396	14,408	503,
PV02H3009U09016011	20VK 300x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky,	20VKUW 300x900	RAL9016	13,396	14,408	503,
PV02H3010009016011	20VKP 300x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKPW 300x1000	RAL9016	14,887	16,012	559,
PV02H3010L09016011	20VKL 300x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKLW 300x1000	RAL9016	14,887	16,012	559,
PV02H3010U09016011	20VK 300x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky,	20VKUW 300x1000	RAL9016	14,887	16,012	559,
PV02H3011009016011	20VKP 300x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKPW 300x1100	RAL9016	16,379	17,617	615,
PV02H3011L09016011	20VKL 300x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKLW 300x1100	RAL9016	16,379	17,617	615,
PV02H3011U09016011	20VK 300x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky,	20VKUW 300x1100	RAL9016	16,379	17,617	615,
PV02H3012009016011	20VKP 300x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKPW 300x1200	RAL9016	17,87	19,221	671,
PV02H3012L09016011	20VKL 300x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKLW 300x1200	RAL9016	17,87	19,221	671,
PV02H3012U09016011	20VK 300x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky,	20VKUW 300x1200	RAL9016	17,87	19,221	671,
PV02H3013009016011	20VKP 300x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKPW 300x1300	RAL9016	19,361	20,825	727,
PV02H3013L09016011	20VKL 300x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKLW 300x1300	RAL9016	19,361	20,825	727,
PV02H3013U09016011	20VK 300x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky,	20VKUW 300x1300	RAL9016	19,361	20,825	727,
PV02H3014009016011	20VKP 300x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKPW 300x1400	RAL9016	20,852	22,429	783,
PV02H3014L09016011	20VKL 300x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKLW 300x1400	RAL9016	20,852	22,429	783,
PV02H3014U09016011	20VK 300x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky,	20VKUW 300x1400	RAL9016	20,852	22,429	783,
PV02H3015009016011	20VKP 300x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKPW 300x1500	RAL9016	22,343	24,033	839,
PV02H3015L09016011	20VKL 300x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKLW 300x1500	RAL9016	22,343	24,033	839,
PV02H3015U09016011	20VK 300x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky,	20VKUW 300x1500	RAL9016	22,343	24,033	839,
PV02H3016009016011	20VKP 300x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKPW 300x1600	RAL9016	23,834	25,637	894,
PV02H3016L09016011	20VKL 300x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKLW 300x1600	RAL9016	23,834	25,637	894,
PV02H3016U09016011	20VK 300x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky,	20VKUW 300x1600	RAL9016	23,834	25,637	894,
PV02H3017009016011	20VKP 300x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKPW 300x1700	RAL9016	25,325	26,244	950,
PV02H3017L09016011	20VKL 300x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKLW 300x1700	RAL9016	25,325	26,244	950,
PV02H3017U09016011	20VK 300x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky,	20VKUW 300x1700	RAL9016	25,325	26,244	950,
PV02H3018009016011	20VKP 300x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKPW 300x1800	RAL9016	26,816	27,789	1 006,
PV02H3018L09016011	20VKL 300x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKLW 300x1800	RAL9016	26,816	27,789	1 006,
PV02H3018U09016011	20VK 300x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky,	20VKUW 300x1800	RAL9016	26,816	27,789	1 006,
PV02H3019009016011	20VKP 300x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKPW 300x1900	RAL9016	28,307	29,334	1 062,
PV02H3019L09016011	20VKL 300x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky,	20VKLW 300x1900	RAL9016	28,307	29,334	1 062,

PV02H6016U09016011	20VK 600x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, siroky,	20VKUW 600x1600	RAL9016	45,905	49,361	1 582,
PV02H6017009016011	20VKP 600x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky,	20VKPW 600x1700	RAL9016	48,778	50,542	1 681,
PV02H6017L09016011	20VKL 600x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky,	20VKLW 600x1700	RAL9016	48,778	50,542	1 681,
PV02H6017U09016011	20VK 600x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, siroky,	20VKUW 600x1700	RAL9016	48,778	50,542	1 681,
PV02H6018009016011	20VKP 600x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky,	20VKPW 600x1800	RAL9016	51,65	53,518	1 780,
PV02H6018L09016011	20VKL 600x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky,	20VKLW 600x1800	RAL9016	51,65	53,518	1 780,
PV02H6018U09016011	20VK 600x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, siroky,	20VKUW 600x1800	RAL9016	51,65	53,518	1 780,
PV02H6019009016011	20VKP 600x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky,	20VKPW 600x1900	RAL9016	54,521	56,493	1 879,
PV02H6019L09016011	20VKL 600x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky,	20VKLW 600x1900	RAL9016	54,521	56,493	1 879,
PV02H6019U09016011	20VK 600x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, siroky,	20VKUW 600x1900	RAL9016	54,521	56,493	1 879,
PV02H6020009016011	20VKP 600x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky,	20VKPW 600x2000	RAL9016	57,394	59,469	1 978,
PV02H6020L09016011	20VKL 600x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky,	20VKLW 600x2000	RAL9016	57,394	59,469	1 978,
PV02H6020U09016011	20VK 600x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, siroky,	20VKUW 600x2000	RAL9016	57,394	59,469	1 978,
PV02H9004009016011	20VKP 900x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky,	20VKPW 900x400	RAL9016	17,898	19,245	542,
PV02H9004L09016011	20VKL 900x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky,	20VKLW 900x400	RAL9016	17,898	19,245	542,
PV02H9004U09016011	20VK 900x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, siroky,	20VKUW 900x400	RAL9016	17,898	19,245	542,
PV02H9005009016011	20VKP 900x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky,	20VKPW 900x500	RAL9016	22,39	24,075	678,
PV02H9005L09016011	20VKL 900x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky,	20VKLW 900x500	RAL9016	22,39	24,075	678,
PV02H9005U09016011	20VK 900x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, siroky,	20VKUW 900x500	RAL9016	22,39	24,075	678,
PV02H9006009016011	20VKP 900x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky,	20VKPW 900x600	RAL9016	26,882	28,905	814,
PV02H9006L09016011	20VKL 900x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky,	20VKLW 900x600	RAL9016	26,882	28,905	814,
PV02H9006U09016011	20VK 900x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, siroky,	20VKUW 900x600	RAL9016	26,882	28,905	814,
PV02H9007009016011	20VKP 900x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky,	20VKPW 900x700	RAL9016	31,374	33,735	949,
PV02H9007L09016011	20VKL 900x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky,	20VKLW 900x700	RAL9016	31,374	33,735	949,
PV02H9007U09016011	20VK 900x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, siroky,	20VKUW 900x700	RAL9016	31,374	33,735	949,
PV02H9008009016011	20VKP 900x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky,	20VKPW 900x800	RAL9016	35,866	38,565	1 085,
PV02H9008L09016011	20VKL 900x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky,	20VKLW 900x800	RAL9016	35,866	38,565	1 085,
PV02H9008U09016011	20VK 900x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, siroky,	20VKUW 900x800	RAL9016	35,866	38,565	1 085,
PV02H9009009016011	20VKP 900x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky,	20VKPW 900x900	RAL9016	40,358	43,395	1 220,
PV02H9009L09016011	20VKL 900x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky,	20VKLW 900x900	RAL9016	40,358	43,395	1 220,
PV02H9009U09016011	20VK 900x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, siroky,	20VKUW 900x900	RAL9016	40,358	43,395	1 220,
PV02H9010009016011	20VKP 900x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky,	20VKPW 900x1000	RAL9016	44,85	48,225	1 356,
PV02H9010L09016011	20VKL 900x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky,	20VKLW 900x1000	RAL9016	44,85	48,225	1 356,
PV02H9010U09016011	20VK 900x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, siroky,	20VKUW 900x1000	RAL9016	44,85	48,225	1 356,
PV02H9011009016011	20VKP 900x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky,	20VKPW 900x1100	RAL9016	49,342	53,055	1 492,
PV02H9011L09016011	20VKL 900x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky,	20VKLW 900x1100	RAL9016	49,342	53,055	1 492,
PV02H9011U09016011	20VK 900x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, siroky,	20VKUW 900x1100	RAL9016	49,342	53,055	1 492,
PV02H9012009016011	20VKP 900x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky,	20VKPW 900x1200	RAL9016	53,834	57,885	1 627,
PV02H9012L09016011	20VKL 900x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky,	20VKLW 900x1200	RAL9016	53,834	57,885	1 627,
PV02H9012U09016011	20VK 900x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, siroky,	20VKUW 900x1200	RAL9016	53,834	57,885	1 627,
PV02H9014009016011	20VKP 900x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky,	20VKPW 900x1400	RAL9016	62,819	67,546	1 898,
PV02H9014L09016011	20VKL 900x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky,	20VKLW 900x1400	RAL9016	62,819	67,546	1 898,
PV02H9014U09016011	20VK 900x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, siroky,	20VKUW 900x1400	RAL9016	62,819	67,546	1 898,
PV02H9016009016011	20VKP 900x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky,	20VKPW 900x1600	RAL9016	71,803	77,206	2 170,
PV02H9016L09016011	20VKL 900x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, siroky,	20VKLW 900x1600	RAL9016	71,803	77,206	2 170,
PV02H9016U09016011	20VK 900x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD, siroky,	20VKUW 900x1600	RAL9016	71,803	77,206	2 170,
PV0303004009016011	30VKP 300x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x400 PLAN	RAL9016	9,126	9,706	314,
PV0303005009016011	30VKP 300x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x500 PLAN	RAL9016	11,407	12,132	393,
PV0303006009016011	30VKP 300x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x600 PLAN	RAL9016	13,693	14,564	471,
PV0303007009016011	30VKP 300x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x700 PLAN	RAL9016	15,979	16,996	550,
PV0303008009016011	30VKP 300x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x800 PLAN	RAL9016	18,265	19,428	628,
PV0303009009016011	30VKP 300x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x900 PLAN	RAL9016	20,551	21,86	707,
PV0303010009016011	30VKP 300x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x1000 PLAN	RAL9016	22,837	24,292	785,
PV0303011009016011	30VKP 300x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x1100 PLAN	RAL9016	25,124	26,725	864,
PV0303012009016011	30VKP 300x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x1200 PLAN	RAL9016	27,41	29,157	942,
PV0303013009016011	30VKP 300x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x1300 PLAN	RAL9016	29,696	31,589	1 021,
PV0303014009016011	30VKP 300x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x1400 PLAN	RAL9016	31,982	34,021	1 099,
PV0303015009016011	30VKP 300x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x1500 PLAN	RAL9016	34,268	36,453	1 178,
PV0303016009016011	30VKP 300x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x1600 PLAN	RAL9016	36,554	38,885	1 256,
PV0303017009016011	30VKP 300x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x1700 PLAN	RAL9016	38,84	41,317	1 335,
PV0303018009016011	30VKP 300x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x1800 PLAN	RAL9016	41,126	43,749	1 413,
PV0303019009016011	30VKP 300x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x1900 PLAN	RAL9016	43,412	46,181	1 492,
PV0303020009016011	30VKP 300x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x2000 PLAN	RAL9016	45,698	48,613	1 570,
PV0304004009016011	30VKP 400x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x400 PLAN	RAL9016	11,834	12,73	393,
PV0304005009016011	30VKP 400x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x500 PLAN	RAL9016	14,792	15,914	491,
PV0304006009016011	30VKP 400x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x600 PLAN	RAL9016	17,756	19,103	589,
PV0304007009016011	30VKP 400x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x700 PLAN	RAL9016	20,721	22,293	687,
PV0304008009016011	30VKP 400x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x800 PLAN	RAL9016	23,685	25,482	786,
PV0304009009016011	30VKP 400x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x900 PLAN	RAL9016	26,65	28,672	884,
PV0304010009016011	30VKP 400x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x1000 PLAN	RAL9016	29,615	31,862	982,
PV0304011009016011	30VKP 400x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x1100 PLAN	RAL9016	32,579	35,051	1 080,
PV0304012009016011	30VKP 400x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x1200 PLAN	RAL9016	35,544	38,241	1 178,

PV0304013009016011	30VVKP 400x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 400x1300 PLAN	RAL9016	38,508	41,43	1 277,
PV0304014009016011	30VVKP 400x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 400x1400 PLAN	RAL9016	41,473	44,62	1 375,
PV0304015009016011	30VVKP 400x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 400x1500 PLAN	RAL9016	44,437	47,809	1 473,
PV0304016009016011	30VVKP 400x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 400x1600 PLAN	RAL9016	47,402	50,999	1 571,
PV0304017009016011	30VVKP 400x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 400x1700 PLAN	RAL9016	50,367	54,189	1 669,
PV0304018009016011	30VVKP 400x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 400x1800 PLAN	RAL9016	53,331	57,378	1 768,
PV0304019009016011	30VVKP 400x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 400x1900 PLAN	RAL9016	56,296	60,568	1 866,
PV0304020009016011	30VVKP 400x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 400x2000 PLAN	RAL9016	59,26	63,757	1 964,
PV0305004009016011	30VVKP 500x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 500x400 PLAN	RAL9016	13,712	14,172	469,
PV0305005009016011	30VVKP 500x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 500x500 PLAN	RAL9016	17,449	18,604	586,
PV0305006009016011	30VVKP 500x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 500x600 PLAN	RAL9016	20,946	22,332	703,
PV0305007009016011	30VVKP 500x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 500x700 PLAN	RAL9016	24,444	26,061	820,
PV0305008009016011	30VVKP 500x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 500x800 PLAN	RAL9016	27,942	29,791	938,
PV0305009009016011	30VVKP 500x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 500x900 PLAN	RAL9016	31,439	33,519	1 055,
PV0305010009016011	30VVKP 500x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 500x1000 PLAN	RAL9016	34,936	37,248	1 172,
PV0305011009016011	30VVKP 500x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 500x1100 PLAN	RAL9016	38,434	40,977	1 289,
PV0305012009016011	30VVKP 500x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 500x1200 PLAN	RAL9016	41,931	44,705	1 406,
PV0305013009016011	30VVKP 500x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 500x1300 PLAN	RAL9016	45,428	48,434	1 524,
PV0305014009016011	30VVKP 500x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 500x1400 PLAN	RAL9016	48,925	52,163	1 641,
PV0305015009016011	30VVKP 500x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 500x1500 PLAN	RAL9016	52,423	55,891	1 758,
PV0305016009016011	30VVKP 500x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 500x1600 PLAN	RAL9016	55,92	59,62	1 875,
PV0305017009016011	30VVKP 500x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 500x1700 PLAN	RAL9016	59,417	64,466	1 992,
PV0305018009016011	30VVKP 500x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 500x1800 PLAN	RAL9016	62,915	68,261	2 110,
PV0305019009016011	30VVKP 500x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 500x1900 PLAN	RAL9016	66,412	72,056	2 227,
PV0305020009016011	30VVKP 500x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 500x2000 PLAN	RAL9016	69,91	75,852	2 344,
PV0306004009016011	30VVKP 600x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 600x400 PLAN	RAL9016	18,363	20,009	543,
PV0306005009016011	30VVKP 600x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 600x500 PLAN	RAL9016	20,699	22,335	679,
PV0306006009016011	30VVKP 600x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 600x600 PLAN	RAL9016	24,848	26,812	814,
PV0306007009016011	30VVKP 600x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 600x700 PLAN	RAL9016	28,996	31,287	950,
PV0306008009016011	30VVKP 600x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 600x800 PLAN	RAL9016	33,145	35,764	1 086,
PV0306009009016011	30VVKP 600x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 600x900 PLAN	RAL9016	37,293	40,239	1 221,
PV0306010009016011	30VVKP 600x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 600x1000 PLAN	RAL9016	41,442	44,716	1 357,
PV0306011009016011	30VVKP 600x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 600x1100 PLAN	RAL9016	45,59	49,191	1 493,
PV0306012009016011	30VVKP 600x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 600x1200 PLAN	RAL9016	49,74	53,668	1 628,
PV0306013009016011	30VVKP 600x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 600x1300 PLAN	RAL9016	53,889	58,144	1 764,
PV0306014009016011	30VVKP 600x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 600x1400 PLAN	RAL9016	58,037	62,62	1 900,
PV0306015009016011	30VVKP 600x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 600x1500 PLAN	RAL9016	62,186	67,096	2 036,
PV0306016009016011	30VVKP 600x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 600x1600 PLAN	RAL9016	66,334	71,572	2 171,
PV0306017009016011	30VVKP 600x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 600x1700 PLAN	RAL9016	70,483	77,39	2 307,
PV0306018009016011	30VVKP 600x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 600x1800 PLAN	RAL9016	74,632	81,946	2 443,
PV0306019009016011	30VVKP 600x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 600x1900 PLAN	RAL9016	78,78	86,5	2 578,
PV0306020009016011	30VVKP 600x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 600x2000 PLAN	RAL9016	82,93	91,055	2 714,
PV0309004009016011	30VVKP 900x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 900x400 PLAN	RAL9016	26,04	28,82	762,
PV0309005009016011	30VVKP 900x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 900x500 PLAN	RAL9016	31,965	34,92	952,
PV0309006009016011	30VVKP 900x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 900x600 PLAN	RAL9016	38,372	41,919	1 142,
PV0309007009016011	30VVKP 900x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 900x700 PLAN	RAL9016	44,779	48,918	1 333,
PV0309008009016011	30VVKP 900x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 900x800 PLAN	RAL9016	51,186	55,917	1 523,
PV0309008L09016011	30VKL 900x800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	30VKL 900x800 PLAN	RAL9016	51,186	55,917	1 523,
PV0309009009016011	30VVKP 900x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 900x900 PLAN	RAL9016	57,593	62,916	1 714,
PV0309010009016011	30VVKP 900x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 900x1000 PLAN	RAL9016	64,	69,915	1 904,
PV0309011009016011	30VVKP 900x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 900x1100 PLAN	RAL9016	70,407	76,914	2 094,
PV0309012009016011	30VVKP 900x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 900x1200 PLAN	RAL9016	76,814	83,913	2 285,
PV0309014009016011	30VVKP 900x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 900x1400 PLAN	RAL9016	89,629	97,912	2 666,
PV0309016009016011	30VVKP 900x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VVKP 900x1600 PLAN	RAL9016	102,443	111,91	3 046,
PV0333004009016011	33VVKP 300x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VVKP 300x400 PLAN	RAL9016	11,606	11,972	520,
PV0333004L09016011	33VKL 300x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x400 PLAN	RAL9016	11,606	11,972	520,
PV0333004U09016011	33VK 300x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x400 PLAN	RAL9016	11,606	11,972	520,
PV0333005009016011	33VVKP 300x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VVKP 300x500 PLAN	RAL9016	14,507	14,965	650,
PV0333005L09016011	33VKL 300x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x500 PLAN	RAL9016	14,507	14,965	650,
PV0333005U09016011	33VK 300x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x500 PLAN	RAL9016	14,507	14,965	650,
PV0333006009016011	33VVKP 300x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VVKP 300x600 PLAN	RAL9016	17,413	17,963	780,
PV0333006L09016011	33VKL 300x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x600 PLAN	RAL9016	17,413	17,963	780,
PV0333006U09016011	33VK 300x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x600 PLAN	RAL9016	17,413	17,963	780,
PV0333007009016011	33VVKP 300x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VVKP 300x700 PLAN	RAL9016	20,319	20,961	910,
PV0333007L09016011	33VKL 300x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x700 PLAN	RAL9016	20,319	20,961	910,
PV0333007U09016011	33VK 300x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x700 PLAN	RAL9016	20,319	20,961	910,
PV0333008009016011	33VVKP 300x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VVKP 300x800 PLAN	RAL9016	23,225	23,959	1 040,
PV0333008L09016011	33VKL 300x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x800 PLAN	RAL9016	23,225	23,959	1 040,
PV0333008U09016011	33VK 300x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x800 PLAN	RAL9016	23,225	23,959	1 040,
PV0333009009016011	33VVKP 300x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VVKP 300x900 PLAN	RAL9016	26,131	26,957	1 170,
PV0333009L09016011	33VKL 300x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x900 PLAN	RAL9016	26,131	26,957	1 170,
PV0333009U09016011	33VK 300x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x900 PLAN	RAL9016	26,131	26,957	1 170,

PV0336007009016011	33VKP 600x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x700 PLAN	RAL9016	35,581	37,873	1 579,
PV0336007L09016011	33VKL 600x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x700 PLAN	RAL9016	35,581	37,873	1 579,
PV0336007U09016011	33VK 600x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x700 PLAN	RAL9016	35,581	37,873	1 579,
PV0336008009016011	33VKP 600x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x800 PLAN	RAL9016	40,671	43,29	1 804,
PV0336008L09016011	33VKL 600x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x800 PLAN	RAL9016	40,671	43,29	1 804,
PV0336008U09016011	33VK 600x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x800 PLAN	RAL9016	40,671	43,29	1 804,
PV0336009009016011	33VKP 600x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x900 PLAN	RAL9016	45,76	48,707	2 030,
PV0336009L09016011	33VKL 600x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x900 PLAN	RAL9016	45,76	48,707	2 030,
PV0336009U09016011	33VK 600x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x900 PLAN	RAL9016	45,76	48,707	2 030,
PV0336010009016011	33VKP 600x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x1000 PLAN	RAL9016	50,85	54,124	2 255,
PV0336010L09016011	33VKL 600x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x1000	RAL9016	50,85	54,124	2 255,
PV0336010U09016011	33VK 600x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x1000	RAL9016	50,85	54,124	2 255,
PV0336011009016011	33VKP 600x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x1100 PLAN	RAL9016	55,939	59,54	2 481,
PV0336011L09016011	33VKL 600x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x1100	RAL9016	55,939	59,54	2 481,
PV0336011U09016011	33VK 600x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x1100	RAL9016	55,939	59,54	2 481,
PV0336012009016011	33VKP 600x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x1200 PLAN	RAL9016	61,029	64,957	2 706,
PV0336012L09016011	33VKL 600x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x1200	RAL9016	61,029	64,957	2 706,
PV0336012U09016011	33VK 600x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x1200	RAL9016	61,029	64,957	2 706,
PV0336013009016011	33VKP 600x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x1300 PLAN	RAL9016	66,119	70,375	2 932,
PV0336013L09016011	33VKL 600x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x1300	RAL9016	66,119	70,375	2 932,
PV0336013U09016011	33VK 600x1300 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x1300	RAL9016	66,119	70,375	2 932,
PV0336014009016011	33VKP 600x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x1400 PLAN	RAL9016	71,208	75,791	3 157,
PV0336014L09016011	33VKL 600x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x1400	RAL9016	71,208	75,791	3 157,
PV0336014U09016011	33VK 600x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x1400	RAL9016	71,208	75,791	3 157,
PV0336015009016011	33VKP 600x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x1500 PLAN	RAL9016	76,298	81,208	3 383,
PV0336015L09016011	33VKL 600x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x1500	RAL9016	76,298	81,208	3 383,
PV0336015U09016011	33VK 600x1500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x1500	RAL9016	76,298	81,208	3 383,
PV0336016009016011	33VKP 600x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x1600 PLAN	RAL9016	81,387	86,625	3 608,
PV0336016L09016011	33VKL 600x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x1600	RAL9016	81,387	86,625	3 608,
PV0336016U09016011	33VK 600x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x1600	RAL9016	81,387	86,625	3 608,
PV0336017009016011	33VKP 600x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x1700 PLAN	RAL9016	86,477	93,352	3 834,
PV0336017L09016011	33VKL 600x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x1700	RAL9016	86,477	93,352	3 834,
PV0336017U09016011	33VK 600x1700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x1700	RAL9016	86,477	93,352	3 834,
PV0336018009016011	33VKP 600x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x1800 PLAN	RAL9016	91,567	98,846	4 059,
PV0336018L09016011	33VKL 600x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x1800	RAL9016	91,567	98,846	4 059,
PV0336018U09016011	33VK 600x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x1800	RAL9016	91,567	98,846	4 059,
PV0336019009016011	33VKP 600x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x1900 PLAN	RAL9016	96,656	104,34	4 285,
PV0336019L09016011	33VKL 600x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x1900	RAL9016	96,656	104,34	4 285,
PV0336019U09016011	33VK 600x1900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x1900	RAL9016	96,656	104,34	4 285,
PV0336020009016011	33VKP 600x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x2000 PLAN	RAL9016	101,746	109,834	4 510,
PV0336020L09016011	33VKL 600x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x2000	RAL9016	101,746	109,834	4 510,
PV0336020U09016011	33VK 600x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x2000	RAL9016	101,746	109,834	4 510,
PV0339004009016011	33VKP 900x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 900x400 PLAN	RAL9016	31,758	33,801	1 245,
PV0339004L09016011	33VKL 900x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x400 PLAN	RAL9016	31,758	33,801	1 245,
PV0339004U09016011	33VK 900x0400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 900x400 PLAN	RAL9016	31,758	33,801	1 245,
PV0339005009016011	33VKP 900x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 900x500 PLAN	RAL9016	39,715	42,27	1 556,
PV0339005L09016011	33VKL 900x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x500 PLAN	RAL9016	39,715	42,27	1 556,
PV0339005U09016011	33VK 900x0500 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 900x500 PLAN	RAL9016	39,715	42,27	1 556,
PV0339006009005011	33VKP 900x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9005, ZD	33VKP 900x600 PLAN	RAL9005	47,672	50,739	1 867,
PV0339006009016011	33VKP 900x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 900x600 PLAN	RAL9016	47,672	50,739	1 867,
PV0339006L09005011	33VKL 900x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9005, ZD	33VKL 900x600 PLAN	RAL9005	47,672	50,739	1 867,
PV0339006L09016011	33VKL 900x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x600 PLAN	RAL9016	47,672	50,739	1 867,
PV0339006U09016011	33VK 900x0600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 900x600 PLAN	RAL9016	47,672	50,739	1 867,
PV0339007009016011	33VKP 900x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 900x700 PLAN	RAL9016	55,629	59,208	2 178,
PV0339007L09016011	33VKL 900x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x700 PLAN	RAL9016	55,629	59,208	2 178,
PV0339007U09016011	33VK 900x0700 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 900x700 PLAN	RAL9016	55,629	59,208	2 178,
PV0339008009016011	33VKP 900x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 900x800 PLAN	RAL9016	63,586	67,677	2 490,
PV0339008L09016011	33VKL 900x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x800 PLAN	RAL9016	63,586	67,677	2 490,
PV0339008U09016011	33VK 900x0800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 900x800 PLAN	RAL9016	63,586	67,677	2 490,
PV0339009009016011	33VKP 900x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 900x900 PLAN	RAL9016	71,543	76,146	2 801,
PV0339009L09016011	33VKL 900x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x900 PLAN	RAL9016	71,543	76,146	2 801,
PV0339009U09016011	33VK 900x0900 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 900x900 PLAN	RAL9016	71,543	76,146	2 801,
PV0339010009016011	33VKP 900x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 900x1000 PLAN	RAL9016	79,5	84,615	3 112,
PV0339010L09016011	33VKL 900x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x1000	RAL9016	79,5	84,615	3 112,
PV0339010U09016011	33VK 900x1000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 900x1000	RAL9016	79,5	84,615	3 112,
PV0339011009016011	33VKP 900x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 900x1100 PLAN	RAL9016	87,457	93,084	3 423,
PV0339011L09016011	33VKL 900x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x1100	RAL9016	87,457	93,084	3 423,
PV0339011U09016011	33VK 900x1100 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 900x1100	RAL9016	87,457	93,084	3 423,
PV0339012009016011	33VKP 900x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 900x1200 PLAN	RAL9016	95,414	101,553	3 734,
PV0339012L09016011	33VKL 900x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x1200	RAL9016	95,414	101,553	3 734,
PV0339012U09016011	33VK 900x1200 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 900x1200	RAL9016	95,414	101,553	3 734,
PV0339014009016011	33VKP 900x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 900x1400 PLAN	RAL9016	111,329	118,492	4 357,

PV0339014L09016011	33VKL 900x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x1400	RAL9016	111,329	118,492	4 357,
PV0339014U09016011	33VK 900x1400 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 900x1400	RAL9016	111,329	118,492	4 357,
PV0339016009016011	33VKP 900x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 900x1600 PLAN	RAL9016	127,243	135,43	4 979,
PV0339016L09016011	33VKL 900x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x1600	RAL9016	127,243	135,43	4 979,
PV0339016U09016011	33VK 900x1600 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 900x1600	RAL9016	127,243	135,43	4 979,
PV0339018009016011	33VKP 900x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 900x1800 PLAN	RAL9016	143,157	154,532	5 602,
PV0339018L09016011	33VKL 900x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x1800	RAL9016	143,157	154,532	5 602,
PV0339018U09016011	33VK 900x1800 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 900x1800	RAL9016	143,157	154,532	5 602,
PV0339020009016011	33VKP 900x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 900x2000 PLAN	RAL9016	159,071	171,71	6 224,
PV0339020L09016011	33VKL 900x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x2000	RAL9016	159,071	171,71	6 224,
PV0339020U09016011	33VK 900x2000 PLAN, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 900x2000	RAL9016	159,071	171,71	6 224,
V00103004009016011	10VKP 300x0400,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 300x400	RAL9016	2,524	3,357	137,
V00103004L09016011	10VKL 300x0400,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 300x400	RAL9016	2,524	3,357	137,
V00103004U09016011	10VK 300x0400,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 300x400	RAL9016	2,524	3,357	137,
V00103005009016011	10VKP 300x0500,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 300x500	RAL9016	3,155	4,197	171,
V00103005L09016011	10VKL 300x0500,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 300x500	RAL9016	3,155	4,197	171,
V00103005U09016011	10VK 300x0500,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 300x500	RAL9016	3,155	4,197	171,
V00103006009016011	10VKP 300x0600,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 300x600	RAL9016	3,786	5,036	205,
V00103006L09016011	10VKL 300x0600,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 300x600	RAL9016	3,786	5,036	205,
V00103006U09016011	10VK 300x0600,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 300x600	RAL9016	3,786	5,036	205,
V00103007009016011	10VKP 300x0700,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 300x700	RAL9016	4,417	5,875	239,
V00103007L09016011	10VKL 300x0700,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 300x700	RAL9016	4,417	5,875	239,
V00103007U09016011	10VK 300x0700,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 300x700	RAL9016	4,417	5,875	239,
V00103008009016011	10VKP 300x0800,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 300x800	RAL9016	5,048	6,714	274,
V00103008L09016011	10VKL 300x0800,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 300x800	RAL9016	5,048	6,714	274,
V00103008U09016011	10VK 300x0800,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 300x800	RAL9016	5,048	6,714	274,
V00103009009016011	10VKP 300x0900,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 300x900	RAL9016	5,679	7,553	308,
V00103009L09016011	10VKL 300x0900,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 300x900	RAL9016	5,679	7,553	308,
V00103009U09016011	10VK 300x0900,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 300x900	RAL9016	5,679	7,553	308,
V00103010009016011	10VKP 300x1000,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 300x1000	RAL9016	6,31	8,392	342,
V00103010L09016011	10VKL 300x1000,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 300x1000	RAL9016	6,31	8,392	342,
V00103010U09016011	10VK 300x1000,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 300x1000	RAL9016	6,31	8,392	342,
V00103011009016011	10VKP 300x1100,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 300x1100	RAL9016	6,941	9,231	376,
V00103011L09016011	10VKL 300x1100,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 300x1100	RAL9016	6,941	9,231	376,
V00103011U09016011	10VK 300x1100,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 300x1100	RAL9016	6,941	9,231	376,
V00103012009016011	10VKP 300x1200,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 300x1200	RAL9016	7,572	10,07	410,
V00103012L09016011	10VKL 300x1200,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 300x1200	RAL9016	7,572	10,07	410,
V00103012U09016011	10VK 300x1200,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 300x1200	RAL9016	7,572	10,07	410,
V00103013009016011	10VKP 300x1300,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 300x1300	RAL9016	8,203	10,909	445,
V00103013L09016011	10VKL 300x1300,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 300x1300	RAL9016	8,203	10,909	445,
V00103013U09016011	10VK 300x1300,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 300x1300	RAL9016	8,203	10,909	445,
V00103014009016011	10VKP 300x1400,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 300x1400	RAL9016	8,834	11,748	479,
V00103014L09016011	10VKL 300x1400,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 300x1400	RAL9016	8,834	11,748	479,
V00103014U09016011	10VK 300x1400,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 300x1400	RAL9016	8,834	11,748	479,
V00103015009016011	10VKP 300x1500,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 300x1500	RAL9016	9,465	12,587	513,
V00103015L09016011	10VKL 300x1500,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 300x1500	RAL9016	9,465	12,587	513,
V00103015U09016011	10VK 300x1500,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 300x1500	RAL9016	9,465	12,587	513,
V00103016009016011	10VKP 300x1600,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 300x1600	RAL9016	10,096	13,426	547,
V00103016L09016011	10VKL 300x1600,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 300x1600	RAL9016	10,096	13,426	547,
V00103016U09016011	10VK 300x1600,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 300x1600	RAL9016	10,096	13,426	547,
V00103017009016011	10VKP 300x1700,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 300x1700	RAL9016	10,727	14,265	581,
V00103017L09016011	10VKL 300x1700,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 300x1700	RAL9016	10,727	14,265	581,
V00103017U09016011	10VK 300x1700,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 300x1700	RAL9016	10,727	14,265	581,
V00103018009016011	10VKP 300x1800,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 300x1800	RAL9016	11,358	15,104	616,
V00103018L09016011	10VKL 300x1800,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 300x1800	RAL9016	11,358	15,104	616,
V00103018U09016011	10VK 300x1800,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 300x1800	RAL9016	11,358	15,104	616,
V00103019009016011	10VKP 300x1900,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 300x1900	RAL9016	11,989	15,943	650,
V00103019L09016011	10VKL 300x1900,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 300x1900	RAL9016	11,989	15,943	650,
V00103019U09016011	10VK 300x1900,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 300x1900	RAL9016	11,989	15,943	650,
V00103020009016011	10VKP 300x2000,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 300x2000	RAL9016	12,62	16,782	684,
V00103020L09016011	10VKL 300x2000,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 300x2000	RAL9016	12,62	16,782	684,
V00103020U09016011	10VK 300x2000,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 300x2000	RAL9016	12,62	16,782	684,
V00103021009016011	10VKP 300x2100,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 300x2100	RAL9016	13,251	17,621	718,
V00103021L09016011	10VKL 300x2100,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 300x2100	RAL9016	13,251	17,621	718,
V00103021U09016011	10VK 300x2100,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 300x2100	RAL9016	13,251	17,621	718,
V00103022009016011	10VKP 300x2200,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 300x2200	RAL9016	13,882	18,46	752,
V00103022L09016011	10VKL 300x2200,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 300x2200	RAL9016	13,882	18,46	752,
V00103022U09016011	10VK 300x2200,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 300x2200	RAL9016	13,882	18,46	752,
V00103023009016011	10VKP 300x2300,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 300x2300	RAL9016	14,513	19,299	787,
V00103023L09016011	10VKL 300x2300,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 300x2300	RAL9016	14,513	19,299	787,
V00103023U09016011	10VK 300x2300,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 300x2300	RAL9016	14,513	19,299	787,
V00103024009016011	10VKP 300x2400,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 300x2400	RAL9016	15,144	20,138	821,

V00109012L09016011	10VKL 900x1200,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 900x1200	RAL9016	21,6	27,16	995,
V00109012U09016011	10VK 900x1200,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 900x1200	RAL9016	21,6	27,16	995,
V00109013009016011	10VK 900x1300,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VK 900x1300	RAL9016	23,4	29,423	1 078,
V00109013L09016011	10VKL 900x1300,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 900x1300	RAL9016	23,4	29,423	1 078,
V00109014009016011	10VKP 900x1400,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 900x1400	RAL9016	25,2	31,686	1 161,
V00109014L09016011	10VKL 900x1400,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 900x1400	RAL9016	25,2	31,686	1 161,
V00109014U09016011	10VK 900x1400,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 900x1400	RAL9016	25,2	31,686	1 161,
V00109015009016011	10VK 900x1500,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VK 900x1500	RAL9016	27,	33,949	1 244,
V00109015L09016011	10VKL 900x1500,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 900x1500	RAL9016	27,	33,949	1 244,
V00109016009016011	10VKP 900x1600,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKP 900x1600	RAL9016	28,8	36,212	1 326,
V00109016L09016011	10VKL 900x1600,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 900x1600	RAL9016	28,8	36,212	1 326,
V00109016U09016011	10VK 900x1600,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 900x1600	RAL9016	28,8	36,212	1 326,
V00109017009016011	10VK 900x1700,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VK 900x1700	RAL9016	30,6	38,475	1 409,
V00109017L09016011	10VKL 900x1700,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 900x1700	RAL9016	30,6	38,475	1 409,
V00109018009016011	10VK 900x1800,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VK 900x1800	RAL9016	32,4	40,738	1 492,
V00109018L09016011	10VKL 900x1800,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 900x1800	RAL9016	32,4	40,738	1 492,
V00109018U09016011	10VK 900x1800,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 900x1800	RAL9016	32,4	40,738	1 492,
V00109019009016011	10VK 900x1900,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VK 900x1900	RAL9016	34,2	43,001	1 575,
V00109019L09016011	10VKL 900x1900,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 900x1900	RAL9016	34,2	43,001	1 575,
V00109020009016011	10VK 900x2000,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VK 900x2000	RAL9016	36,	45,264	1 658,
V00109020L09016011	10VKL 900x2000,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 900x2000	RAL9016	36,	45,264	1 658,
V00109020U09016011	10VK 900x2000,NKr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	10VKU 900x2000	RAL9016	36,	45,264	1 658,
V00109021009016011	10VK 900x2100,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VK 900x2100	RAL9016	37,8	47,527	1 741,
V00109021L09016011	10VKL 900x2100,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 900x2100	RAL9016	37,8	47,527	1 741,
V00109022009016011	10VK 900x2200,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VK 900x2200	RAL9016	39,6	49,79	1 824,
V00109022L09016011	10VKL 900x2200,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 900x2200	RAL9016	39,6	49,79	1 824,
V00109023009016011	10VK 900x2300,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VK 900x2300	RAL9016	41,4	52,053	1 907,
V00109023L09016011	10VKL 900x2300,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 900x2300	RAL9016	41,4	52,053	1 907,
V00109024009016011	10VK 900x2400,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VK 900x2400	RAL9016	43,2	54,316	1 990,
V00109024L09016011	10VKL 900x2400,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 900x2400	RAL9016	43,2	54,316	1 990,
V00109025009016011	10VK 900x2500,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VK 900x2500	RAL9016	45,	56,579	2 073,
V00109025L09016011	10VKL 900x2500,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 900x2500	RAL9016	45,	56,579	2 073,
V00109026009016011	10VK 900x2600,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VK 900x2600	RAL9016	46,8	58,842	2 155,
V00109026L09016011	10VKL 900x2600,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 900x2600	RAL9016	46,8	58,842	2 155,
V00109027009016011	10VK 900x2700,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VK 900x2700	RAL9016	48,6	61,105	2 238,
V00109027L09016011	10VKL 900x2700,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 900x2700	RAL9016	48,6	61,105	2 238,
V00109028009016011	10VK 900x2800,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VK 900x2800	RAL9016	50,4	63,368	2 321,
V00109028L09016011	10VKL 900x2800,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 900x2800	RAL9016	50,4	63,368	2 321,
V00109029009016011	10VK 900x2900,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VK 900x2900	RAL9016	52,2	65,631	2 404,
V00109029L09016011	10VKL 900x2900,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 900x2900	RAL9016	52,2	65,631	2 404,
V00109030009016011	10VK 900x3000,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VK 900x3000	RAL9016	54,	67,894	2 487,
V00109030L09016011	10VKL 900x3000,NKr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	10VKL 900x3000	RAL9016	54,	67,894	2 487,
V00113004009016011	11VKP 300x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x400	RAL9016	4,189	5,07	218,
V00113004L09016011	11VKL 300x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x400	RAL9016	4,189	5,07	218,
V00113004U09016011	11VK 300x0400,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 300x400	RAL9016	4,189	5,07	218,
V00113005009016011	11VKP 300x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x500	RAL9016	5,011	5,97	273,
V00113005L09016011	11VKL 300x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x500	RAL9016	5,011	5,97	273,
V00113005U09016011	11VK 300x0500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 300x500	RAL9016	5,011	5,97	273,
V00113006009016011	11VKP 300x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x600	RAL9016	5,832	6,806	327,
V00113006L09016011	11VKL 300x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x600	RAL9016	5,832	6,806	327,
V00113006U09016011	11VK 300x0600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 300x600	RAL9016	5,832	6,806	327,
V00113007009016011	11VKP 300x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x700	RAL9016	6,654	7,698	382,
V00113007L09016011	11VKL 300x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x700	RAL9016	6,654	7,698	382,
V00113007U09016011	11VK 300x0700,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 300x700	RAL9016	6,654	7,698	382,
V00113008009016011	11VKP 300x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x800	RAL9016	7,475	8,516	436,
V00113008L09016011	11VKL 300x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x800	RAL9016	7,475	8,516	436,
V00113008U09016011	11VK 400x0800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x800	RAL9016	10,126	11,34	551,
V00113009009016011	11VKP 300x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x900	RAL9016	8,297	9,405	491,
V00113009L09016011	11VKL 300x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x900	RAL9016	8,297	9,405	491,
V00113009U09016011	11VK 400x0900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x900	RAL9016	11,269	12,515	620,
V00113010009016011	11VKP 300x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x1000	RAL9016	9,118	10,248	545,
V00113010L09016011	11VKL 300x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x1000	RAL9016	9,118	10,248	545,
V00113010U09016011	11VK 300x1000,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 300x1000	RAL9016	9,118	10,248	545,
V00113011009016011	11VKP 300x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x1100	RAL9016	9,939	11,122	600,
V00113011L09016011	11VKL 300x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x1100	RAL9016	9,939	11,122	600,
V00113011U09016011	11VK 300x1100,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 300x1100	RAL9016	9,939	11,122	600,
V00113012009016011	11VKP 300x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x1200	RAL9016	10,761	11,976	654,
V00113012L09016011	11VKL 300x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x1200	RAL9016	10,761	11,976	654,
V00113012U09016011	11VK 300x1200,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 300x1200	RAL9016	10,761	11,976	654,
V00113013009016011	11VKP 300x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x1300	RAL9016	11,582	12,868	709,
V00113013L09016011	11VKL 300x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x1300	RAL9016	11,582	12,868	709,
V00113013U09016011	11VK 300x1300, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 300x1300	RAL9016	11,582	12,868	709,

V00113014009016011	11VKP 300x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x1400	RAL9016	12,404	13,218	763,
V00113014L09016011	11VKL 300x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x1400	RAL9016	12,404	13,218	763,
V00113014U09016011	11VK 300x1400,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 300x1400	RAL9016	12,404	13,218	763,
V00113015009016011	11VKP 300x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x1500	RAL9016	13,225	14,663	818,
V00113015L09016011	11VKL 300x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x1500	RAL9016	13,225	14,663	818,
V00113015U09016011	11VK 300x1500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 300x1500	RAL9016	13,225	14,663	818,
V00113016009016011	11VKP 300x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x1600	RAL9016	14,047	15,526	872,
V00113016L09016011	11VKL 300x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x1600	RAL9016	14,047	15,526	872,
V00113016U09016011	11VK 300x1600,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 300x1600	RAL9016	14,047	15,526	872,
V00113017009016011	11VKP 300x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x1700	RAL9016	14,941	16,461	927,
V00113017L09016011	11VKL 300x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x1700	RAL9016	14,941	16,461	927,
V00113017U09016011	11VK 300x1700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 300x1700	RAL9016	14,941	16,461	927,
V00113018009016011	11VKP 300x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x1800	RAL9016	15,762	17,324	981,
V00113018L09016011	11VKL 300x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x1800	RAL9016	15,762	17,324	981,
V00113018U09016011	11VK 300x1800,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 300x1800	RAL9016	15,762	17,324	981,
V00113019009016011	11VKP 300x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x1900	RAL9016	16,584	18,187	1 036,
V00113019L09016011	11VKL 300x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x1900	RAL9016	16,584	18,187	1 036,
V00113019U09016011	11VK 300x1900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 300x1900	RAL9016	16,584	18,187	1 036,
V00113020009016011	11VKP 300x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 300x2000	RAL9016	17,405	19,05	1 090,
V00113020L09016011	11VKL 300x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 300x2000	RAL9016	17,405	19,05	1 090,
V00113020U09016011	11VK 300x2000,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 300x2000	RAL9016	17,405	19,05	1 090,
V00114004009016011	11VKP 400x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x400	RAL9016	5,554	6,641	276,
V00114004L09016011	11VKL 400x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x400	RAL9016	5,554	6,641	276,
V00114004U09016011	11VK 400x0400,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x400	RAL9016	5,554	6,641	276,
V00114005009016011	11VKP 400x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x500	RAL9016	6,697	7,815	345,
V00114005L09016011	11VKL 400x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x500	RAL9016	6,697	7,815	345,
V00114005U09016011	11VK 400x0500,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x500	RAL9016	6,697	7,815	345,
V00114006009016011	11VKP 400x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x600	RAL9016	7,84	8,99	413,
V00114006L09016011	11VKL 400x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x600	RAL9016	7,84	8,99	413,
V00114006U09016011	11VK 400x0600,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x600	RAL9016	7,84	8,99	413,
V00114007009016011	11VKP 400x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x700	RAL9016	8,983	10,165	482,
V00114007L09016011	11VKL 400x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x700	RAL9016	8,983	10,165	482,
V00114007U09016011	11VK 400x0700,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x700	RAL9016	8,983	10,165	482,
V00114008009016011	11VKP 400x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x800	RAL9016	10,126	11,34	551,
V00114008L09016011	11VKL 400x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x800	RAL9016	10,126	11,34	551,
V00114008U09016011	11VK 400x0800,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x800	RAL9016	10,126	11,34	551,
V00114009009016011	11VKP 400x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x900	RAL9016	11,269	12,515	620,
V00114009L09016011	11VKL 400x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x900	RAL9016	11,269	12,515	620,
V00114009U09016011	11VK 400x0900,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x900	RAL9016	11,269	12,515	620,
V00114010009016011	11VKP 400x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x1000	RAL9016	12,412	13,689	689,
V00114010L09016011	11VKL 400x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x1000	RAL9016	12,412	13,689	689,
V00114010U09016011	11VK 400x1000,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x1000	RAL9016	12,412	13,689	689,
V00114011009016011	11VKP 400x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x1100	RAL9016	13,555	14,864	758,
V00114011L09016011	11VKL 400x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x1100	RAL9016	13,555	14,864	758,
V00114011U09016011	11VK 400x1100,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x1100	RAL9016	13,555	14,864	758,
V00114012009016011	11VKP 400x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x1200	RAL9016	14,698	16,039	827,
V00114012L09016011	11VKL 400x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x1200	RAL9016	14,698	16,039	827,
V00114012U09016011	11VK 400x1200,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x1200	RAL9016	14,698	16,039	827,
V00114013009016011	11VKP 400x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x1300	RAL9016	15,841	17,214	896,
V00114013L09016011	11VKL 400x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x1300	RAL9016	15,841	17,214	896,
V00114013U09016011	11VK 400x1300, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x1300	RAL9016	15,841	17,214	896,
V00114014009016011	11VKP 400x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x1400	RAL9016	16,984	17,86	965,
V00114014L09016011	11VKL 400x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x1400	RAL9016	16,984	17,86	965,
V00114014U09016011	11VK 400x1400,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x1400	RAL9016	16,984	17,86	965,
V00114015009016011	11VKP 400x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x1500	RAL9016	18,127	19,563	1 034,
V00114015L09016011	11VKL 400x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x1500	RAL9016	18,127	19,563	1 034,
V00114015U09016011	11VK 400x1500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x1500	RAL9016	18,127	19,563	1 034,
V00114016009016011	11VKP 400x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x1600	RAL9016	19,269	20,738	1 102,
V00114016L09016011	11VKL 400x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x1600	RAL9016	19,269	20,738	1 102,
V00114016U09016011	11VK 400x1600,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x1600	RAL9016	19,269	20,738	1 102,
V00114017009016011	11VKP 400x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x1700	RAL9016	20,485	21,985	1 171,
V00114017L09016011	11VKL 400x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x1700	RAL9016	20,485	21,985	1 171,
V00114017U09016011	11VK 400x1700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x1700	RAL9016	20,485	21,985	1 171,
V00114018009016011	11VKP 400x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x1800	RAL9016	21,628	23,16	1 240,
V00114018L09016011	11VKL 400x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x1800	RAL9016	21,628	23,16	1 240,
V00114018U09016011	11VK 400x1800,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x1800	RAL9016	21,628	23,16	1 240,
V00114019009016011	11VKP 400x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x1900	RAL9016	22,771	24,335	1 309,
V00114019L09016011	11VKL 400x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x1900	RAL9016	22,771	24,335	1 309,
V00114019U09016011	11VK 400x1900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x1900	RAL9016	22,771	24,335	1 309,
V00114020009016011	11VKP 400x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 400x2000	RAL9016	23,914	25,51	1 378,
V00114020L09016011	11VKL 400x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 400x2000	RAL9016	23,914	25,51	1 378,
V00114020U09016011	11VK 400x2000,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 400x2000	RAL9016	23,914	25,51	1 378,

V00115004009016011	11VKP 500x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x400	RAL9016	6,632	7,086	330,
V00115004L09016011	11VKL 500x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x400	RAL9016	6,632	7,086	330,
V00115004U09016011	11VK 500x0400,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x400	RAL9016	6,632	7,086	330,
V00115005009016011	11VKP 500x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x500	RAL9016	8,29	8,858	413,
V00115005L09016011	11VKL 500x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x500	RAL9016	8,29	8,858	413,
V00115005U09016011	11VK 500x0500,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x500	RAL9016	8,29	8,858	413,
V00115006009016011	11VKP 500x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x600	RAL9016	9,948	10,63	496,
V00115006L09016011	11VKL 500x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x600	RAL9016	9,948	10,63	496,
V00115006U09016011	11VK 500x0600,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x600	RAL9016	9,948	10,63	496,
V00115007009016011	11VKP 500x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x700	RAL9016	11,606	12,402	578,
V00115007L09016011	11VKL 500x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x700	RAL9016	11,606	12,402	578,
V00115007U09016011	11VK 500x0700,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x700	RAL9016	11,606	12,402	578,
V00115008009016011	11VKP 500x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x800	RAL9016	13,264	14,174	661,
V00115008L09016011	11VKL 500x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x800	RAL9016	13,264	14,174	661,
V00115008U09016011	11VK 500x0800,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x800	RAL9016	13,264	14,174	661,
V00115009009016011	11VKP 500x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x900	RAL9016	14,922	15,946	743,
V00115009L09016011	11VKL 500x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x900	RAL9016	14,922	15,946	743,
V00115009U09016011	11VK 500x0900,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x900	RAL9016	14,922	15,946	743,
V00115010009016011	11VKP 500x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x1000	RAL9016	16,58	17,718	826,
V00115010L09016011	11VKL 500x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x1000	RAL9016	16,58	17,718	826,
V00115010U09016011	11VK 500x1000,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x1000	RAL9016	16,58	17,718	826,
V00115011009016011	11VKP 500x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x1100	RAL9016	18,238	19,49	909,
V00115011L09016011	11VKL 500x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x1100	RAL9016	18,238	19,49	909,
V00115011U09016011	11VK 500x1100,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x1100	RAL9016	18,238	19,49	909,
V00115012009016011	11VKP 500x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x1200	RAL9016	19,896	21,583	991,
V00115012L09016011	11VKL 500x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x1200	RAL9016	19,896	21,583	991,
V00115012U09016011	11VK 500x1200,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x1200	RAL9016	19,896	21,583	991,
V00115013009016011	11VKP 500x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x1300	RAL9016	21,554	23,381	1 074,
V00115013L09016011	11VKL 500x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x1300	RAL9016	21,554	23,381	1 074,
V00115013U09016011	11VK 500x1300, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x1300	RAL9016	21,554	23,381	1 074,
V00115014009016011	11VKP 500x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x1400	RAL9016	23,212	25,179	1 156,
V00115014L09016011	11VKL 500x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x1400	RAL9016	23,212	25,179	1 156,
V00115014U09016011	11VK 500x1400,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x1400	RAL9016	23,212	25,179	1 156,
V00115015009016011	11VKP 500x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x1500	RAL9016	24,87	26,977	1 239,
V00115015L09016011	11VKL 500x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x1500	RAL9016	24,87	26,977	1 239,
V00115015U09016011	11VK 500x1500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x1500	RAL9016	24,87	26,977	1 239,
V00115016009016011	11VKP 500x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x1600	RAL9016	26,528	28,775	1 322,
V00115016L09016011	11VKL 500x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x1600	RAL9016	26,528	28,775	1 322,
V00115016U09016011	11VK 500x1600,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x1600	RAL9016	26,528	28,775	1 322,
V00115017009016011	11VKP 500x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x1700	RAL9016	28,186	30,573	1 404,
V00115017L09016011	11VKL 500x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x1700	RAL9016	28,186	30,573	1 404,
V00115017U09016011	11VK 500x1700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x1700	RAL9016	28,186	30,573	1 404,
V00115018009016011	11VKP 500x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x1800	RAL9016	29,844	32,371	1 487,
V00115018L09016011	11VKL 500x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x1800	RAL9016	29,844	32,371	1 487,
V00115018U09016011	11VK 500x1800,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x1800	RAL9016	29,844	32,371	1 487,
V00115019009016011	11VKP 500x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x1900	RAL9016	31,502	34,169	1 569,
V00115019L09016011	11VKL 500x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x1900	RAL9016	31,502	34,169	1 569,
V00115019U09016011	11VK 500x1900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x1900	RAL9016	31,502	34,169	1 569,
V00115020009016011	11VKP 500x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 500x2000	RAL9016	33,16	35,967	1 652,
V00115020L09016011	11VKL 500x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 500x2000	RAL9016	33,16	35,967	1 652,
V00115020U09016011	11VK 500x2000,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 500x2000	RAL9016	33,16	35,967	1 652,
V00116004009016011	11VKP 600x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x400	RAL9016	7,96	8,506	384,
V00116004L09016011	11VKL 600x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x400	RAL9016	7,96	8,506	384,
V00116004U09016011	11VK 600x0400,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x400	RAL9016	7,96	8,506	384,
V00116004U09016091	11VK 600x0400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x400	RAL9016	7,96	8,506	384,
V00116005009016011	11VKP 600x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x500	RAL9016	9,95	10,632	480,
V00116005L09016011	11VKL 600x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x500	RAL9016	9,95	10,632	480,
V00116005U09016011	11VK 600x0500,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x500	RAL9016	9,95	10,632	480,
V00116006009016011	11VKP 600x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x600	RAL9016	11,94	12,758	576,
V00116006L09016011	11VKL 600x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x600	RAL9016	11,94	12,758	576,
V00116006U09016011	11VK 600x0600,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x600	RAL9016	11,94	12,758	576,
V00116007009016011	11VKP 600x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x700	RAL9016	13,93	14,884	672,
V00116007L09016011	11VKL 600x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x700	RAL9016	13,93	14,884	672,
V00116007U09016011	11VK 600x0700,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x700	RAL9016	13,93	14,884	672,
V00116008001013011	11VKP 600x0800, Kr, 1.0 MPa, t:1, RAL1013, ZD	11VKP 600x800	RAL1013	15,92	17,01	768,
V00116008009016011	11VKP 600x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x800	RAL9016	15,92	17,01	768,
V00116008L09016011	11VKL 600x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x800	RAL9016	15,92	17,01	768,
V00116008U09016011	11VK 600x0800,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x800	RAL9016	15,92	17,01	768,
V00116009009016011	11VKP 600x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x900	RAL9016	17,91	19,136	864,
V00116009L09016011	11VKL 600x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x900	RAL9016	17,91	19,136	864,
V00116009U09016011	11VK 600x0900,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x900	RAL9016	17,91	19,136	864,
V00116010009016011	11VKP 600x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x1000	RAL9016	19,9	21,262	960,

V00116010L09016011	11VKL 600x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x1000	RAL9016	19,9	21,262	960,
V00116010U09016011	11VK 600x1000,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x1000	RAL9016	19,9	21,262	960,
V00116011009016011	11VKP 600x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x1100	RAL9016	21,89	23,388	1 056,
V00116011L09016011	11VKL 600x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x1100	RAL9016	21,89	23,388	1 056,
V00116011U09016011	11VK 600x1100,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x1100	RAL9016	21,89	23,388	1 056,
V00116012009016011	11VKP 600x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x1200	RAL9016	23,88	25,9	1 152,
V00116012L09016011	11VKL 600x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x1200	RAL9016	23,88	25,9	1 152,
V00116012U09016011	11VK 600x1200,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x1200	RAL9016	23,88	25,9	1 152,
V00116013009016011	11VKP 600x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x1300	RAL9016	25,87	28,058	1 248,
V00116013L09016011	11VKL 600x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x1300	RAL9016	25,87	28,058	1 248,
V00116013U09016011	11VK 600x1300, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x1300	RAL9016	25,87	28,058	1 248,
V00116014009016011	11VKP 600x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x1400	RAL9016	27,86	30,216	1 344,
V00116014L09016011	11VKL 600x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x1400	RAL9016	27,86	30,216	1 344,
V00116014U09016011	11VK 600x1400,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x1400	RAL9016	27,86	30,216	1 344,
V00116015009016011	11VKP 600x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x1500	RAL9016	29,85	32,374	1 440,
V00116015L09016011	11VKL 600x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x1500	RAL9016	29,85	32,374	1 440,
V00116015U09016011	11VK 600x1500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x1500	RAL9016	29,85	32,374	1 440,
V00116016009016011	11VKP 600x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x1600	RAL9016	31,84	34,532	1 536,
V00116016L09016011	11VKL 600x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x1600	RAL9016	31,84	34,532	1 536,
V00116016U09016011	11VK 600x1600,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x1600	RAL9016	31,84	34,532	1 536,
V00116017009016011	11VKP 600x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x1700	RAL9016	33,83	36,69	1 632,
V00116017L09016011	11VKL 600x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x1700	RAL9016	33,83	36,69	1 632,
V00116017U09016011	11VK 600x1700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x1700	RAL9016	33,83	36,69	1 632,
V00116018009016011	11VKP 600x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x1800	RAL9016	35,82	38,848	1 728,
V00116018L09016011	11VKL 600x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x1800	RAL9016	35,82	38,848	1 728,
V00116018U09016011	11VK 600x1800,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x1800	RAL9016	35,82	38,848	1 728,
V00116019009016011	11VKP 600x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x1900	RAL9016	37,81	41,006	1 824,
V00116019L09016011	11VKL 600x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x1900	RAL9016	37,81	41,006	1 824,
V00116019U09016011	11VK 600x1900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x1900	RAL9016	37,81	41,006	1 824,
V00116020009016011	11VKP 600x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 600x2000	RAL9016	39,8	43,164	1 920,
V00116020L09016011	11VKL 600x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 600x2000	RAL9016	39,8	43,164	1 920,
V00116020U09016011	11VK 600x2000,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 600x2000	RAL9016	39,8	43,164	1 920,
V00116023009016011	11VKP 600x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VK 600x2300	RAL9016	45,77	49,638	2 208,
V00119004009016011	11VKP 900x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 900x400	RAL9016	11,94	12,754	538,
V00119004L09016011	11VKL 900x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 900x400	RAL9016	11,94	12,754	538,
V00119004U09016011	11VK 900x0400,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 900x400	RAL9016	11,94	12,754	538,
V00119005009016011	11VKP 900x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 900x500	RAL9016	14,925	15,943	673,
V00119005L09016011	11VKL 900x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 900x500	RAL9016	14,925	15,943	673,
V00119005U09016011	11VK 900x0500,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 900x500	RAL9016	14,925	15,943	673,
V00119006009016011	11VKP 900x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 900x600	RAL9016	17,91	19,133	807,
V00119006L09016011	11VKL 900x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 900x600	RAL9016	17,91	19,133	807,
V00119006U09016011	11VK 900x0600,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 900x600	RAL9016	17,91	19,133	807,
V00119007009016011	11VKP 900x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 900x700	RAL9016	20,895	22,323	942,
V00119007L09016011	11VKL 900x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 900x700	RAL9016	20,895	22,323	942,
V00119007U09016011	11VK 900x0700,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 900x700	RAL9016	20,895	22,323	942,
V00119008009016011	11VKP 900x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 900x800	RAL9016	23,88	25,513	1 076,
V00119008L09016011	11VKL 900x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 900x800	RAL9016	23,88	25,513	1 076,
V00119008U09016011	11VK 900x0800,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 900x800	RAL9016	23,88	25,513	1 076,
V00119009009016011	11VKP 900x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 900x900	RAL9016	26,865	28,703	1 211,
V00119009L09016011	11VKL 900x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 900x900	RAL9016	26,865	28,703	1 211,
V00119009U09016011	11VK 900x0900,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 900x900	RAL9016	26,865	28,703	1 211,
V00119010009016011	11VKP 900x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 900x1000	RAL9016	29,85	31,893	1 345,
V00119010L09016011	11VKL 900x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 900x1000	RAL9016	29,85	31,893	1 345,
V00119010U09016011	11VK 900x1000,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 900x1000	RAL9016	29,85	31,893	1 345,
V00119011009016011	11VKP 900x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 900x1100	RAL9016	32,835	35,083	1 480,
V00119011L09016011	11VKL 900x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 900x1100	RAL9016	32,835	35,083	1 480,
V00119011U09016011	11VK 900x1100,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 900x1100	RAL9016	32,835	35,083	1 480,
V00119012009016011	11VKP 900x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 900x1200	RAL9016	35,82	38,849	1 614,
V00119012L09016011	11VKL 900x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 900x1200	RAL9016	35,82	38,849	1 614,
V00119012U09016011	11VK 900x1200,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 900x1200	RAL9016	35,82	38,849	1 614,
V00119013009016011	11VK 900x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VK 900x1300	RAL9016	38,805	42,087	1 749,
V00119013L09016011	11VKL 900x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 900x1300	RAL9016	38,805	42,087	1 749,
V00119014009016011	11VKP 900x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 900x1400	RAL9016	41,79	45,325	1 883,
V00119014L09016011	11VKL 900x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 900x1400	RAL9016	41,79	45,325	1 883,
V00119014U09016011	11VK 900x1400,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 900x1400	RAL9016	41,79	45,325	1 883,
V00119015009016011	11VK 900x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VK 900x1500	RAL9016	44,775	48,563	2 018,
V00119015L09016011	11VKL 900x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 900x1500	RAL9016	44,775	48,563	2 018,
V00119016009016011	11VKP 900x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKP 900x1600	RAL9016	47,76	51,801	2 152,
V00119016L09016011	11VKL 900x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 900x1600	RAL9016	47,76	51,801	2 152,
V00119016U09016011	11VK 900x1600,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 900x1600	RAL9016	47,76	51,801	2 152,
V00119017009016011	11VK 900x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VK 900x1700	RAL9016	50,745	55,039	2 287,
V00119017L09016011	11VKL 900x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 900x1700	RAL9016	50,745	55,039	2 287,

V00119018009016011	11VK 900x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VK 900x1800	RAL9016	53,73	58,277	2 421,
V00119018L09016011	11VKL 900x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 900x1800	RAL9016	53,73	58,277	2 421,
V00119018U09016011	11VK 900x1800,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 900x1800	RAL9016	53,73	58,277	2 421,
V00119019009016011	11VK 900x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VK 900x1900	RAL9016	56,715	61,515	2 556,
V00119019L09016011	11VKL 900x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 900x1900	RAL9016	56,715	61,515	2 556,
V00119020009016011	11VK 900x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VK 900x2000	RAL9016	59,7	64,753	2 690,
V00119020L09016011	11VKL 900x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	11VKL 900x2000	RAL9016	59,7	64,753	2 690,
V00119020U09016011	11VK 900x2000,NKr, 1.0 MPa, t:1, RAL9016, bezZD	11VKU 900x2000	RAL9016	59,7	64,753	2 690,
V00203004009016011	20VKP 300x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 300x400	RAL9016	5,06	5,5	245,
V00203004L09016011	20VKL 300x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 300x400	RAL9016	5,06	5,5	245,
V00203004U09016011	20VK 300x0400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 300x400	RAL9016	5,06	5,5	245,
V00203005009016011	20VKP 300x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 300x500	RAL9016	6,325	6,885	306,
V00203005L09016011	20VKL 300x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 300x500	RAL9016	6,325	6,885	306,
V00203005U09016011	20VK 300x0500, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 300x500	RAL9016	6,325	6,885	306,
V00203006009016011	20VKP 300x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 300x600	RAL9016	7,59	8,263	367,
V00203006L09016011	20VKL 300x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 300x600	RAL9016	7,59	8,263	367,
V00203006U09016011	20VK 300x0600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 300x600	RAL9016	7,59	8,263	367,
V00203007009016011	20VKP 300x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 300x700	RAL9016	8,855	9,641	428,
V00203007L09016011	20VKL 300x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 300x700	RAL9016	8,855	9,641	428,
V00203007U09016011	20VK 300x0700, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 300x700	RAL9016	8,855	9,641	428,
V00203008009016011	20VKP 300x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 300x800	RAL9016	10,12	11,019	490,
V00203008L09016011	20VKL 300x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 300x800	RAL9016	10,12	11,019	490,
V00203008U09016011	20VK 300x0800, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 300x800	RAL9016	10,12	11,019	490,
V00203009009016011	20VKP 300x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 300x900	RAL9016	11,385	12,397	551,
V00203009L09016011	20VKL 300x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 300x900	RAL9016	11,385	12,397	551,
V00203009U09016011	20VK 300x0900, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 300x900	RAL9016	11,385	12,397	551,
V00203010009016011	20VKP 300x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 300x1000	RAL9016	12,65	13,775	612,
V00203010L09016011	20VKL 300x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 300x1000	RAL9016	12,65	13,775	612,
V00203010U09016011	20VK 300x1000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 300x1000	RAL9016	12,65	13,775	612,
V00203011009016011	20VKP 300x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 300x1100	RAL9016	13,915	15,153	673,
V00203011L09016011	20VKL 300x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 300x1100	RAL9016	13,915	15,153	673,
V00203011U09016011	20VK 300x1100, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 300x1100	RAL9016	13,915	15,153	673,
V00203012009016011	20VKP 300x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 300x1200	RAL9016	15,18	16,531	734,
V00203012L09016011	20VKL 300x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 300x1200	RAL9016	15,18	16,531	734,
V00203012U09016011	20VK 300x1200, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 300x1200	RAL9016	15,18	16,531	734,
V00203013009016011	20VKP 300x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 300x1300	RAL9016	16,445	17,909	796,
V00203013L09016011	20VKL 300x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 300x1300	RAL9016	16,445	17,909	796,
V00203013U09016011	20VK 300x1300, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 300x1300	RAL9016	16,445	17,909	796,
V00203014009016011	20VKP 300x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 300x1400	RAL9016	17,71	19,287	857,
V00203014L09016011	20VKL 300x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 300x1400	RAL9016	17,71	19,287	857,
V00203014U09016011	20VK 300x1400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 300x1400	RAL9016	17,71	19,287	857,
V00203015009016011	20VKP 300x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 300x1500	RAL9016	18,975	20,665	918,
V00203015L09016011	20VKL 300x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 300x1500	RAL9016	18,975	20,665	918,
V00203015U09016011	20VK 300x1500, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 300x1500	RAL9016	18,975	20,665	918,
V00203016009016011	20VKP 300x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 300x1600	RAL9016	20,24	22,043	979,
V00203016L09016011	20VKL 300x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 300x1600	RAL9016	20,24	22,043	979,
V00203016U09016011	20VK 300x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 300x1600	RAL9016	20,24	22,043	979,
V00203017009016011	20VKP 300x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 300x1700	RAL9016	21,505	22,424	1 040,
V00203017L09016011	20VKL 300x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 300x1700	RAL9016	21,505	22,424	1 040,
V00203017U09016011	20VK 300x1700, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 300x1700	RAL9016	21,505	22,424	1 040,
V00203018009016011	20VKP 300x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 300x1800	RAL9016	22,77	23,743	1 102,
V00203018L09016011	20VKL 300x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 300x1800	RAL9016	22,77	23,743	1 102,
V00203018U09016011	20VK 300x1800, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 300x1800	RAL9016	22,77	23,743	1 102,
V00203019009016011	20VKP 300x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 300x1900	RAL9016	24,035	25,062	1 163,
V00203019L09016011	20VKL 300x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 300x1900	RAL9016	24,035	25,062	1 163,
V00203019U09016011	20VK 300x1900, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 300x1900	RAL9016	24,035	25,062	1 163,
V00203020009016011	20VKP 300x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 300x2000	RAL9016	25,3	26,381	1 224,
V00203020L09016011	20VKL 300x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 300x2000	RAL9016	25,3	26,381	1 224,
V00203020U09016011	20VK 300x2000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 300x2000	RAL9016	25,3	26,381	1 224,
V00203021009016011	20VKP 300x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 300x2100	RAL9016	26,565	27,7	1 285,
V00203021L09016011	20VKL 300x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 300x2100	RAL9016	26,565	27,7	1 285,
V00203021U09016011	20VK 300x2100, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 300x2100	RAL9016	26,565	27,7	1 285,
V00203022009016011	20VKP 300x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 300x2200	RAL9016	27,83	29,019	1 346,
V00203022L09016011	20VKL 300x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 300x2200	RAL9016	27,83	29,019	1 346,
V00203022U09016011	20VK 300x2200, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 300x2200	RAL9016	27,83	29,019	1 346,
V00203023009016011	20VKP 300x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 300x2300	RAL9016	29,095	30,338	1 408,
V00203023L09016011	20VKL 300x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 300x2300	RAL9016	29,095	30,338	1 408,
V00203023U09016011	20VK 300x2300, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 300x2300	RAL9016	29,095	30,338	1 408,
V00203024009016011	20VKP 300x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 300x2400	RAL9016	30,36	31,657	1 469,
V00203024L09016011	20VKL 300x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 300x2400	RAL9016	30,36	31,657	1 469,
V00203024U09016011	20VK 300x2400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 300x2400	RAL9016	30,36	31,657	1 469,
V00203025009016011	20VKP 300x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 300x2500	RAL9016	31,625	32,976	1 530,

V00206015L09016011	20VKL 600x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 600x1500	RAL9016	36,432	39,672	1 602,
V00206015U09016011	20VK 300x1500, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 600x1500	RAL9016	18,975	20,665	918,
V00206016009016011	20VK 600x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	20VK 600x1600	RAL9016	6,233	6,894	301,
V00206016L09016011	20VKL 600x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 600x1600	RAL9016	38,861	42,317	1 709,
V00206016U09016011	20VK 600x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 600x1600	RAL9016	38,861	42,317	1 709,
V00206017009016011	20VKP 600x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 600x1700	RAL9016	41,29	43,054	1 816,
V00206017L09016011	20VKL 600x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 600x1700	RAL9016	41,29	43,054	1 816,
V00206017U09016011	20VK 300x1700, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 600x1700	RAL9016	21,505	22,424	1 040,
V00206018009016011	20VKP 600x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 600x1800	RAL9016	43,718	45,587	1 922,
V00206018L09016011	20VKL 600x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 600x1800	RAL9016	43,718	45,587	1 922,
V00206018U09016011	20VK 600x1800, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 600x1800	RAL9016	43,718	45,587	1 922,
V00206019009016011	20VKP 600x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 600x1900	RAL9016	46,147	48,119	2 029,
V00206019L09016011	20VKL 600x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 600x1900	RAL9016	46,147	48,119	2 029,
V00206019U09016011	20VK 300x1900, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 600x1900	RAL9016	24,035	25,062	1 163,
V00206020009016011	20VKP 600x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 600x2000	RAL9016	48,576	50,652	2 136,
V00206020L09016011	20VKL 600x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 600x2000	RAL9016	48,576	50,652	2 136,
V00206020U09016011	20VK 600x2000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 600x2000	RAL9016	48,576	50,652	2 136,
V00206021009016011	20VKP 600x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 600x2100	RAL9016	51,005	53,184	2 243,
V00206021L09016011	20VKL 600x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 600x2100	RAL9016	51,005	53,184	2 243,
V00206021U09016011	20VK 300x2100, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 600x2100	RAL9016	26,565	27,7	1 285,
V00206022009016011	20VKP 600x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 600x2200	RAL9016	53,434	55,716	2 350,
V00206022L09016011	20VKL 600x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 600x2200	RAL9016	53,434	55,716	2 350,
V00206022U09016011	20VK 300x2200, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 600x2200	RAL9016	27,83	29,019	1 346,
V00206023009016011	20VKP 600x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 600x2300	RAL9016	55,862	58,249	2 456,
V00206023L09016011	20VKL 600x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 600x2300	RAL9016	55,862	58,249	2 456,
V00206023U09016011	20VK 600x2300, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 600x2300	RAL9016	55,862	58,249	2 456,
V00206024009016011	20VKP 600x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 600x2400	RAL9016	58,291	60,781	2 563,
V00206024L09016011	20VKL 600x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 600x2400	RAL9016	58,291	60,781	2 563,
V00206024U09016011	20VK 300x2400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 600x2400	RAL9016	30,36	31,657	1 469,
V00206025009016011	20VKP 600x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 600x2500	RAL9016	60,72	63,314	2 670,
V00206025L09016011	20VKL 600x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 600x2500	RAL9016	60,72	63,314	2 670,
V00206025U09016011	20VK 300x2500, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 600x2500	RAL9016	31,625	32,976	1 530,
V00206026009016011	20VKP 600x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 600x2600	RAL9016	63,149	70,239	2 777,
V00206026L09016011	20VKL 600x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 600x2600	RAL9016	63,149	70,239	2 777,
V00206027009016011	20VKP 600x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 600x2700	RAL9016	65,578	72,941	2 884,
V00206027L09016011	20VKL 600x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 600x2700	RAL9016	65,578	72,941	2 884,
V00206027U09016011	20VK 300x2700, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 600x2700	RAL9016	34,155	37,99	1 652,
V00206028009016011	20VKP 600x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 600x2800	RAL9016	68,006	75,642	2 990,
V00206028L09016011	20VKL 600x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 600x2800	RAL9016	68,006	75,642	2 990,
V00206028U09016011	20VK 300x2800, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 600x2800	RAL9016	35,42	39,397	1 714,
V00206029009016011	20VKP 600x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 600x2900	RAL9016	70,435	78,344	3 097,
V00206029L09016011	20VKL 600x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 600x2900	RAL9016	70,435	78,344	3 097,
V00206029U09016011	20VK 300x2900, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 600x2900	RAL9016	36,685	40,804	1 775,
V00206030009016011	20VKP 600x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 600x3000	RAL9016	72,864	81,045	3 204,
V00206030L09016011	20VKL 600x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 600x3000	RAL9016	72,864	81,045	3 204,
V00206030U09016011	20VK 600x3000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 600x3000	RAL9016	72,864	81,045	3 204,
V00209004009016011	20VKP 900x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 900x400	RAL9016	15,18	16,527	600,
V00209004L09016011	20VKL 900x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 900x400	RAL9016	15,18	16,527	600,
V00209004U09016011	20VK 900x0400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 900x400	RAL9016	15,18	16,527	600,
V00209005009016011	20VKP 900x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 900x500	RAL9016	18,975	20,66	750,
V00209005L09016011	20VKL 900x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 900x500	RAL9016	18,975	20,66	750,
V00209005U09016011	20VK 900x0500, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 900x500	RAL9016	18,975	20,66	750,
V00209006009016011	20VKP 900x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 900x600	RAL9016	22,77	24,793	900,
V00209006L09016011	20VKL 900x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 900x600	RAL9016	22,77	24,793	900,
V00209006U09016011	20VK 900x0600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 900x600	RAL9016	22,77	24,793	900,
V00209007009016011	20VKP 900x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 900x700	RAL9016	26,565	28,926	1 050,
V00209007L09016011	20VKL 900x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 900x700	RAL9016	26,565	28,926	1 050,
V00209007U09016011	20VK 900x0700, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 900x700	RAL9016	26,565	28,926	1 050,
V00209008009016011	20VKP 900x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 900x800	RAL9016	30,36	33,059	1 200,
V00209008L09016011	20VKL 900x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 900x800	RAL9016	30,36	33,059	1 200,
V00209008U09016011	20VK 900x0800, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 900x800	RAL9016	30,36	33,059	1 200,
V00209009009016011	20VKP 900x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 900x900	RAL9016	34,155	37,192	1 350,
V002090090Z9016011	20VKP 900x0900, Kr, 1.0 MPa, t:1, Zn+RAL9016, ZD, uzky, hyg.	20VKP 900x900 Zn	RAL9016	34,155	37,192	1 350,
V00209009L09016011	20VKL 900x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 900x900	RAL9016	34,155	37,192	1 350,
V00209009U09016011	20VK 900x0900, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 900x900	RAL9016	34,155	37,192	1 350,
V00209010009016011	20VKP 900x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 900x1000	RAL9016	37,95	41,325	1 500,
V00209010L09016011	20VKL 900x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 900x1000	RAL9016	37,95	41,325	1 500,
V00209010U09016011	20VK 900x1000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 900x1000	RAL9016	37,95	41,325	1 500,
V00209011009016011	20VKP 900x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 900x1100	RAL9016	41,745	45,458	1 650,
V00209011L09016011	20VKL 900x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 900x1100	RAL9016	41,745	45,458	1 650,
V00209011U09016011	20VK 900x1100, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 900x1100	RAL9016	41,745	45,458	1 650,
V00209012009016011	20VKP 900x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 900x1200	RAL9016	45,54	49,591	1 800,

V002090120Z9016011	20VKP 900x1200, Kr, 1.0 MPa, t:1, Zn + RAL9016, ZD, uzky, hyg.	20VKP 900x1200 Z	RAL9016	45,54	49,591	1 800,
V00209012L09016011	20VKL 900x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 900x1200	RAL9016	45,54	49,591	1 800,
V00209012U09016011	20VK 900x1200, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 900x1200	RAL9016	45,54	49,591	1 800,
V00209013009016011	20VK 900x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VK 900x1300	RAL9016	49,335	53,724	1 950,
V00209013L09016011	20VKL 900x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 900x1300	RAL9016	49,335	53,724	1 950,
V00209014009016011	20VKP 900x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 900x1400	RAL9016	53,13	57,857	2 100,
V00209014L09016011	20VKL 900x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 900x1400	RAL9016	53,13	57,857	2 100,
V00209014U09016011	20VK 900x1400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 900x1400	RAL9016	53,13	57,857	2 100,
V00209015009016011	20VK 900x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VK 900x1500	RAL9016	56,925	61,99	2 250,
V00209015L09016011	20VKL 900x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 900x1500	RAL9016	56,925	61,99	2 250,
V00209016009016011	20VKP 900x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKP 900x1600	RAL9016	60,72	66,123	2 400,
V00209016L09016011	20VKL 900x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 900x1600	RAL9016	60,72	66,123	2 400,
V00209016U09016011	20VK 900x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 900x1600	RAL9016	60,72	66,123	2 400,
V00209017009016011	20VK 900x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VK 900x1700	RAL9016	64,515	67,272	2 550,
V00209017L09016011	20VKL 900x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 900x1700	RAL9016	64,515	67,272	2 550,
V00209018009016011	20VK 900x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VK 900x1800	RAL9016	68,31	71,229	2 700,
V00209018L09016011	20VKL 900x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 900x1800	RAL9016	68,31	71,229	2 700,
V00209018U09016011	20VK 900x1800, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 900x1800	RAL9016	68,31	71,229	2 700,
V00209019009016011	20VK 900x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VK 900x1900	RAL9016	68,31	71,229	2 700,
V00209019L09016011	20VKL 900x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 900x1900	RAL9016	72,105	75,186	2 850,
V00209020009016011	20VK 900x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VK 900x2000	RAL9016	75,9	79,143	3 000,
V00209020L09016011	20VKL 900x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 900x2000	RAL9016	75,9	79,143	3 000,
V00209020U09016011	20VK 900x2000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 900x2000	RAL9016	75,9	79,143	3 000,
V00209021009016011	20VK 900x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VK 900x2100	RAL9016	79,695	83,1	3 150,
V00209021L09016011	20VKL 900x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 900x2100	RAL9016	79,695	83,1	3 150,
V00209022009016011	20VK 900x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VK 900x2200	RAL9016	83,49	87,057	3 300,
V00209022L09016011	20VKL 900x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 900x2200	RAL9016	83,49	87,057	3 300,
V00209023009016011	20VK 900x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VK 900x2300	RAL9016	87,285	91,014	3 450,
V00209023L09016011	20VKL 900x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 900x2300	RAL9016	87,285	91,014	3 450,
V00209023U09016011	20VK 900x2300, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 900x2300	RAL9016	87,285	91,014	3 450,
V00209024009016011	20VK 900x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VK 900x2400	RAL9016	91,08	94,971	3 600,
V00209024L09016011	20VKL 900x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 900x2400	RAL9016	91,08	94,971	3 600,
V00209025009016011	20VK 900x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VK 900x2500	RAL9016	94,875	98,928	3 750,
V00209025L09016011	20VKL 900x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 900x2500	RAL9016	94,875	98,928	3 750,
V00209026009016011	20VK 900x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VK 900x2600	RAL9016	98,67	109,749	3 900,
V00209026L09016011	20VKL 900x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 900x2600	RAL9016	98,67	109,749	3 900,
V00209027009016011	20VK 900x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VK 900x2700	RAL9016	102,465	113,97	4 050,
V00209027L09016011	20VKL 900x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 900x2700	RAL9016	102,465	113,97	4 050,
V00209028009016011	20VK 900x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VK 900x2800	RAL9016	106,26	118,191	4 200,
V00209028L09016011	20VKL 900x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 900x2800	RAL9016	106,26	118,191	4 200,
V00209029009016011	20VK 900x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VK 900x2900	RAL9016	110,055	122,412	4 350,
V00209029L09016011	20VKL 900x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 900x2900	RAL9016	110,055	122,412	4 350,
V00209030009016011	20VK 900x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VK 900x3000	RAL9016	113,85	126,633	4 500,
V00209030L09016011	20VKL 900x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky, hyg.	20VKL 900x3000	RAL9016	113,85	126,633	4 500,
V00209030U09016011	20VK 900x3000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky, hyg.	20VKU 900x3000	RAL9016	113,85	126,633	4 500,
V00213004009016011	21VKP 300x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 300x400	RAL9016	6,233	6,894	301,
V00213004L09016011	21VKL 300x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 300x400	RAL9016	6,233	6,894	301,
V00213004U09016011	21VK 300x0400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 300x400	RAL9016	6,233	6,894	301,
V00213005009016001	21VKP 300x0500, Kr, 0 MPa, t:1, RAL9016, ZD, uzky, rez	21VK 300x500	RAL9016	7,526	8,228	376,
V00213005009016011	21VKP 300x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 300x500	RAL9016	7,526	8,228	376,
V00213005L09016011	21VKL 300x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 300x500	RAL9016	7,526	8,228	376,
V00213005U09016011	21VK 300x0500, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 300x500	RAL9016	7,526	8,228	376,
V00213006009016011	21VKP 300x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 300x600	RAL9016	8,82	9,539	451,
V00213006L09016011	21VKL 300x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 300x600	RAL9016	8,82	9,539	451,
V00213006U09016011	21VK 300x0600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 300x600	RAL9016	8,82	9,539	451,
V00213007009016011	21VKP 300x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 300x700	RAL9016	10,113	10,851	526,
V00213007L09016011	21VKL 300x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 300x700	RAL9016	10,113	10,851	526,
V00213007U09016011	21VK 300x0700, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 300x700	RAL9016	10,113	10,851	526,
V00213008009016011	21VKP 300x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 300x800	RAL9016	11,407	12,162	602,
V00213008L09016011	21VKL 300x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 300x800	RAL9016	11,407	12,162	602,
V00213008U09016011	21VK 300x0800, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 300x800	RAL9016	11,407	12,162	602,
V00213009009016011	21VKP 300x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 300x900	RAL9016	12,746	13,519	677,
V00213009L09016011	21VKL 300x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 300x900	RAL9016	12,746	13,519	677,
V00213009U09016011	21VK 300x0900, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 300x900	RAL9016	12,746	13,519	677,
V00213010009016011	21VKP 300x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 300x1000	RAL9016	14,04	14,83	752,
V00213010L09016011	21VKL 300x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 300x1000	RAL9016	14,04	14,83	752,
V00213010U09016011	21VK 300x1000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 300x1000	RAL9016	14,04	14,83	752,
V00213011009016011	21VKP 300x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 300x1100	RAL9016	15,334	16,141	827,
V00213011L09016011	21VKL 300x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 300x1100	RAL9016	15,334	16,141	827,
V00213011U09016011	21VK 300x1100, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 300x1100	RAL9016	15,334	16,141	827,
V00213012009016011	21VKP 300x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 300x1200	RAL9016	16,627	17,452	902,
V00213012L09016011	21VKL 300x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 300x1200	RAL9016	16,627	17,452	902,

V00214009L09016011	21VKL 400x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 400x900	RAL9016	17,564	18,336	843,
V00214009U09016011	21VK 400x0900, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 400x900	RAL9016	17,564	18,336	843,
V00214010001013011	21VKP 400x1000, Kr, 1.0 MPa, t:1, RAL1013, ZD, uzky	21VKP 400x1000	RAL1013	19,382	20,172	937,
V00214010009016011	21VKP 400x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 400x1000	RAL9016	19,382	20,172	937,
V00214010L09016011	21VKL 400x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 400x1000	RAL9016	19,382	20,172	937,
V00214010U09016011	21VK 400x1000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 400x1000	RAL9016	19,382	20,172	937,
V00214011009016011	21VKP 400x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 400x1100	RAL9016	21,201	22,009	1 031,
V00214011L09016011	21VKL 400x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 400x1100	RAL9016	21,201	22,009	1 031,
V00214011U09016011	21VK 400x1100, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 400x1100	RAL9016	21,201	22,009	1 031,
V00214012001013011	21VKP 400x1200, Kr, 1.0 MPa, t:1, RAL1013, ZD, uzky	21VKP 400x1200	RAL1013	23,02	23,845	1 124,
V00214012009016011	21VKP 400x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 400x1200	RAL9016	23,02	23,845	1 124,
V00214012L09016011	21VKL 400x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 400x1200	RAL9016	23,02	23,845	1 124,
V00214012U09016011	21VK 400x1200, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 400x1200	RAL9016	23,02	23,845	1 124,
V00214013009016011	21VKP 400x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 400x1300	RAL9016	24,838	25,681	1 218,
V00214013L09016011	21VKL 400x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 400x1300	RAL9016	24,838	25,681	1 218,
V00214013U09016011	21VK 400x1300, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 400x1300	RAL9016	24,838	25,681	1 218,
V00214014009016011	21VKP 400x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 400x1400	RAL9016	26,657	27,518	1 312,
V00214014L09016011	21VKL 400x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 400x1400	RAL9016	26,657	27,518	1 312,
V00214014U09016011	21VK 400x1400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 400x1400	RAL9016	26,657	27,518	1 312,
V00214015009016011	21VKP 400x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 400x1500	RAL9016	28,521	29,399	1 406,
V00214015L09016011	21VKL 400x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 400x1500	RAL9016	28,521	29,399	1 406,
V00214015U09016011	21VK 400x1500, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 400x1500	RAL9016	28,521	29,399	1 406,
V00214016009016011	21VKP 400x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 400x1600	RAL9016	30,34	31,235	1 499,
V00214016L09016011	21VKL 400x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 400x1600	RAL9016	30,34	31,235	1 499,
V00214016U09016011	21VK 400x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 400x1600	RAL9016	30,34	31,235	1 499,
V00214017009016011	21VKP 400x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 400x1700	RAL9016	32,231	33,144	1 593,
V00214017L09016011	21VKL 400x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 400x1700	RAL9016	32,231	33,144	1 593,
V00214017U09016011	21VK 400x1700, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 400x1700	RAL9016	32,231	33,144	1 593,
V00214018009016011	21VKP 400x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 400x1800	RAL9016	34,05	34,981	1 687,
V00214018L09016011	21VKL 400x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 400x1800	RAL9016	34,05	34,981	1 687,
V00214018U09016011	21VK 400x1800, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 400x1800	RAL9016	34,05	34,981	1 687,
V00214019009016011	21VKP 400x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 400x1900	RAL9016	35,914	36,862	1 780,
V00214019L09016011	21VKL 400x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 400x1900	RAL9016	35,914	36,862	1 780,
V00214019U09016011	21VK 400x1900, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 400x1900	RAL9016	35,914	36,862	1 780,
V00214020009016011	21VKP 400x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 400x2000	RAL9016	37,733	38,699	1 874,
V00214020L09016011	21VKL 400x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 400x2000	RAL9016	37,733	38,699	1 874,
V00214020U09016011	21VK 400x2000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 400x2000	RAL9016	37,733	38,699	1 874,
V00214021009016011	21VKP 400x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 400x2100	RAL9016	39,551	40,535	1 968,
V00214021L09016011	21VKL 400x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 400x2100	RAL9016	39,551	40,535	1 968,
V00214021U09016011	21VK 400x2100, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 400x2100	RAL9016	39,551	40,535	1 968,
V00214022009016011	21VKP 400x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 400x2200	RAL9016	41,37	42,371	2 061,
V00214022L09016011	21VKL 400x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 400x2200	RAL9016	41,37	42,371	2 061,
V00214022U09016011	21VK 400x2200, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 400x2200	RAL9016	41,37	42,371	2 061,
V00214023009016011	21VKP 400x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 400x2300	RAL9016	43,189	44,207	2 155,
V00214023L09016011	21VKL 400x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 400x2300	RAL9016	43,189	44,207	2 155,
V00214023U09016011	21VK 400x2300, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 400x2300	RAL9016	43,189	44,207	2 155,
V00214024009016011	21VKP 400x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 400x2400	RAL9016	45,007	46,044	2 249,
V00214024L09016011	21VKL 400x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 400x2400	RAL9016	45,007	46,044	2 249,
V00214024U09016011	21VK 400x2400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 400x2400	RAL9016	45,007	46,044	2 249,
V00214025009016011	21VKP 400x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 400x2500	RAL9016	46,826	47,88	2 343,
V00214025L09016011	21VKL 400x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 400x2500	RAL9016	46,826	47,88	2 343,
V00214025U09016011	21VK 400x2500, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 400x2500	RAL9016	46,826	47,88	2 343,
V00214026009016011	21VKP 400x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 400x2600	RAL9016	48,69	49,762	2 436,
V00214026L09016011	21VKL 400x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 400x2600	RAL9016	48,69	49,762	2 436,
V00214026U09016011	21VK 400x2600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 400x2600	RAL9016	48,69	49,762	2 436,
V00214027009016011	21VKP 400x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 400x2700	RAL9016	50,509	51,598	2 530,
V00214027L09016011	21VKL 400x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 400x2700	RAL9016	50,509	51,598	2 530,
V00214027U09016011	21VK 400x2700, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 400x2700	RAL9016	50,509	51,598	2 530,
V00214028009016011	21VKP 400x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 400x2800	RAL9016	52,327	53,434	2 624,
V00214028L09016011	21VKL 400x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 400x2800	RAL9016	52,327	53,434	2 624,
V00214028U09016011	21VK 400x2800, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 400x2800	RAL9016	52,327	53,434	2 624,
V00214029009016011	21VKP 400x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 400x2900	RAL9016	54,191	55,316	2 717,
V00214029L09016011	21VKL 400x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 400x2900	RAL9016	54,191	55,316	2 717,
V00214029U09016011	21VK 400x2900, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 400x2900	RAL9016	54,191	55,316	2 717,
V00214030009016011	21VKP 400x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 400x3000	RAL9016	56,01	57,152	2 811,
V00214030L09016011	21VKL 400x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 400x3000	RAL9016	56,01	57,152	2 811,
V00214030U09016011	21VK 400x3000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 400x3000	RAL9016	56,01	57,152	2 811,
V00215004009016011	21VKP 500x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 500x400	RAL9016	9,075	9,628	446,
V00215004L09016011	21VKL 500x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 500x400	RAL9016	9,075	9,628	446,
V00215004U09016011	21VK 500x0400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 500x400	RAL9016	9,075	9,628	446,
V00215005009016011	21VKP 500x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 500x500	RAL9016	11,342	12,035	558,
V00215005L09016011	21VKL 500x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 500x500	RAL9016	11,342	12,035	558,

V00215005U09016011	21VK 500x0500, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 500x500	RAL9016	11,342	12,035	558,
V00215006009016011	21VKP 500x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 500x600	RAL9016	13,61	14,441	669,
V00215006L09016011	21VKL 500x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 500x600	RAL9016	13,61	14,441	669,
V00215006U09016011	21VK 500x0600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 500x600	RAL9016	13,61	14,441	669,
V00215007009016011	21VKP 500x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 500x700	RAL9016	15,877	16,848	781,
V00215007L09016011	21VKL 500x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 500x700	RAL9016	15,877	16,848	781,
V00215007U09016011	21VK 500x0700, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 500x700	RAL9016	15,877	16,848	781,
V00215008009016011	21VKP 500x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 500x800	RAL9016	18,145	19,255	892,
V00215008L09016011	21VKL 500x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 500x800	RAL9016	18,145	19,255	892,
V00215008U09016011	21VK 500x0800, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 500x800	RAL9016	18,145	19,255	892,
V00215009008001011	21VKP 500x0900, Kr, 1.0 MPa, t:1, RAL8001, ZD, uzky	21VK 500x900	RAL8001	20,412	21,661	1 004,
V00215009009016011	21VKP 500x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 500x900	RAL9016	20,412	21,661	1 004,
V00215009L09016011	21VKL 500x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 500x900	RAL9016	20,412	21,661	1 004,
V00215009U09016011	21VK 500x0900, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 500x900	RAL9016	20,412	21,661	1 004,
V00215010009016011	21VKP 500x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 500x1000	RAL9016	22,68	24,068	1 115,
V00215010L09016011	21VKL 500x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 500x1000	RAL9016	22,68	24,068	1 115,
V00215010U09016011	21VK 500x1000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 500x1000	RAL9016	22,68	24,068	1 115,
V00215011009016011	21VKP 500x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 500x1100	RAL9016	24,948	26,475	1 227,
V00215011L09016011	21VKL 500x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 500x1100	RAL9016	24,948	26,475	1 227,
V00215011U09016011	21VK 500x1100, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 500x1100	RAL9016	24,948	26,475	1 227,
V00215012009016011	21VKP 500x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 500x1200	RAL9016	27,215	28,882	1 338,
V00215012L09016011	21VKL 500x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 500x1200	RAL9016	27,215	28,882	1 338,
V00215012U09016011	21VK 500x1200, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 500x1200	RAL9016	27,215	28,882	1 338,
V00215013009016011	21VKP 500x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 500x1300	RAL9016	29,483	31,288	1 450,
V00215013L09016011	21VKL 500x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 500x1300	RAL9016	29,483	31,288	1 450,
V00215013U09016011	21VK 500x1300, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 500x1300	RAL9016	29,483	31,288	1 450,
V00215014009016011	21VKP 500x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 500x1400	RAL9016	31,75	33,695	1 561,
V00215014L09016011	21VKL 500x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 500x1400	RAL9016	31,75	33,695	1 561,
V00215014U09016011	21VK 500x1400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 500x1400	RAL9016	31,75	33,695	1 561,
V00215015009016011	21VKP 500x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 500x1500	RAL9016	34,018	36,102	1 673,
V00215015L09016011	21VKL 500x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 500x1500	RAL9016	34,018	36,102	1 673,
V00215015U09016011	21VK 500x1500, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 500x1500	RAL9016	34,018	36,102	1 673,
V00215016009016011	21VKP 500x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 500x1600	RAL9016	36,285	38,508	1 784,
V00215016L09016011	21VKL 500x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 500x1600	RAL9016	36,285	38,508	1 784,
V00215016U09016011	21VK 500x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 500x1600	RAL9016	36,285	38,508	1 784,
V00215017009016011	21VKP 500x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 500x1700	RAL9016	38,553	41,362	1 896,
V00215017L09016011	21VKL 500x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 500x1700	RAL9016	38,553	41,362	1 896,
V00215017U09016011	21VK 500x1700, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 500x1700	RAL9016	38,553	41,362	1 896,
V00215018009016011	21VKP 500x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 500x1800	RAL9016	40,82	43,794	2 007,
V00215018L09016011	21VKL 500x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 500x1800	RAL9016	40,82	43,794	2 007,
V00215018U09016011	21VK 500x1800, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 500x1800	RAL9016	40,82	43,794	2 007,
V00215019009016011	21VKP 500x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 500x1900	RAL9016	43,088	46,227	2 119,
V00215019L09016011	21VKL 500x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 500x1900	RAL9016	43,088	46,227	2 119,
V00215019U09016011	21VK 500x1900, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 500x1900	RAL9016	43,088	46,227	2 119,
V00215020008003011	21VKP 500x2000, Kr, 1.0 MPa, t:1, RAL8003, ZD, uzky	21VKP 500x2000	RAL8003	45,355	48,66	2 230,
V00215020009016011	21VKP 500x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 500x2000	RAL9016	45,355	48,66	2 230,
V00215020L09016011	21VKL 500x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 500x2000	RAL9016	45,355	48,66	2 230,
V00215020U09016011	21VK 500x2000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 500x2000	RAL9016	45,355	48,66	2 230,
V00215021009016011	21VKP 500x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 500x2100	RAL9016	47,623	51,092	2 342,
V00215021L09016011	21VKL 500x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 500x2100	RAL9016	47,623	51,092	2 342,
V00215021U09016011	21VK 500x2100, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 500x2100	RAL9016	47,623	51,092	2 342,
V00215022009016011	21VKP 500x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 500x2200	RAL9016	49,89	53,525	2 453,
V00215022L09016011	21VKL 500x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 500x2200	RAL9016	49,89	53,525	2 453,
V00215022U09016011	21VK 500x2200, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 500x2200	RAL9016	49,89	53,525	2 453,
V00215023009016011	21VKP 500x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 500x2300	RAL9016	52,158	55,957	2 565,
V00215023L09016011	21VKL 500x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 500x2300	RAL9016	52,158	55,957	2 565,
V00215023U09016011	21VK 500x2300, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 500x2300	RAL9016	52,158	55,957	2 565,
V00215024009016011	21VKP 500x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 500x2400	RAL9016	54,425	58,39	2 676,
V00215024L09016011	21VKL 500x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 500x2400	RAL9016	54,425	58,39	2 676,
V00215024U09016011	21VK 500x2400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 500x2400	RAL9016	54,425	58,39	2 676,
V00215025009016011	21VKP 500x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 500x2500	RAL9016	56,693	60,823	2 788,
V00215025L09016011	21VKL 500x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 500x2500	RAL9016	56,693	60,823	2 788,
V00215025U09016011	21VK 500x2500, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 500x2500	RAL9016	56,693	60,823	2 788,
V00215026009016011	21VKP 500x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 500x2600	RAL9016	58,96	63,437	2 899,
V00215026L09016011	21VKL 500x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 500x2600	RAL9016	58,96	63,437	2 899,
V00215026U09016011	21VK 500x2600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 500x2600	RAL9016	58,96	63,437	2 899,
V00215027009016011	21VKP 500x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 500x2700	RAL9016	61,228	65,877	3 011,
V00215027L09016011	21VKL 500x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 500x2700	RAL9016	61,228	65,877	3 011,
V00215027U09016011	21VK 500x2700, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 500x2700	RAL9016	61,228	65,877	3 011,
V00215028009016011	21VKP 500x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 500x2800	RAL9016	63,495	68,317	3 122,
V00215028L09016011	21VKL 500x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 500x2800	RAL9016	63,495	68,317	3 122,
V00215028U09016011	21VK 500x2800, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 500x2800	RAL9016	63,495	68,317	3 122,

V00216025U09016011	21VK 600x2500, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 600x2500	RAL9016	68,04	72,989	3 218,
V00216026009016011	21VKP 600x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 600x2600	RAL9016	70,762	76,124	3 346,
V00216026L09016011	21VKL 600x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 600x2600	RAL9016	70,762	76,124	3 346,
V00216026U09016011	21VK 600x2600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 600x2600	RAL9016	70,762	76,124	3 346,
V00216027009016011	21VKP 600x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 600x2700	RAL9016	73,483	79,052	3 475,
V00216027L09016011	21VKL 600x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 600x2700	RAL9016	73,483	79,052	3 475,
V00216027U09016011	21VK 600x2700, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 600x2700	RAL9016	73,483	79,052	3 475,
V00216028009016011	21VKP 600x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 600x2800	RAL9016	76,205	81,98	3 604,
V00216028L09016011	21VKL 600x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 600x2800	RAL9016	76,205	81,98	3 604,
V00216028U09016011	21VK 600x2800, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 600x2800	RAL9016	76,205	81,98	3 604,
V00216029009016011	21VKP 600x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 600x2900	RAL9016	78,926	84,908	3 732,
V00216029L09016011	21VKL 600x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 600x2900	RAL9016	78,926	84,908	3 732,
V00216029U09016011	21VK 600x2900, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 600x2900	RAL9016	78,926	84,908	3 732,
V00216030009016011	21VKP 600x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 600x3000	RAL9016	81,648	87,836	3 861,
V00216030L09016011	21VKL 600x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 600x3000	RAL9016	81,648	87,836	3 861,
V00216030U09016011	21VK 600x3000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 600x3000	RAL9016	81,648	87,836	3 861,
V00219004009016011	21VKP 900x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 900x400	RAL9016	17,013	18,056	715,
V00219004L09016011	21VKL 900x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x400	RAL9016	17,013	18,056	715,
V00219004U09016011	21VK 900x0400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 900x400	RAL9016	17,013	18,056	715,
V00219005009016011	21VKP 900x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 900x500	RAL9016	21,265	22,568	894,
V00219005L09016011	21VKL 900x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x500	RAL9016	21,265	22,568	894,
V00219005U09016011	21VK 900x0500, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 900x500	RAL9016	21,265	22,568	894,
V00219006009016011	21VKP 900x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 900x600	RAL9016	25,517	27,08	1 073,
V00219006L09016011	21VKL 900x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x600	RAL9016	25,517	27,08	1 073,
V00219006U09016011	21VK 900x0600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 900x600	RAL9016	25,517	27,08	1 073,
V00219007009016011	21VKP 900x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 900x700	RAL9016	29,769	31,592	1 252,
V00219007L09016011	21VKL 900x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x700	RAL9016	29,769	31,592	1 252,
V00219007U09016011	21VK 900x0700, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 900x700	RAL9016	29,769	31,592	1 252,
V00219008009016011	21VKP 900x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 900x800	RAL9016	34,021	36,104	1 430,
V00219008L09016011	21VKL 900x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x800	RAL9016	34,021	36,104	1 430,
V00219008U09016011	21VK 900x0800, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 900x800	RAL9016	34,021	36,104	1 430,
V00219009009016011	21VKP 900x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 900x900	RAL9016	38,273	40,616	1 609,
V00219009L09016011	21VKL 900x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x900	RAL9016	38,273	40,616	1 609,
V00219009U09016011	21VK 900x0900, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 900x900	RAL9016	38,273	40,616	1 609,
V00219010009016011	21VKP 900x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 900x1000	RAL9016	42,525	45,128	1 788,
V00219010L09016011	21VKL 900x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x1000	RAL9016	42,525	45,128	1 788,
V00219010U09016011	21VK 900x1000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 900x1000	RAL9016	42,525	45,128	1 788,
V00219011009016011	21VKP 900x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 900x1100	RAL9016	46,777	49,64	1 967,
V00219011L09016011	21VKL 900x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x1100	RAL9016	46,777	49,64	1 967,
V00219011U09016011	21VK 900x1100, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 900x1100	RAL9016	46,777	49,64	1 967,
V00219012009016011	21VKP 900x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 900x1200	RAL9016	51,029	54,152	2 146,
V00219012L09016011	21VKL 900x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x1200	RAL9016	51,029	54,152	2 146,
V00219012U09016011	21VK 900x1200, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 900x1200	RAL9016	51,029	54,152	2 146,
V00219013009016011	21VK 900x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VK 900x1300	RAL9016	55,281	58,664	2 324,
V00219013L09016011	21VKL 900x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x1300	RAL9016	55,281	58,664	2 324,
V00219014009016011	21VKP 900x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 900x1400	RAL9016	59,533	63,176	2 503,
V00219014L09016011	21VKL 900x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x1400	RAL9016	59,533	63,176	2 503,
V00219014U09016011	21VK 900x1400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 900x1400	RAL9016	59,533	63,176	2 503,
V00219015009016011	21VK 900x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VK 900x1500	RAL9016	63,785	67,688	2 682,
V00219015L09016011	21VKL 900x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x1500	RAL9016	63,785	67,688	2 682,
V00219016009016011	21VKP 900x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 900x1600	RAL9016	68,037	72,2	2 861,
V00219016L09016011	21VKL 900x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x1600	RAL9016	68,037	72,2	2 861,
V00219016U09016011	21VK 900x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 900x1600	RAL9016	68,037	72,2	2 861,
V00219017009016011	21VK 900x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VK 900x1700	RAL9016	72,289	77,553	3 040,
V00219017L09016011	21VKL 900x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x1700	RAL9016	72,289	77,553	3 040,
V00219018009016011	21VKP 900x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 900x1800	RAL9016	76,541	82,115	3 218,
V00219018L09016011	21VKL 900x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x1800	RAL9016	76,541	82,115	3 218,
V00219018U09016011	21VK 900x1800, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 900x1800	RAL9016	76,541	82,115	3 218,
V00219019009016011	21VK 900x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VK 900x1900	RAL9016	80,793	86,677	3 397,
V00219019L09016011	21VKL 900x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x1900	RAL9016	80,793	86,677	3 397,
V00219020009016011	21VKP 900x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 900x2000	RAL9016	85,045	91,239	3 576,
V00219020L09016011	21VKL 900x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x2000	RAL9016	85,045	91,239	3 576,
V00219020U09016011	21VK 900x2000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 900x2000	RAL9016	85,045	91,239	3 576,
V00219021009016011	21VKP 900x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 900x2100	RAL9016	89,297	95,801	3 755,
V00219022009016011	21VK 900x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VK 900x2200	RAL9016	93,549	100,363	3 934,
V00219022L09016011	21VKL 900x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x2200	RAL9016	93,549	100,363	3 934,
V00219023009016011	21VK 900x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VK 900x2300	RAL9016	97,801	104,925	4 112,
V00219023L09016011	21VKL 900x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x2300	RAL9016	97,801	104,925	4 112,
V00219023U09016011	21VK 900x2300, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 900x2300	RAL9016	97,801	104,925	4 112,
V00219024009016011	21VK 900x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VK 900x2400	RAL9016	102,053	109,487	4 291,
V00219024L09016011	21VKL 900x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x2400	RAL9016	102,053	109,487	4 291,
V00219025009016011	21VKP 900x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 900x2500	RAL9016	106,305	114,049	4 470,

V00219026009016011	21VK 900x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VK 900x2600	RAL9016	110,557	118,944	4 649,
V00219026L09016011	21VKL 900x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x2600	RAL9016	110,557	118,944	4 649,
V00219026U09016011	21VK 900x2600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 900x2600	RAL9016	110,557	118,944	4 649,
V00219027009016011	21VKP 900x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 900x2700	RAL9016	114,809	123,519	4 828,
V00219028009016011	21VK 900x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VK 900x2800	RAL9016	119,061	128,094	5 006,
V00219028L09016011	21VKL 900x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x2800	RAL9016	119,061	128,094	5 006,
V00219029009016011	21VKP 900x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKP 900x2900	RAL9016	123,313	132,669	5 185,
V00219030009016011	21VK 900x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VK 900x3000	RAL9016	127,565	137,244	5 364,
V00219030L09016011	21VKL 900x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, uzky	21VKL 900x3000	RAL9016	127,565	137,244	5 364,
V00219030U09016011	21VK 900x3000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, uzky	21VKU 900x3000	RAL9016	127,565	137,244	5 364,
V00223004009016011	22VKP 300x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x400	RAL9016	7,2	8,384	393,
V00223004L09016011	22VKL 300x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x400	RAL9016	7,2	8,384	393,
V00223004U09016011	22VK 300x0400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x400	RAL9016	7,2	8,384	393,
V00223005009016011	22VKP 300x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x500	RAL9016	9,	10,142	492,
V00223005L09016011	22VKL 300x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x500	RAL9016	9,	10,142	492,
V00223005U09016011	22VK 300x0500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x500	RAL9016	9,	10,142	492,
V00223006009016011	22VKP 300x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x600	RAL9016	10,8	11,961	590,
V00223006L09016011	22VKL 300x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x600	RAL9016	10,8	11,961	590,
V00223006U09016011	22VK 300x0600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x600	RAL9016	10,8	11,961	590,
V00223007009016011	22VKP 300x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x700	RAL9016	12,6	13,78	688,
V00223007L09016011	22VKL 300x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x700	RAL9016	12,6	13,78	688,
V00223007U09016011	22VK 300x0700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x700	RAL9016	12,6	13,78	688,
V00223008009016011	22VKP 300x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x800	RAL9016	14,4	15,6	786,
V00223008L09016011	22VKL 300x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x800	RAL9016	14,4	15,6	786,
V00223008U09016011	22VK 300x0800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x800	RAL9016	14,4	15,6	786,
V00223009009016011	22VKP 300x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x900	RAL9016	16,2	17,419	885,
V00223009L09016011	22VKL 300x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x900	RAL9016	16,2	17,419	885,
V00223009U09016011	22VK 300x0900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x900	RAL9016	16,2	17,419	885,
V00223010009016011	22VKP 300x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x1000	RAL9016	18,	19,239	983,
V00223010L09016011	22VKL 300x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x1000	RAL9016	18,	19,239	983,
V00223010U09016011	22VK 300x1000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x1000	RAL9016	18,	19,239	983,
V00223011009016011	22VKP 300x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x1100	RAL9016	19,8	21,058	1 081,
V00223011L09016011	22VKL 300x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x1100	RAL9016	19,8	21,058	1 081,
V00223011U09016011	22VK 300x1100, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x1100	RAL9016	19,8	21,058	1 081,
V00223012009016011	22VKP 300x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x1200	RAL9016	21,6	22,878	1 180,
V00223012L09016011	22VKL 300x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x1200	RAL9016	21,6	22,878	1 180,
V00223012U09016011	22VK 300x1200, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x1200	RAL9016	21,6	22,878	1 180,
V00223013009016011	22VKP 300x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x1300	RAL9016	23,4	24,697	1 278,
V00223013L09016011	22VKL 300x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x1300	RAL9016	23,4	24,697	1 278,
V00223013U09016011	22VK 300x1300, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x1300	RAL9016	23,4	24,697	1 278,
V00223014009016011	22VKP 300x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x1400	RAL9016	25,2	26,516	1 376,
V00223014L09016011	22VKL 300x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x1400	RAL9016	25,2	26,516	1 376,
V00223014U09016011	22VK 300x1400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x1400	RAL9016	25,2	26,516	1 376,
V00223015009016011	22VKP 300x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x1500	RAL9016	27,	28,336	1 475,
V00223015L09016011	22VKL 300x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x1500	RAL9016	27,	28,336	1 475,
V00223015U09016011	22VK 300x1500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x1500	RAL9016	27,	28,336	1 475,
V00223016009016011	22VKP 300x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x1600	RAL9016	28,8	30,155	1 573,
V00223016L09016011	22VKL 300x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x1600	RAL9016	28,8	30,155	1 573,
V00223016U09016011	22VK 300x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x1600	RAL9016	28,8	30,155	1 573,
V00223017009016011	22VKP 300x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x1700	RAL9016	30,6	32,093	1 671,
V00223017L09016011	22VKL 300x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x1700	RAL9016	30,6	32,093	1 671,
V00223017U09016011	22VK 300x1700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x1700	RAL9016	30,6	32,093	1 671,
V00223018009016011	22VKP 300x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x1800	RAL9016	32,4	33,913	1 769,
V00223018L09016011	22VKL 300x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x1800	RAL9016	32,4	33,913	1 769,
V00223018U09016011	22VK 300x1800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x1800	RAL9016	32,4	33,913	1 769,
V00223019009016011	22VKP 300x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x1900	RAL9016	34,2	35,732	1 868,
V00223019L09016011	22VKL 300x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x1900	RAL9016	34,2	35,732	1 868,
V00223019U09016011	22VK 300x1900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x1900	RAL9016	34,2	35,732	1 868,
V00223020009016011	22VKP 300x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x2000	RAL9016	36,	37,552	1 966,
V00223020L09016011	22VKL 300x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x2000	RAL9016	36,	37,552	1 966,
V00223020U09016011	22VK 300x2000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x2000	RAL9016	36,	37,552	1 966,
V00223021009016011	22VKP 300x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x2100	RAL9016	37,8	39,371	2 064,
V00223021L09016011	22VKL 300x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x2100	RAL9016	37,8	39,371	2 064,
V00223021U09016011	22VK 300x2100, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x2100	RAL9016	37,8	39,371	2 064,
V00223022009016011	22VKP 300x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x2200	RAL9016	39,6	41,191	2 163,
V00223022L09016011	22VKL 300x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x2200	RAL9016	39,6	41,191	2 163,
V00223022U09016011	22VK 300x2200, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x2200	RAL9016	39,6	41,191	2 163,
V00223023009016011	22VKP 300x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x2300	RAL9016	41,4	43,01	2 261,
V00223023L09016011	22VKL 300x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x2300	RAL9016	41,4	43,01	2 261,
V00223023U09016011	22VK 300x2300, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x2300	RAL9016	41,4	43,01	2 261,
V00223024009016011	22VKP 300x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x2400	RAL9016	43,2	44,829	2 359,
V00223024L09016011	22VKL 300x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x2400	RAL9016	43,2	44,829	2 359,

V00223024U09016011	22VK 300x2400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x2400	RAL9016	43,2	44,829	2 359,
V00223025009016011	22VKP 300x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x2500	RAL9016	45,	46,649	2 458,
V00223025L09016011	22VKL 300x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x2500	RAL9016	45,	46,649	2 458,
V00223025U09016011	22VK 300x2500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x2500	RAL9016	45,	46,649	2 458,
V00223026009016011	22VKP 300x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x2600	RAL9016	46,8	48,865	2 556,
V00223026L09016011	22VKL 300x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x2600	RAL9016	46,8	48,865	2 556,
V00223026U09016011	22VK 300x2600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x2600	RAL9016	46,8	48,865	2 556,
V00223027009016011	22VKP 300x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x2700	RAL9016	48,6	50,685	2 654,
V00223027L09016011	22VKL 300x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x2700	RAL9016	48,6	50,685	2 654,
V00223027U09016011	22VK 300x2700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x2700	RAL9016	48,6	50,685	2 654,
V00223028009016011	22VKP 300x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x2800	RAL9016	50,4	52,504	2 752,
V00223028L09016011	22VKL 300x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x2800	RAL9016	50,4	52,504	2 752,
V00223028U09016011	22VK 300x2800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x2800	RAL9016	50,4	52,504	2 752,
V00223029009016011	22VKP 300x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x2900	RAL9016	52,2	54,323	2 851,
V00223029L09016011	22VKL 300x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x2900	RAL9016	52,2	54,323	2 851,
V00223029U09016011	22VK 300x2900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x2900	RAL9016	52,2	54,323	2 851,
V00223030009016011	22VKP 300x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 300x3000	RAL9016	54,	56,143	2 949,
V00223030L09016011	22VKL 300x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 300x3000	RAL9016	54,	56,143	2 949,
V00223030U09016011	22VK 300x3000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 300x3000	RAL9016	54,	56,143	2 949,
V00224004009016011	22VKP 400x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x400	RAL9016	9,6	10,793	493,
V00224004L09016011	22VKL 400x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x400	RAL9016	9,6	10,793	493,
V00224004U09016011	22VK 400x0400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x400	RAL9016	9,6	10,793	493,
V00224005009016011	22VKP 400x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x500	RAL9016	12,	13,151	617,
V00224005L09016011	22VKL 400x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x500	RAL9016	12,	13,151	617,
V00224005U09016011	22VK 400x0500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x500	RAL9016	12,	13,151	617,
V00224006009016011	22VKP 400x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x600	RAL9016	14,4	15,571	740,
V00224006L09016011	22VKL 400x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x600	RAL9016	14,4	15,571	740,
V00224006U09016011	22VK 400x0600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x600	RAL9016	14,4	15,571	740,
V00224007009016011	22VKP 400x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x700	RAL9016	16,8	17,992	863,
V00224007L09016011	22VKL 400x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x700	RAL9016	16,8	17,992	863,
V00224007U09016011	22VK 400x0700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x700	RAL9016	16,8	17,992	863,
V00224008009016011	22VKP 400x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x800	RAL9016	19,2	20,412	986,
V00224008L09016011	22VKL 400x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x800	RAL9016	19,2	20,412	986,
V00224008U09016011	22VK 400x0800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x800	RAL9016	19,2	20,412	986,
V00224009009016011	22VKP 400x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x900	RAL9016	21,6	22,832	1 110,
V00224009L09016011	22VKL 400x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x900	RAL9016	21,6	22,832	1 110,
V00224009U09016011	22VK 400x0900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x900	RAL9016	21,6	22,832	1 110,
V00224010009016011	22VKP 400x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x1000	RAL9016	24,	25,252	1 233,
V00224010L09016011	22VKL 400x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x1000	RAL9016	24,	25,252	1 233,
V00224010U09016011	22VK 400x1000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x1000	RAL9016	24,	25,252	1 233,
V00224011009016011	22VKP 400x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x1100	RAL9016	26,4	27,672	1 356,
V00224011L09016011	22VKL 400x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x1100	RAL9016	26,4	27,672	1 356,
V00224011U09016011	22VK 400x1100, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x1100	RAL9016	26,4	27,672	1 356,
V00224012009016011	22VKP 400x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x1200	RAL9016	28,8	30,092	1 480,
V00224012L09016011	22VKL 400x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x1200	RAL9016	28,8	30,092	1 480,
V00224012U09016011	22VK 400x1200, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x1200	RAL9016	28,8	30,092	1 480,
V00224013009016011	22VKP 400x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x1300	RAL9016	31,2	32,513	1 603,
V00224013L09016011	22VKL 400x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x1300	RAL9016	31,2	32,513	1 603,
V00224013U09016011	22VK 400x1300, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x1300	RAL9016	31,2	32,513	1 603,
V00224014009016011	22VKP 400x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x1400	RAL9016	33,6	34,933	1 726,
V00224014L09016011	22VKL 400x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x1400	RAL9016	33,6	34,933	1 726,
V00224014U09016011	22VK 400x1400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x1400	RAL9016	33,6	34,933	1 726,
V00224015009016011	22VKP 400x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x1500	RAL9016	36,	37,353	1 850,
V00224015L09016011	22VKL 400x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x1500	RAL9016	36,	37,353	1 850,
V00224015U09016011	22VK 400x1500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x1500	RAL9016	36,	37,353	1 850,
V00224016009016011	22VKP 400x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x1600	RAL9016	38,4	39,773	1 973,
V00224016L09016011	22VKL 400x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x1600	RAL9016	38,4	39,773	1 973,
V00224016U09016011	22VK 400x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x1600	RAL9016	38,4	39,773	1 973,
V00224017009016011	22VKP 400x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x1700	RAL9016	40,8	42,314	2 096,
V00224017L09016011	22VKL 400x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x1700	RAL9016	40,8	42,314	2 096,
V00224017U09016011	22VK 400x1700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x1700	RAL9016	40,8	42,314	2 096,
V00224018009016011	22VKP 400x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x1800	RAL9016	43,2	44,734	2 219,
V00224018L09016011	22VKL 400x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x1800	RAL9016	43,2	44,734	2 219,
V00224018U09016011	22VK 400x1800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x1800	RAL9016	43,2	44,734	2 219,
V00224019009016011	22VKP 400x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x1900	RAL9016	45,6	47,154	2 343,
V00224019L09016011	22VKL 400x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x1900	RAL9016	45,6	47,154	2 343,
V00224019U09016011	22VK 400x1900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x1900	RAL9016	45,6	47,154	2 343,
V00224020009016011	22VKP 400x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x2000	RAL9016	48,	49,574	2 466,
V00224020L09016011	22VKL 400x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x2000	RAL9016	48,	49,574	2 466,
V00224020U09016011	22VK 400x2000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x2000	RAL9016	48,	49,574	2 466,
V00224021009016011	22VKP 400x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x2100	RAL9016	50,4	51,995	2 589,
V00224021L09016011	22VKL 400x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x2100	RAL9016	50,4	51,995	2 589,

V00224021U09016011	22VK 400x2100, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x2100	RAL9016	50,4	51,995	2 589,
V00224022009016011	22VKP 400x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x2200	RAL9016	52,8	54,415	2 713,
V00224022L09016011	22VKL 400x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x2200	RAL9016	52,8	54,415	2 713,
V00224022U09016011	22VK 400x2200, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x2200	RAL9016	52,8	54,415	2 713,
V00224023009016011	22VKP 400x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x2300	RAL9016	55,2	56,835	2 836,
V00224023L09016011	22VKL 400x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x2300	RAL9016	55,2	56,835	2 836,
V00224023U09016011	22VK 400x2300, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x2300	RAL9016	55,2	56,835	2 836,
V00224024009016011	22VKP 400x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x2400	RAL9016	57,6	59,255	2 959,
V00224024L09016011	22VKL 400x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x2400	RAL9016	57,6	59,255	2 959,
V00224024U09016011	22VK 400x2400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x2400	RAL9016	57,6	59,255	2 959,
V00224025009016011	22VKP 400x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x2500	RAL9016	60,	61,675	3 083,
V00224025L09016011	22VKL 400x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x2500	RAL9016	60,	61,675	3 083,
V00224025U09016011	22VK 400x2500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x2500	RAL9016	60,	61,675	3 083,
V00224026009016011	22VKP 400x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x2600	RAL9016	62,4	64,494	3 206,
V00224026L09016011	22VKL 400x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x2600	RAL9016	62,4	64,494	3 206,
V00224026U09016011	22VK 400x2600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x2600	RAL9016	62,4	64,494	3 206,
V00224027009016011	22VKP 400x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x2700	RAL9016	64,8	66,914	3 329,
V00224027L09016011	22VKL 400x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x2700	RAL9016	64,8	66,914	3 329,
V00224027U09016011	22VK 400x2700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x2700	RAL9016	64,8	66,914	3 329,
V00224028009016011	22VKP 400x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x2800	RAL9016	67,2	69,334	3 452,
V00224028L09016011	22VKL 400x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x2800	RAL9016	67,2	69,334	3 452,
V00224028U09016011	22VK 400x2800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x2800	RAL9016	67,2	69,334	3 452,
V00224029009016011	22VKP 400x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x2900	RAL9016	69,6	71,755	3 576,
V00224029L09016011	22VKL 400x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x2900	RAL9016	69,6	71,755	3 576,
V00224029U09016011	22VK 400x2900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x2900	RAL9016	69,6	71,755	3 576,
V00224030009016011	22VKP 400x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 400x3000	RAL9016	72,	74,175	3 699,
V00224030L09016011	22VKL 400x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 400x3000	RAL9016	72,	74,175	3 699,
V00224030U09016011	22VK 400x3000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 400x3000	RAL9016	72,	74,175	3 699,
V00225004009016011	22VKP 500x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 500x400	RAL9016	10,515	11,717	588,
V00225004L09016011	22VKL 500x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 500x400	RAL9016	10,515	11,717	588,
V00225004U09016011	22VK 500x0400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 500x400	RAL9016	10,515	11,717	588,
V00225005009016011	22VKP 500x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 500x500	RAL9016	13,142	14,303	735,
V00225005L09016011	22VKL 500x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 500x500	RAL9016	13,142	14,303	735,
V00225005U09016011	22VK 500x0500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 500x500	RAL9016	13,142	14,303	735,
V00225006009016011	22VKP 500x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 500x600	RAL9016	15,77	16,952	882,
V00225006L09016011	22VKL 500x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 500x600	RAL9016	15,77	16,952	882,
V00225006U09016011	22VK 500x0600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 500x600	RAL9016	15,77	16,952	882,
V00225007009016011	22VKP 500x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 500x700	RAL9016	18,397	19,6	1 029,
V00225007L09016011	22VKL 500x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 500x700	RAL9016	18,397	19,6	1 029,
V00225007U09016011	22VK 500x0700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 500x700	RAL9016	18,397	19,6	1 029,
V00225008009016011	22VKP 500x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 500x800	RAL9016	21,025	22,249	1 176,
V00225008L09016011	22VKL 500x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 500x800	RAL9016	21,025	22,249	1 176,
V00225008U09016011	22VK 500x0800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 500x800	RAL9016	21,025	22,249	1 176,
V00225009009016011	22VKP 500x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 500x900	RAL9016	23,652	24,897	1 323,
V00225009L09016011	22VKL 500x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 500x900	RAL9016	23,652	24,897	1 323,
V00225009U09016011	22VK 500x0900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 500x900	RAL9016	23,652	24,897	1 323,
V00225010009016011	22VKP 500x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 500x1000	RAL9016	26,28	27,545	1 470,
V00225010L09016011	22VKL 500x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 500x1000	RAL9016	26,28	27,545	1 470,
V00225010U09016011	22VK 500x1000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 500x1000	RAL9016	26,28	27,545	1 470,
V00225011009016011	22VKP 500x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 500x1100	RAL9016	28,908	30,194	1 617,
V00225011L09016011	22VKL 500x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 500x1100	RAL9016	28,908	30,194	1 617,
V00225011U09016011	22VK 500x1100, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 500x1100	RAL9016	28,908	30,194	1 617,
V00225012009016011	22VKP 500x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 500x1200	RAL9016	31,535	32,842	1 764,
V00225012L09016011	22VKL 500x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 500x1200	RAL9016	31,535	32,842	1 764,
V00225012U09016011	22VK 500x1200, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 500x1200	RAL9016	31,535	32,842	1 764,
V00225013009016011	22VKP 500x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 500x1300	RAL9016	34,163	35,491	1 911,
V00225013L09016011	22VKL 500x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 500x1300	RAL9016	34,163	35,491	1 911,
V00225013U09016011	22VK 500x1300, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 500x1300	RAL9016	34,163	35,491	1 911,
V00225014009016011	22VKP 500x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 500x1400	RAL9016	36,79	38,139	2 058,
V00225014L09016011	22VKL 500x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 500x1400	RAL9016	36,79	38,139	2 058,
V00225014U09016011	22VK 500x1400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 500x1400	RAL9016	36,79	38,139	2 058,
V00225015009016011	22VKP 500x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 500x1500	RAL9016	39,418	40,788	2 205,
V00225015L09016011	22VKL 500x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 500x1500	RAL9016	39,418	40,788	2 205,
V00225015U09016011	22VK 500x1500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 500x1500	RAL9016	39,418	40,788	2 205,
V00225016009016011	22VKP 500x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 500x1600	RAL9016	42,045	43,436	2 352,
V00225016L09016011	22VKL 500x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 500x1600	RAL9016	42,045	43,436	2 352,
V00225016U09016011	22VK 500x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 500x1600	RAL9016	42,045	43,436	2 352,
V00225017009016011	22VKP 500x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 500x1700	RAL9016	44,673	46,207	2 499,
V00225017L09016011	22VKL 500x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 500x1700	RAL9016	44,673	46,207	2 499,
V00225017U09016011	22VK 500x1700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 500x1700	RAL9016	44,673	46,207	2 499,
V00225018009016011	22VKP 500x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 500x1800	RAL9016	47,3	48,855	2 646,
V00225018L09016011	22VKL 500x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 500x1800	RAL9016	47,3	48,855	2 646,

V00225018U09016011	22VK 500x1800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 500x1800	RAL9016	47,3	48,855	2 646,
V00225019009016011	22VKP 500x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 500x1900	RAL9016	49,928	51,504	2 793,
V00225019L09016011	22VKL 500x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 500x1900	RAL9016	49,928	51,504	2 793,
V00225019U09016011	22VK 500x1900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 500x1900	RAL9016	49,928	51,504	2 793,
V00225020009016011	22VKP 500x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 500x2000	RAL9016	52,555	54,152	2 940,
V00225020L09016011	22VKL 500x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 500x2000	RAL9016	52,555	54,152	2 940,
V00225020U09016011	22VK 500x2000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 500x2000	RAL9016	52,555	54,152	2 940,
V00225021009016011	22VKP 500x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 500x2100	RAL9016	55,183	56,801	3 087,
V00225021L09016011	22VKL 500x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 500x2100	RAL9016	55,183	56,801	3 087,
V00225021U09016011	22VK 500x2100, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 500x2100	RAL9016	55,183	56,801	3 087,
V00225022009016011	22VKP 500x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 500x2200	RAL9016	57,81	59,449	3 234,
V00225022L09016011	22VKL 500x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 500x2200	RAL9016	57,81	59,449	3 234,
V00225022U09016011	22VK 500x2200, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 500x2200	RAL9016	57,81	59,449	3 234,
V00225023009016011	22VKP 500x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 500x2300	RAL9016	60,438	62,098	3 381,
V00225023L09016011	22VKL 500x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 500x2300	RAL9016	60,438	62,098	3 381,
V00225023U09016011	22VK 500x2300, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 500x2300	RAL9016	60,438	62,098	3 381,
V00225024009016011	22VKP 500x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 500x2400	RAL9016	63,065	64,746	3 528,
V00225024L09016011	22VKL 500x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 500x2400	RAL9016	63,065	64,746	3 528,
V00225024U09016011	22VK 500x2400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 500x2400	RAL9016	63,065	64,746	3 528,
V00225025009016011	22VKP 500x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 500x2500	RAL9016	65,693	67,395	3 675,
V00225025L09016011	22VKL 500x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 500x2500	RAL9016	65,693	67,395	3 675,
V00225025U09016011	22VK 500x2500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 500x2500	RAL9016	65,693	67,395	3 675,
V00225026009016011	22VKP 500x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 500x2600	RAL9016	68,32	70,443	3 822,
V00225026L09016011	22VKL 500x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 500x2600	RAL9016	68,32	70,443	3 822,
V00225026U09016011	22VK 500x2600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 500x2600	RAL9016	68,32	70,443	3 822,
V00225027009016011	22VKP 500x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 500x2700	RAL9016	70,948	73,092	3 969,
V00225027L09016011	22VKL 500x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 500x2700	RAL9016	70,948	73,092	3 969,
V00225027U09016011	22VK 500x2700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 500x2700	RAL9016	70,948	73,092	3 969,
V00225028009016011	22VKP 500x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 500x2800	RAL9016	73,575	75,74	4 116,
V00225028L09016011	22VKL 500x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 500x2800	RAL9016	73,575	75,74	4 116,
V00225028U09016011	22VK 500x2800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 500x2800	RAL9016	73,575	75,74	4 116,
V00225029009016011	22VKP 500x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 500x2900	RAL9016	76,203	78,389	4 263,
V00225029L09016011	22VKL 500x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 500x2900	RAL9016	76,203	78,389	4 263,
V00225029U09016011	22VK 500x2900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 500x2900	RAL9016	76,203	78,389	4 263,
V00225030009016011	22VKP 500x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 500x3000	RAL9016	78,83	81,037	4 410,
V00225030L09016011	22VKL 500x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 500x3000	RAL9016	78,83	81,037	4 410,
V00225030U09016011	22VK 500x3000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 500x3000	RAL9016	78,83	81,037	4 410,
V00226004009016011	22VKP 600x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x400	RAL9016	12,614	13,825	679,
V00226004L09016011	22VKL 600x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x400	RAL9016	12,614	13,825	679,
V00226004U09016011	22VK 600x0400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x400	RAL9016	12,614	13,825	679,
V00226005007016011	22VKP 600x0500, Kr, 1.0 MPa, t:1, RAL7016, ZD	22VKP 600x500	RAL7016	15,768	16,938	849,
V00226005009016011	22VKP 600x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x500	RAL9016	15,768	16,938	849,
V00226005L09016011	22VKL 600x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x500	RAL9016	15,768	16,938	849,
V00226005U09016011	22VK 600x0500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x500	RAL9016	15,768	16,938	849,
V00226006001013011	22VKP 600x0600, Kr, 1.0 MPa, t:1, RAL1013, ZD	22VK 600x600	RAL1013	18,922	20,114	1 019,
V00226006008001011	22VKP 600x0600, Kr, 1.0 MPa, t:1, RAL8001, ZD	22VK 600x600	RAL8001	18,922	20,114	1 019,
V00226006009016011	22VKP 600x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x600	RAL9016	18,922	20,114	1 019,
V00226006L09016011	22VKL 600x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x600	RAL9016	18,922	20,114	1 019,
V00226006U09016011	22VK 600x0600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x600	RAL9016	18,922	20,114	1 019,
V00226007009016011	22VKP 600x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x700	RAL9016	22,075	23,289	1 189,
V00226007L09016011	22VKL 600x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x700	RAL9016	22,075	23,289	1 189,
V00226007U09016011	22VK 600x0700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x700	RAL9016	22,075	23,289	1 189,
V00226008008001011	22VKP 600x0800, Kr, 1.0 MPa, t:1, RAL8001, ZD	22VK 600x800	RAL8001	25,229	26,464	1 358,
V00226008009016011	22VKP 600x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x800	RAL9016	25,229	26,464	1 358,
V00226008L09016011	22VKL 600x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x800	RAL9016	25,229	26,464	1 358,
V00226008U09016011	22VK 600x0800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x800	RAL9016	25,229	26,464	1 358,
V00226009009016011	22VKP 600x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x900	RAL9016	28,382	29,639	1 528,
V00226009L09016011	22VKL 600x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x900	RAL9016	28,382	29,639	1 528,
V00226009U09016011	22VK 600x0900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x900	RAL9016	28,382	29,639	1 528,
V00226010001013011	22VKP 600x1000, Kr, 1.0 MPa, t:1, RAL1013, ZD	22VK 600x1000	RAL1013	31,536	32,815	1 698,
V00226010008001011	22VKP 600x1000, Kr, 1.0 MPa, t:1, RAL8001, ZD	22VK 600x1000	RAL8001	31,536	32,815	1 698,
V00226010009016011	22VKP 600x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x1000	RAL9016	31,536	32,815	1 698,
V00226010L09016011	22VKL 600x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x1000	RAL9016	31,536	32,815	1 698,
V00226010U09016011	22VK 600x1000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x1000	RAL9016	31,536	32,815	1 698,
V00226011009016011	22VKP 600x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x1100	RAL9016	34,69	35,991	1 868,
V00226011L09016011	22VKL 600x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x1100	RAL9016	34,69	35,991	1 868,
V00226011U09016011	22VK 600x1100, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x1100	RAL9016	34,69	35,991	1 868,
V00226012009016011	22VKP 600x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x1200	RAL9016	37,843	39,165	2 038,
V00226012L09016011	22VKL 600x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x1200	RAL9016	37,843	39,165	2 038,
V00226012U09016011	22VK 600x1200, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x1200	RAL9016	37,843	39,165	2 038,
V00226013009016011	22VKP 600x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x1300	RAL9016	40,997	42,341	2 207,
V00226013L09016011	22VKL 600x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x1300	RAL9016	40,997	42,341	2 207,

V00226013U09016011	22VK 600x1300, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x1300	RAL9016	40,997	42,341	2 207,
V00226014001001011	22VKP 600x1400, Kr, 1.0 MPa, t:1, RAL1001, ZD	22VKP 600x1400	RAL1001	44,15	45,515	2 377,
V00226014009016011	22VKP 600x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x1400	RAL9016	44,15	45,515	2 377,
V00226014L09016011	22VKL 600x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x1400	RAL9016	44,15	45,515	2 377,
V00226014U09016011	22VK 600x1400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x1400	RAL9016	44,15	45,515	2 377,
V00226015009016011	22VKP 600x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x1500	RAL9016	47,304	48,691	2 547,
V00226015L09016011	22VKL 600x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x1500	RAL9016	47,304	48,691	2 547,
V00226015U09016011	22VK 600x1500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x1500	RAL9016	47,304	48,691	2 547,
V00226016008001011	22VKP 600x1600, Kr, 1.0 MPa, t:1, RAL8001, ZD	22VK 600x1600	RAL8001	50,458	51,866	2 717,
V00226016009016011	22VKP 600x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x1600	RAL9016	50,458	51,866	2 717,
V00226016L09016011	22VKL 600x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x1600	RAL9016	50,458	51,866	2 717,
V00226016U09016011	22VK 600x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x1600	RAL9016	50,458	51,866	2 717,
V00226017009016011	22VKP 600x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x1700	RAL9016	53,611	55,166	2 887,
V00226017L09016011	22VKL 600x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x1700	RAL9016	53,611	55,166	2 887,
V00226017U09016011	22VK 600x1700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x1700	RAL9016	53,611	55,166	2 887,
V00226018008001011	22VKP 600x1800, Kr, 1.0 MPa, t:1, RAL8001, ZD	22VK 600x1800	RAL8001	56,765	58,342	3 056,
V00226018009016011	22VKP 600x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x1800	RAL9016	56,765	58,342	3 056,
V00226018L09016011	22VKL 600x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x1800	RAL9016	56,765	58,342	3 056,
V00226018U09016011	22VK 600x1800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x1800	RAL9016	56,765	58,342	3 056,
V00226019009016011	22VKP 600x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x1900	RAL9016	59,918	61,516	3 226,
V00226019L09016011	22VKL 600x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x1900	RAL9016	59,918	61,516	3 226,
V00226019U09016011	22VK 600x1900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x1900	RAL9016	59,918	61,516	3 226,
V00226020009016011	22VKP 600x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x2000	RAL9016	63,072	64,692	3 396,
V00226020L09016011	22VKL 600x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x2000	RAL9016	63,072	64,692	3 396,
V00226020U09016011	22VK 600x2000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x2000	RAL9016	63,072	64,692	3 396,
V00226021009016011	22VKP 600x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x2100	RAL9016	66,226	67,868	3 566,
V00226021L09016011	22VKL 600x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x2100	RAL9016	66,226	67,868	3 566,
V00226021U09016011	22VK 600x2100, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x2100	RAL9016	66,226	67,868	3 566,
V00226022009016011	22VKP 600x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x2200	RAL9016	69,379	71,042	3 736,
V00226022L09016011	22VKL 600x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x2200	RAL9016	69,379	71,042	3 736,
V00226022U09016011	22VK 600x2200, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x2200	RAL9016	69,379	71,042	3 736,
V00226023009016011	22VKP 600x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x2300	RAL9016	72,533	74,218	3 905,
V00226023L09016011	22VKL 600x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x2300	RAL9016	72,533	74,218	3 905,
V00226023U09016011	22VK 600x2300, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x2300	RAL9016	72,533	74,218	3 905,
V00226024009016011	22VKP 600x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x2400	RAL9016	75,686	77,393	4 075,
V00226024L09016011	22VKL 600x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x2400	RAL9016	75,686	77,393	4 075,
V00226024U09016011	22VK 600x2400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x2400	RAL9016	75,686	77,393	4 075,
V00226025009016011	22VKP 600x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x2500	RAL9016	78,84	80,568	4 245,
V00226025L09016011	22VKL 600x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x2500	RAL9016	78,84	80,568	4 245,
V00226025U09016011	22VK 600x2500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x2500	RAL9016	78,84	80,568	4 245,
V00226026009016011	22VKP 600x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x2600	RAL9016	81,994	84,146	4 415,
V00226026L09016011	22VKL 600x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x2600	RAL9016	81,994	84,146	4 415,
V00226026U09016011	22VK 600x2600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x2600	RAL9016	81,994	84,146	4 415,
V00226027009016011	22VKP 600x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x2700	RAL9016	85,147	87,321	4 585,
V00226027L09016011	22VKL 600x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x2700	RAL9016	85,147	87,321	4 585,
V00226027U09016011	22VK 600x2700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x2700	RAL9016	85,147	87,321	4 585,
V00226028009016011	22VKP 600x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x2800	RAL9016	88,301	90,497	4 754,
V00226028L09016011	22VKL 600x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x2800	RAL9016	88,301	90,497	4 754,
V00226028U09016011	22VK 600x2800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x2800	RAL9016	88,301	90,497	4 754,
V00226029009016011	22VKP 600x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x2900	RAL9016	91,454	93,671	4 924,
V00226029L09016011	22VKL 600x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x2900	RAL9016	91,454	93,671	4 924,
V00226029U09016011	22VK 600x2900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x2900	RAL9016	91,454	93,671	4 924,
V00226030009016011	22VKP 600x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 600x3000	RAL9016	94,608	96,847	5 094,
V00226030L09016011	22VKL 600x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 600x3000	RAL9016	94,608	96,847	5 094,
V00226030U09016011	22VK 600x3000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 600x3000	RAL9016	94,608	96,847	5 094,
V00229004001013011	22VKP 900x0400, Kr, 1.0 MPa, t:1, RAL1013, ZD	22VKP 900x400	RAL1013	19,713	21,27	939,
V00229004009016011	22VKP 900x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 900x400	RAL9016	19,713	21,27	939,
V00229004L09016011	22VKL 900x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x400	RAL9016	19,713	21,27	939,
V00229004U09016011	22VK 900x0400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 900x400	RAL9016	19,713	21,27	939,
V00229005009016011	22VKP 900x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 900x500	RAL9016	24,64	25,836	1 174,
V00229005L09016011	22VKL 900x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x500	RAL9016	24,64	25,836	1 174,
V00229005U09016011	22VK 900x0500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 900x500	RAL9016	24,64	25,836	1 174,
V00229006008001011	22VKP 900x0600, Kr, 1.0 MPa, t:1, RAL8001, ZD	22VK 900x600	RAL8001	29,567	30,786	1 409,
V00229006009016011	22VKP 900x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 900x600	RAL9016	29,567	30,786	1 409,
V00229006L09016011	22VKL 900x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x600	RAL9016	29,567	30,786	1 409,
V00229006U09016011	22VK 900x0600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 900x600	RAL9016	29,567	30,786	1 409,
V00229007009016011	22VKP 900x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 900x700	RAL9016	34,494	35,737	1 644,
V00229007L09016011	22VKL 900x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x700	RAL9016	34,494	35,737	1 644,
V00229007U09016011	22VK 900x0700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 900x700	RAL9016	34,494	35,737	1 644,
V00229008003001011	22VKP 900x0800, Kr, 1.0 MPa, t:1, RAL3001, ZD	22VK 900x800	RAL3001	39,421	40,687	1 878,
V00229008009016011	22VKP 900x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 900x800	RAL9016	39,421	40,687	1 878,
V00229008L09016011	22VKL 900x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x800	RAL9016	39,421	40,687	1 878,

V00229008U09016011	22VK 900x0800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 900x800	RAL9016	39,421	40,687	1 878,
V00229009001013011	22VKP 900x0900, Kr, 1.0 MPa, t:1, RAL1013, ZD	22VKP 900x900	RAL1013	44,348	45,638	2 113,
V00229009009016011	22VKP 900x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 900x900	RAL9016	44,348	45,638	2 113,
V00229009L09016011	22VKL 900x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x900	RAL9016	44,348	45,638	2 113,
V00229009U09016011	22VK 900x0900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 900x900	RAL9016	44,348	45,638	2 113,
V00229010009016011	22VKP 900x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 900x1000	RAL9016	49,275	50,589	2 348,
V00229010L09016011	22VKL 900x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x1000	RAL9016	49,275	50,589	2 348,
V00229010U09016011	22VK 900x1000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 900x1000	RAL9016	49,275	50,589	2 348,
V00229011009016011	22VKP 900x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 900x1100	RAL9016	54,202	55,539	2 583,
V00229011L09016011	22VKL 900x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x1100	RAL9016	54,202	55,539	2 583,
V00229011U09016011	22VK 900x1100, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 900x1100	RAL9016	54,202	55,539	2 583,
V00229012009016011	22VKP 900x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 900x1200	RAL9016	59,129	60,49	2 818,
V00229012L09016011	22VKL 900x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x1200	RAL9016	59,129	60,49	2 818,
V00229012U09016011	22VK 900x1200, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 900x1200	RAL9016	59,129	60,49	2 818,
V00229013009016011	22VK 900x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VK 900x1300	RAL9016	64,056	65,44	3 052,
V00229013L09016011	22VKL 900x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x1300	RAL9016	64,056	65,44	3 052,
V00229014009016011	22VKP 900x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 900x1400	RAL9016	68,983	70,391	3 287,
V00229014L09016011	22VKL 900x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x1400	RAL9016	68,983	70,391	3 287,
V00229014U09016011	22VK 900x1400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 900x1400	RAL9016	68,983	70,391	3 287,
V00229015009016011	22VK 900x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VK 900x1500	RAL9016	73,91	75,342	3 522,
V00229015L09016011	22VKL 900x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x1500	RAL9016	73,91	75,342	3 522,
V00229016009016011	22VKP 900x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 900x1600	RAL9016	78,837	80,292	3 757,
V00229016L09016011	22VKL 900x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x1600	RAL9016	78,837	80,292	3 757,
V00229016U09016011	22VK 900x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 900x1600	RAL9016	78,837	80,292	3 757,
V00229017009016011	22VK 900x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VK 900x1700	RAL9016	83,764	85,372	3 992,
V00229017L09016011	22VKL 900x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x1700	RAL9016	83,764	85,372	3 992,
V00229018009016011	22VKP 900x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 900x1800	RAL9016	88,691	90,323	4 226,
V00229018L09016011	22VKL 900x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x1800	RAL9016	88,691	90,323	4 226,
V00229018U09016011	22VK 900x1800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 900x1800	RAL9016	88,691	90,323	4 226,
V00229019009016011	22VK 900x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VK 900x1900	RAL9016	93,618	95,273	4 461,
V00229019L09016011	22VKL 900x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x1900	RAL9016	93,618	95,273	4 461,
V00229020009016011	22VKP 900x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 900x2000	RAL9016	98,545	100,224	4 696,
V00229020L09016011	22VKL 900x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x2000	RAL9016	98,545	100,224	4 696,
V00229020U09016011	22VK 900x2000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 900x2000	RAL9016	98,545	100,224	4 696,
V00229021009016011	22VKP 900x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 900x2100	RAL9016	103,472	105,175	4 931,
V00229022009016011	22VK 900x2200 Kr, 1.0 MPa, t:1, RAL9016, ZD	22VK 900x2200	RAL9016	108,399	110,125	5 166,
V00229022L09016011	22VKL 900x2200 Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x2200	RAL9016	108,399	110,125	5 166,
V00229023009016011	22VK 900x2300 Kr, 1.0 MPa, t:1, RAL9016, ZD	22VK 900x2300	RAL9016	113,326	115,076	5 400,
V00229023L09016011	22VKL 900x2300 Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x2300	RAL9016	113,326	115,076	5 400,
V00229023U09016011	22VK 900x2300, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 900x2300	RAL9016	113,326	115,076	5 400,
V00229024009016011	22VK 900x2400 Kr, 1.0 MPa, t:1, RAL9016, ZD	22VK 900x2400	RAL9016	118,253	120,026	5 635,
V00229024L09016011	22VKL 900x2400 Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x2400	RAL9016	118,253	120,026	5 635,
V00229025009016011	22VKP 900x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 900x2500	RAL9016	123,18	124,977	5 870,
V00229026009016011	22VK 900x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VK 900x2600	RAL9016	128,107	130,335	6 105,
V00229026L09016011	22VKL 900x2600 Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x2600	RAL9016	128,107	130,335	6 105,
V00229026U09016011	22VK 900x2600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 900x2600	RAL9016	128,107	130,335	6 105,
V00229027009016011	22VKP 900x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 900x2700	RAL9016	133,034	135,285	6 340,
V00229028009016011	22VK 900x2800 Kr, 1.0 MPa, t:1, RAL9016, ZD	22VK 900x2800	RAL9016	137,961	140,236	6 574,
V00229028L09016011	22VKL 900x2800 Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x2800	RAL9016	137,961	140,236	6 574,
V00229029009016011	22VKP 900x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKP 900x2900	RAL9016	142,888	145,187	6 809,
V00229030009016011	22VK 900x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	22VK 900x3000	RAL9016	147,815	150,137	7 044,
V00229030L09016011	22VKL 900x3000 Kr, 1.0 MPa, t:1, RAL9016, ZD	22VKL 900x3000	RAL9016	147,815	150,137	7 044,
V00229030U09016011	22VK 900x3000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	22VKU 900x3000	RAL9016	147,815	150,137	7 044,
V002H3004009016011	20VKP 300x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKPW 300x400	RAL9016	5,06	5,5	245,
V002H3004L09016011	20VKL 300x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKLW 300x400	RAL9016	5,06	5,5	245,
V002H3004U09016011	20VK 300x0400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky, hyg.	20VKUW 300x400	RAL9016	5,06	5,5	245,
V002H3005009016011	20VKP 300x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKPW 300x500	RAL9016	6,325	6,885	306,
V002H3005L09016011	20VKL 300x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKLW 300x500	RAL9016	6,325	6,885	306,
V002H3005U09016011	20VK 300x0500, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky, hyg.	20VKUW 300x500	RAL9016	6,325	6,885	306,
V002H3006009016011	20VKP 300x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKPW 300x600	RAL9016	7,59	8,263	367,
V002H3006L09016011	20VKL 300x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKLW 300x600	RAL9016	7,59	8,263	367,
V002H3006U09016011	20VK 300x0600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky, hyg.	20VKUW 300x600	RAL9016	7,59	8,263	367,
V002H3007009016011	20VKP 300x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKPW 300x700	RAL9016	8,855	9,641	428,
V002H3007L09016011	20VKL 300x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKLW 300x700	RAL9016	8,855	9,641	428,
V002H3007U09016011	20VK 300x0700, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky, hyg.	20VKUW 300x700	RAL9016	8,855	9,641	428,
V002H3008009016011	20VKP 300x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKPW 300x800	RAL9016	10,12	11,019	490,
V002H3008L09016011	20VKL 300x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKLW 300x800	RAL9016	10,12	11,019	490,
V002H3008U09016011	20VK 300x0800, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky, hyg.	20VKUW 300x800	RAL9016	10,12	11,019	490,
V002H3009009016011	20VKP 300x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKPW 300x900	RAL9016	11,385	12,397	551,
V002H3009L09016011	20VKL 300x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKLW 300x900	RAL9016	11,385	12,397	551,
V002H3009U09016011	20VK 300x0900, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky, hyg.	20VKUW 300x900	RAL9016	11,385	12,397	551,
V002H3010009016011	20VKP 300x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKPW 300x1000	RAL9016	12,65	13,775	612,

V002H6025L09016011	20VKL 600x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKLW 600x2500	RAL9016	60,72	63,314	2 670,
V002H6025U09016011	20VK 600x2500, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky, hyg.	20VKUW 600x2500	RAL9016	60,72	63,314	2 670,
V002H6026009016011	20VKP 600x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKPW 600x2600	RAL9016	63,149	70,239	2 777,
V002H6026L09016011	20VKL 600x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKLW 600x2600	RAL9016	63,149	70,239	2 777,
V002H6026U09016011	20VK 600x2600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky, hyg.	20VKUW 600x2600	RAL9016	63,149	70,239	2 777,
V002H6027009016011	20VKP 600x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKPW 600x2700	RAL9016	65,578	72,941	2 884,
V002H6027L09016011	20VKL 600x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKLW 600x2700	RAL9016	65,578	72,941	2 884,
V002H6027U09016011	20VK 600x2700, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky, hyg.	20VKUW 600x2700	RAL9016	65,578	72,941	2 884,
V002H6028009016011	20VKP 600x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKPW 600x2800	RAL9016	68,006	75,642	2 990,
V002H6028L09016011	20VKL 600x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKLW 600x2800	RAL9016	68,006	75,642	2 990,
V002H6028U09016011	20VK 600x2800, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky, hyg.	20VKUW 600x2800	RAL9016	68,006	75,642	2 990,
V002H6029009016011	20VKP 600x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKPW 600x2900	RAL9016	70,435	78,344	3 097,
V002H6029L09016011	20VKL 600x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKLW 600x2900	RAL9016	70,435	78,344	3 097,
V002H6029U09016011	20VK 600x2900, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky, hyg.	20VKUW 600x2900	RAL9016	70,435	78,344	3 097,
V002H6030009016011	20VKP 600x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKPW 600x3000	RAL9016	72,864	81,045	3 204,
V002H6030L09016011	20VKL 600x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKLW 600x3000	RAL9016	72,864	81,045	3 204,
V002H6030U09016011	20VK 600x3000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky, hyg.	20VKUW 600x3000	RAL9016	72,864	81,045	3 204,
V002H9004009016011	20VKP 900x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKPW 900x400	RAL9016	15,18	16,527	600,
V002H9004L09016011	20VKL 900x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKLW 900x400	RAL9016	15,18	16,527	600,
V002H9004U09016011	20VK 600x0400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky, hyg.	20VKUW 900x400	RAL9016	9,715	10,579	427,
V002H9005009016011	20VKP 900x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKPW 900x500	RAL9016	18,975	20,66	750,
V002H9005L09016011	20VKL 900x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKLW 900x500	RAL9016	18,975	20,66	750,
V002H9005U09016011	20VK 900x0500, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky, hyg.	20VKUW 900x500	RAL9016	18,975	20,66	750,
V002H9006009016011	20VKP 900x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKPW 900x600	RAL9016	22,77	24,793	900,
V002H9006L09016011	20VKL 900x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKLW 900x600	RAL9016	22,77	24,793	900,
V002H9006U09016011	20VK 900x0600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky, hyg.	20VKUW 900x600	RAL9016	22,77	24,793	900,
V002H9007009016011	20VKP 900x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKPW 900x700	RAL9016	26,565	28,926	1 050,
V002H9007L09016011	20VKL 900x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKLW 900x700	RAL9016	26,565	28,926	1 050,
V002H9007U09016011	20VK 900x0700, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky, hyg.	20VKUW 900x700	RAL9016	26,565	28,926	1 050,
V002H9008009016011	20VKP 900x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKPW 900x800	RAL9016	30,36	33,059	1 200,
V002H9008L09016011	20VKL 900x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKLW 900x800	RAL9016	30,36	33,059	1 200,
V002H9008U09016011	20VK 900x0800, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky, hyg.	20VKUW 900x800	RAL9016	30,36	33,059	1 200,
V002H9009009016011	20VKP 900x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKPW 900x900	RAL9016	34,155	37,192	1 350,
V002H9009L09016011	20VKL 900x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKLW 900x900	RAL9016	34,155	37,192	1 350,
V002H9009U09016011	20VK 600x0900, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky, hyg.	20VKUW 900x900	RAL9016	21,859	23,803	961,
V002H9010009016011	20VKP 900x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKPW 900x1000	RAL9016	37,95	41,325	1 500,
V002H9010L09016011	20VKL 900x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKLW 900x1000	RAL9016	37,95	41,325	1 500,
V002H9010U09016011	20VK 900x1000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky, hyg.	20VKUW 900x1000	RAL9016	37,95	41,325	1 500,
V002H9011009016011	20VKP 900x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKPW 900x1100	RAL9016	41,745	45,458	1 650,
V002H9011L09016011	20VKL 900x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKLW 900x1100	RAL9016	41,745	45,458	1 650,
V002H9011U09016011	20VK 900x1100, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky, hyg.	20VKUW 900x1100	RAL9016	41,745	45,458	1 650,
V002H9012009016011	20VKP 900x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKPW 900x1200	RAL9016	45,54	49,591	1 800,
V002H9012L09016011	20VKL 900x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKLW 900x1200	RAL9016	45,54	49,591	1 800,
V002H9012U09016011	20VK 600x1200, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky, hyg.	20VKUW 900x1200	RAL9016	29,146	31,738	1 282,
V002H9014009016011	20VKP 900x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKPW 900x1400	RAL9016	53,13	57,857	2 100,
V002H9014L09016011	20VKL 900x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKLW 900x1400	RAL9016	53,13	57,857	2 100,
V002H9014U09016011	20VK 900x1400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky, hyg.	20VKUW 900x1400	RAL9016	53,13	57,857	2 100,
V002H9016009016011	20VKP 900x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKPW 900x1600	RAL9016	60,72	66,123	2 400,
V002H9016L09016011	20VKL 900x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, široky, hyg.	20VKLW 900x1600	RAL9016	60,72	66,123	2 400,
V002H9016U09016011	20VK 900x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, široky, hyg.	20VKUW 900x1600	RAL9016	60,72	66,123	2 400,
V00303004009016011	30VKP 300x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x400	RAL9016	8,24	8,82	331,
V00303004L09016011	30VKL 300x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 300x400	RAL9016	8,24	8,82	331,
V00303004U09016011	30VK 300x0400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 300x400	RAL9016	8,24	8,82	331,
V00303005009016011	30VKP 300x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x500	RAL9016	10,3	11,025	414,
V00303005L09016011	30VKL 300x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 300x500	RAL9016	10,3	11,025	414,
V00303005U09016011	30VK 300x0500, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 300x500	RAL9016	10,3	11,025	414,
V00303006009016011	30VKP 300x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x600	RAL9016	12,36	13,231	497,
V00303006L09016011	30VKL 300x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 300x600	RAL9016	12,36	13,231	497,
V00303006U09016011	30VK 300x0600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 300x600	RAL9016	12,36	13,231	497,
V00303007009016011	30VKP 300x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x700	RAL9016	14,42	15,437	580,
V00303007L09016011	30VKL 300x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 300x700	RAL9016	14,42	15,437	580,
V00303007U09016011	30VK 300x0700, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 300x700	RAL9016	14,42	15,437	580,
V00303008009016011	30VKP 300x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x800	RAL9016	16,48	17,643	662,
V00303008L09016011	30VKL 300x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 300x800	RAL9016	16,48	17,643	662,
V00303008U09016011	30VK 300x0800, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 300x800	RAL9016	16,48	17,643	662,
V00303009009016011	30VKP 300x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x900	RAL9016	18,54	19,849	745,
V00303009L09016011	30VKL 300x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 300x900	RAL9016	18,54	19,849	745,
V00303009U09016011	30VK 300x0900, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 300x900	RAL9016	18,54	19,849	745,
V00303010009016011	30VKP 300x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x1000	RAL9016	20,6	22,055	828,
V00303010L09016011	30VKL 300x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 300x1000	RAL9016	20,6	22,055	828,
V00303010U09016011	30VK 300x1000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 300x1000	RAL9016	20,6	22,055	828,
V00303011009016011	30VKP 300x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x1100	RAL9016	22,66	24,261	911,

V00303011L09016011	30VKL 300x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 300x1100	RAL9016	22,66	24,261	911,
V00303011U09016011	30VK 300x1100, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 300x1100	RAL9016	22,66	24,261	911,
V00303012009016011	30VKP 300x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x1200	RAL9016	24,72	26,467	994,
V00303012L09016011	30VKL 300x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 300x1200	RAL9016	24,72	26,467	994,
V00303012U09016011	30VK 300x1200, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 300x1200	RAL9016	24,72	26,467	994,
V00303013009016011	30VKP 300x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x1300	RAL9016	26,78	28,673	1 076,
V00303013L09016011	30VKL 300x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 300x1300	RAL9016	26,78	28,673	1 076,
V00303014009016011	30VKP 300x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x1400	RAL9016	28,84	30,879	1 159,
V00303014L09016011	30VKL 300x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 300x1400	RAL9016	28,84	30,879	1 159,
V00303014U09016011	30VK 300x1400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 300x1400	RAL9016	28,84	30,879	1 159,
V00303015009016011	30VKP 300x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x1500	RAL9016	30,9	33,085	1 242,
V00303015L09016011	30VKL 300x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 300x1500	RAL9016	30,9	33,085	1 242,
V00303016009016011	30VKP 300x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x1600	RAL9016	32,96	35,291	1 325,
V00303016L09016011	30VKL 300x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 300x1600	RAL9016	32,96	35,291	1 325,
V00303016U09016011	30VK 300x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 300x1600	RAL9016	32,96	35,291	1 325,
V00303017009016011	30VKP 300x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x1700	RAL9016	35,02	37,497	1 408,
V00303017L09016011	30VKL 300x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 300x1700	RAL9016	35,02	37,497	1 408,
V00303018009016011	30VKP 300x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x1800	RAL9016	37,08	39,703	1 490,
V00303018L09016011	30VKL 300x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 300x1800	RAL9016	37,08	39,703	1 490,
V00303018U09016011	30VK 300x1800, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 300x1800	RAL9016	37,08	39,703	1 490,
V00303019009016011	30VKP 300x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x1900	RAL9016	39,14	41,909	1 573,
V00303019L09016011	30VKL 300x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 300x1900	RAL9016	39,14	41,909	1 573,
V00303020009016011	30VKP 300x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x2000	RAL9016	41,2	44,115	1 656,
V00303020L09016011	30VKL 300x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 300x2000	RAL9016	41,2	44,115	1 656,
V00303020U09016011	30VK 300x2000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 300x2000	RAL9016	41,2	44,115	1 656,
V00303021009016011	30VKP 300x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x2100	RAL9016	43,26	46,321	1 739,
V00303021L09016011	30VKL 300x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 300x2100	RAL9016	43,26	46,321	1 739,
V00303022009016011	30VKP 300x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x2200	RAL9016	45,32	48,527	1 822,
V00303022L09016011	30VKL 300x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 300x2200	RAL9016	45,32	48,527	1 822,
V00303023009016011	30VKP 300x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x2300	RAL9016	47,38	50,733	1 904,
V00303023L09016011	30VKL 300x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 300x2300	RAL9016	47,38	50,733	1 904,
V00303023U09016011	30VK 300x2300, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 300x2300	RAL9016	47,38	50,733	1 904,
V00303024009016011	30VKP 300x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x2400	RAL9016	49,44	52,939	1 987,
V00303024L09016011	30VKL 300x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 300x2400	RAL9016	49,44	52,939	1 987,
V00303025009016011	30VKP 300x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x2500	RAL9016	51,5	55,145	2 070,
V00303025L09016011	30VKL 300x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 300x2500	RAL9016	51,5	55,145	2 070,
V00303026009016011	30VKP 300x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x2600	RAL9016	53,56	57,351	2 153,
V00303026L09016011	30VKL 300x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 300x2600	RAL9016	53,56	57,351	2 153,
V00303026U09016011	30VK 300x2600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 300x2600	RAL9016	53,56	57,351	2 153,
V00303027009016011	30VKP 300x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x2700	RAL9016	55,62	59,557	2 236,
V00303027L09016011	30VKL 300x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 300x2700	RAL9016	55,62	59,557	2 236,
V00303028009016011	30VKP 300x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x2800	RAL9016	57,68	61,763	2 318,
V00303028L09016011	30VKL 300x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 300x2800	RAL9016	57,68	61,763	2 318,
V00303029009016011	30VKP 300x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x2900	RAL9016	59,74	63,969	2 401,
V00303029L09016011	30VKL 300x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 300x2900	RAL9016	59,74	63,969	2 401,
V00303030009016011	30VKP 300x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 300x3000	RAL9016	61,8	66,175	2 484,
V00303030L09016011	30VKL 300x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 300x3000	RAL9016	61,8	66,175	2 484,
V00303030U09016011	30VK 300x3000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 300x3000	RAL9016	61,8	66,175	2 484,
V00304004009016011	30VKP 400x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x400	RAL9016	10,64	11,538	418,
V00304004L09016011	30VKL 400x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 400x400	RAL9016	10,64	11,538	418,
V00304004U09016011	30VK 400x0400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 400x400	RAL9016	10,64	11,538	418,
V00304005009016011	30VKP 400x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x500	RAL9016	13,3	14,422	523,
V00304005L09016011	30VKL 400x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 400x500	RAL9016	13,3	14,422	523,
V00304005U09016011	30VK 400x0500, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 400x500	RAL9016	13,3	14,422	523,
V00304006009016011	30VKP 400x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x600	RAL9016	15,96	17,307	627,
V00304006L09016011	30VKL 400x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 400x600	RAL9016	15,96	17,307	627,
V00304006U09016011	30VK 400x0600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 400x600	RAL9016	15,96	17,307	627,
V00304007009016011	30VKP 400x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x700	RAL9016	18,62	20,192	732,
V00304007L09016011	30VKL 400x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 400x700	RAL9016	18,62	20,192	732,
V00304007U09016011	30VK 400x0700, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 400x700	RAL9016	18,62	20,192	732,
V00304008009016011	30VKP 400x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x800	RAL9016	21,28	23,077	836,
V00304008L09016011	30VKL 400x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 400x800	RAL9016	21,28	23,077	836,
V00304008U09016011	30VK 400x0800, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 400x800	RAL9016	21,28	23,077	836,
V00304009009016011	30VKP 400x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x900	RAL9016	23,94	25,962	941,
V00304009L09016011	30VKL 400x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 400x900	RAL9016	23,94	25,962	941,
V00304009U09016011	30VK 400x0900, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 400x900	RAL9016	23,94	25,962	941,
V00304010009016011	30VKP 400x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x1000	RAL9016	26,6	28,847	1 045,
V00304010L09016011	30VKL 400x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 400x1000	RAL9016	26,6	28,847	1 045,
V00304010U09016011	30VK 400x1000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 400x1000	RAL9016	26,6	28,847	1 045,
V00304011009016011	30VKP 400x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x1100	RAL9016	29,26	31,732	1 150,
V00304011L09016011	30VKL 400x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 400x1100	RAL9016	29,26	31,732	1 150,
V00304011U09016011	30VK 400x1100, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 400x1100	RAL9016	29,26	31,732	1 150,

V00304012009016011	30VKP 400x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x1200	RAL9016	31,92	34,617	1 254,
V00304012L09016011	30VKL 400x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 400x1200	RAL9016	31,92	34,617	1 254,
V00304012U09016011	30VK 400x1200, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 400x1200	RAL9016	31,92	34,617	1 254,
V00304013009016011	30VKP 400x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x1300	RAL9016	34,58	37,502	1 359,
V00304013L09016011	30VKL 400x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 400x1300	RAL9016	34,58	37,502	1 359,
V00304014009016011	30VKP 400x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x1400	RAL9016	37,24	40,387	1 463,
V00304014L09016011	30VKL 400x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 400x1400	RAL9016	37,24	40,387	1 463,
V00304014U09016011	30VK 400x1400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 400x1400	RAL9016	37,24	40,387	1 463,
V00304015009016011	30VKP 400x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x1500	RAL9016	39,9	43,272	1 568,
V00304015L09016011	30VKL 400x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 400x1500	RAL9016	39,9	43,272	1 568,
V00304016009016011	30VKP 400x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x1600	RAL9016	42,56	46,157	1 672,
V00304016L09016011	30VKL 400x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 400x1600	RAL9016	42,56	46,157	1 672,
V00304016U09016011	30VK 400x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 400x1600	RAL9016	42,56	46,157	1 672,
V00304017009016011	30VKP 400x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x1700	RAL9016	45,22	49,042	1 777,
V00304017L09016011	30VKL 400x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 400x1700	RAL9016	45,22	49,042	1 777,
V00304018009016011	30VKP 400x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x1800	RAL9016	47,88	51,927	1 881,
V00304018L09016011	30VKL 400x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 400x1800	RAL9016	47,88	51,927	1 881,
V00304018U09016011	30VK 400x1800, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 400x1800	RAL9016	47,88	51,927	1 881,
V00304019009016011	30VKP 400x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x1900	RAL9016	50,54	54,812	1 986,
V00304019L09016011	30VKL 400x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 400x1900	RAL9016	50,54	54,812	1 986,
V00304020009016011	30VKP 400x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x2000	RAL9016	53,2	57,697	2 090,
V00304020L09016011	30VKL 400x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 400x2000	RAL9016	53,2	57,697	2 090,
V00304020U09016011	30VK 400x2000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 400x2000	RAL9016	53,2	57,697	2 090,
V00304021009016011	30VKP 400x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x2100	RAL9016	55,86	60,582	2 195,
V00304021L09016011	30VKL 400x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 400x2100	RAL9016	55,86	60,582	2 195,
V00304022009016011	30VKP 400x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x2200	RAL9016	58,52	63,467	2 299,
V00304022L09016011	30VKL 400x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 400x2200	RAL9016	58,52	63,467	2 299,
V00304023009016011	30VKP 400x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x2300	RAL9016	61,18	66,352	2 404,
V00304023L09016011	30VKL 400x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 400x2300	RAL9016	61,18	66,352	2 404,
V00304023U09016011	30VK 400x2300, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 400x2300	RAL9016	61,18	66,352	2 404,
V00304024009016011	30VKP 400x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x2400	RAL9016	63,84	69,237	2 508,
V00304024L09016011	30VKL 400x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 400x2400	RAL9016	63,84	69,237	2 508,
V00304025009016011	30VKP 400x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x2500	RAL9016	66,5	72,122	2 613,
V00304025L09016011	30VKL 400x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 400x2500	RAL9016	66,5	72,122	2 613,
V00304026009016011	30VKP 400x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x2600	RAL9016	69,16	75,007	2 717,
V00304026L09016011	30VKL 400x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 400x2600	RAL9016	69,16	75,007	2 717,
V00304026U09016011	30VK 400x2600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 400x2600	RAL9016	69,16	75,007	2 717,
V00304027009016011	30VKP 400x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x2700	RAL9016	71,82	77,892	2 822,
V00304027L09016011	30VKL 400x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 400x2700	RAL9016	71,82	77,892	2 822,
V00304028009016011	30VKP 400x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x2800	RAL9016	74,48	80,777	2 926,
V00304028L09016011	30VKL 400x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 400x2800	RAL9016	74,48	80,777	2 926,
V00304029009016011	30VKP 400x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x2900	RAL9016	77,14	83,662	3 031,
V00304029L09016011	30VKL 400x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 400x2900	RAL9016	77,14	83,662	3 031,
V00304030009016011	30VKP 400x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 400x3000	RAL9016	79,8	86,547	3 135,
V00304030L09016011	30VKL 400x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 400x3000	RAL9016	79,8	86,547	3 135,
V00304030U09016011	30VK 400x3000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 400x3000	RAL9016	79,8	86,547	3 135,
V00305004009016011	30VKP 500x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 500x400	RAL9016	12,278	12,739	501,
V00305004L09016011	30VKL 500x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 500x400	RAL9016	12,278	12,739	501,
V00305004U09016011	30VK 500x0400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 500x400	RAL9016	12,278	12,739	501,
V00305005009016011	30VKP 500x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 500x500	RAL9016	15,648	16,803	627,
V00305005L09016011	30VKL 500x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 500x500	RAL9016	15,648	16,803	627,
V00305005U09016011	30VK 500x0500, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 500x500	RAL9016	15,648	16,803	627,
V00305006009016011	30VKP 500x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 500x600	RAL9016	18,778	20,164	752,
V00305006L09016011	30VKL 500x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 500x600	RAL9016	18,778	20,164	752,
V00305006U09016011	30VK 500x0600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 500x600	RAL9016	18,778	20,164	752,
V00305007009016011	30VKP 500x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 500x700	RAL9016	21,907	23,525	877,
V00305007L09016011	30VKL 500x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 500x700	RAL9016	21,907	23,525	877,
V00305007U09016011	30VK 500x0700, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 500x700	RAL9016	21,907	23,525	877,
V00305008009016011	30VKP 500x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 500x800	RAL9016	25,037	26,886	1 002,
V00305008L09016011	30VKL 500x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 500x800	RAL9016	25,037	26,886	1 002,
V00305008U09016011	30VK 500x0800, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 500x800	RAL9016	25,037	26,886	1 002,
V00305009009016011	30VKP 500x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 500x900	RAL9016	28,166	30,247	1 128,
V00305009L09016011	30VKL 500x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 500x900	RAL9016	28,166	30,247	1 128,
V00305009U09016011	30VK 500x0900, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 500x900	RAL9016	28,166	30,247	1 128,
V00305010009016011	30VKP 500x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 500x1000	RAL9016	31,296	33,608	1 253,
V00305010L09016011	30VKL 500x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 500x1000	RAL9016	31,296	33,608	1 253,
V00305010U09016011	30VK 500x1000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 500x1000	RAL9016	31,296	33,608	1 253,
V00305011009016011	30VKP 500x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 500x1100	RAL9016	34,426	36,969	1 378,
V00305011L09016011	30VKL 500x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 500x1100	RAL9016	34,426	36,969	1 378,
V00305011U09016011	30VK 500x1100, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 500x1100	RAL9016	34,426	36,969	1 378,
V00305012009016011	30VKP 500x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 500x1200	RAL9016	37,555	40,33	1 504,
V00305012L09016011	30VKL 500x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 500x1200	RAL9016	37,555	40,33	1 504,

V00305012U09016011	30VK 500x1200, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 500x1200	RAL9016	37,555	40,33	1 504,
V00305013009016011	30VKP 500x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 500x1300	RAL9016	40,685	43,691	1 629,
V00305013L09016011	30VKL 500x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 500x1300	RAL9016	40,685	43,691	1 629,
V00305013U09016011	30VK 500x1300, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 500x1300	RAL9016	40,685	43,691	1 629,
V00305014009016011	30VKP 500x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 500x1400	RAL9016	43,814	47,052	1 754,
V00305014L09016011	30VKL 500x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 500x1400	RAL9016	43,814	47,052	1 754,
V00305014U09016011	30VK 500x1400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 500x1400	RAL9016	43,814	47,052	1 754,
V00305015009016011	30VKP 500x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 500x1500	RAL9016	46,944	50,412	1 880,
V00305015L09016011	30VKL 500x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 500x1500	RAL9016	46,944	50,412	1 880,
V00305016009016011	30VKP 500x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 500x1600	RAL9016	50,074	53,773	2 005,
V00305016L09016011	30VKL 500x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 500x1600	RAL9016	50,074	53,773	2 005,
V00305016U09016011	30VK 500x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 500x1600	RAL9016	50,074	53,773	2 005,
V00305017009016011	30VKP 500x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 500x1700	RAL9016	53,203	58,252	2 130,
V00305017L09016011	30VKL 500x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 500x1700	RAL9016	53,203	58,252	2 130,
V00305018009016011	30VKP 500x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 500x1800	RAL9016	56,333	61,679	2 255,
V00305018L09016011	30VKL 500x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 500x1800	RAL9016	56,333	61,679	2 255,
V00305018U09016011	30VK 500x1800, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 500x1800	RAL9016	56,333	61,679	2 255,
V00305019009016011	30VKP 500x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 500x1900	RAL9016	59,462	65,106	2 381,
V00305019L09016011	30VKL 500x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 500x1900	RAL9016	59,462	65,106	2 381,
V00305020009016011	30VKP 500x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 500x2000	RAL9016	62,592	68,533	2 506,
V00305020L09016011	30VKL 500x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 500x2000	RAL9016	62,592	68,533	2 506,
V00305020U09016011	30VK 500x2000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 500x2000	RAL9016	62,592	68,533	2 506,
V00305021009016011	30VKP 500x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 500x2100	RAL9016	65,722	71,961	2 631,
V00305021L09016011	30VKL 500x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 500x2100	RAL9016	65,722	71,961	2 631,
V00305022009016011	30VKP 500x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 500x2200	RAL9016	68,851	75,388	2 757,
V00305022L09016011	30VKL 500x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 500x2200	RAL9016	68,851	75,388	2 757,
V00305023009016011	30VKP 500x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 500x2300	RAL9016	71,981	78,815	2 882,
V00305023L09016011	30VKL 500x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 500x2300	RAL9016	71,981	78,815	2 882,
V00305023U09016011	30VK 500x2300, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 500x2300	RAL9016	71,981	78,815	2 882,
V00305024009016011	30VKP 500x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 500x2400	RAL9016	75,11	82,242	3 007,
V00305024L09016011	30VKL 500x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 500x2400	RAL9016	75,11	82,242	3 007,
V00305025009016011	30VKP 500x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 500x2500	RAL9016	78,24	85,669	3 133,
V00305025L09016011	30VKL 500x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 500x2500	RAL9016	78,24	85,669	3 133,
V00305026009016011	30VKP 500x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 500x2600	RAL9016	81,37	89,565	3 258,
V00305026L09016011	30VKL 500x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 500x2600	RAL9016	81,37	89,565	3 258,
V00305026U09016011	30VK 500x2600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 500x2600	RAL9016	81,37	89,565	3 258,
V00305027009016011	30VKP 500x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 500x2700	RAL9016	84,499	93,01	3 383,
V00305027L09016011	30VKL 500x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 500x2700	RAL9016	84,499	93,01	3 383,
V00305028009016011	30VKP 500x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 500x2800	RAL9016	87,629	96,454	3 508,
V00305028L09016011	30VKL 500x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 500x2800	RAL9016	87,629	96,454	3 508,
V00305029009016011	30VKP 500x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 500x2900	RAL9016	90,758	99,899	3 634,
V00305029L09016011	30VKL 500x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 500x2900	RAL9016	90,758	99,899	3 634,
V00305030009016011	30VKP 500x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 500x3000	RAL9016	93,888	103,343	3 759,
V00305030L09016011	30VKL 500x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 500x3000	RAL9016	93,888	103,343	3 759,
V00305030U09016011	30VK 500x3000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 500x3000	RAL9016	93,888	103,343	3 759,
V00306004009016011	30VKP 600x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 600x400	RAL9016	16,479	18,059	582,
V00306004L09016011	30VKL 600x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 600x400	RAL9016	16,479	18,059	582,
V00306004U09016011	30VK 600x0400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 600x400	RAL9016	16,479	18,059	582,
V00306005009016011	30VKP 600x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 600x500	RAL9016	18,528	20,165	728,
V00306005L09016011	30VKL 600x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 600x500	RAL9016	18,528	20,165	728,
V00306005U09016011	30VK 600x0500, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 600x500	RAL9016	18,528	20,165	728,
V00306006009016011	30VKP 600x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 600x600	RAL9016	22,234	24,198	873,
V00306006L09016011	30VKL 600x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 600x600	RAL9016	22,234	24,198	873,
V00306006U09016011	30VK 600x0600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 600x600	RAL9016	22,234	24,198	873,
V00306007009016011	30VKP 600x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 600x700	RAL9016	25,939	28,231	1 019,
V00306007L09016011	30VKL 600x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 600x700	RAL9016	25,939	28,231	1 019,
V00306007U09016011	30VK 600x0700, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 600x700	RAL9016	25,939	28,231	1 019,
V00306008009016011	30VKP 600x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 600x800	RAL9016	29,645	32,264	1 164,
V00306008L09016011	30VKL 600x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 600x800	RAL9016	29,645	32,264	1 164,
V00306008U09016011	30VK 600x0800, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 600x800	RAL9016	29,645	32,264	1 164,
V00306009009016011	30VKP 600x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 600x900	RAL9016	33,35	36,297	1 310,
V00306009L09016011	30VKL 600x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 600x900	RAL9016	33,35	36,297	1 310,
V00306009U09016011	30VK 600x0900, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 600x900	RAL9016	33,35	36,297	1 310,
V00306010009016011	30VKP 600x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 600x1000	RAL9016	37,056	40,33	1 455,
V00306010L09016011	30VKL 600x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 600x1000	RAL9016	37,056	40,33	1 455,
V00306010U09016011	30VK 600x1000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 600x1000	RAL9016	37,056	40,33	1 455,
V00306011009016011	30VKP 600x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 600x1100	RAL9016	40,762	44,363	1 601,
V00306011L09016011	30VKL 600x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 600x1100	RAL9016	40,762	44,363	1 601,
V00306011U09016011	30VK 600x1100, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 600x1100	RAL9016	40,762	44,363	1 601,
V00306012009016011	30VKP 600x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 600x1200	RAL9016	44,467	48,396	1 746,
V00306012L09016011	30VKL 600x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 600x1200	RAL9016	44,467	48,396	1 746,
V00306012U09016011	30VK 600x1200, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 600x1200	RAL9016	44,467	48,396	1 746,

V00306013009016011	30VKP 600x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 600x1300	RAL9016	48,173	52,428	1 892,
V00306013L09016011	30VKL 600x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 600x1300	RAL9016	48,173	52,428	1 892,
V00306014009016011	30VKP 600x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 600x1400	RAL9016	51,878	56,461	2 037,
V00306014L09016011	30VKL 600x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 600x1400	RAL9016	51,878	56,461	2 037,
V00306014U09016011	30VK 600x1400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 600x1400	RAL9016	51,878	56,461	2 037,
V00306015009016011	30VKP 600x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 600x1500	RAL9016	55,584	60,494	2 183,
V00306015L09016011	30VKL 600x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 600x1500	RAL9016	55,584	60,494	2 183,
V00306016009016011	30VKP 600x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 600x1600	RAL9016	59,29	64,527	2 328,
V00306016L09016011	30VKL 600x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 600x1600	RAL9016	59,29	64,527	2 328,
V00306016U09016011	30VK 600x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 600x1600	RAL9016	59,29	64,527	2 328,
V00306017009016011	30VKP 600x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 600x1700	RAL9016	62,995	69,902	2 474,
V00306017L09016011	30VKL 600x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 600x1700	RAL9016	62,995	69,902	2 474,
V00306018009016011	30VKP 600x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 600x1800	RAL9016	66,701	74,014	2 619,
V00306018L09016011	30VKL 600x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 600x1800	RAL9016	66,701	74,014	2 619,
V00306018U09016011	30VK 600x1800, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 600x1800	RAL9016	66,701	74,014	2 619,
V00306019009016011	30VKP 600x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 600x1900	RAL9016	70,406	78,126	2 765,
V00306019L09016011	30VKL 600x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 600x1900	RAL9016	70,406	78,126	2 765,
V00306020009016011	30VKP 600x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 600x2000	RAL9016	74,112	82,237	2 910,
V00306020L09016011	30VKL 600x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 600x2000	RAL9016	74,112	82,237	2 910,
V00306020U09016011	30VK 600x2000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 600x2000	RAL9016	74,112	82,237	2 910,
V00306021009016011	30VKP 600x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 600x2100	RAL9016	77,818	86,349	3 056,
V00306021L09016011	30VKL 600x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 600x2100	RAL9016	77,818	86,349	3 056,
V00306022009016011	30VKP 600x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 600x2200	RAL9016	81,523	90,461	3 201,
V00306022L09016011	30VKL 600x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 600x2200	RAL9016	81,523	90,461	3 201,
V00306023009016011	30VKP 600x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 600x2300	RAL9016	85,229	94,572	3 347,
V00306023L09016011	30VKL 600x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 600x2300	RAL9016	85,229	94,572	3 347,
V00306023U09016011	30VK 600x2300, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 600x2300	RAL9016	85,229	94,572	3 347,
V00306024009016011	30VKP 600x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 600x2400	RAL9016	88,934	98,684	3 492,
V00306024L09016011	30VKL 600x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 600x2400	RAL9016	88,934	98,684	3 492,
V00306025009016011	30VKP 600x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 600x2500	RAL9016	92,64	102,796	3 638,
V00306025L09016011	30VKL 600x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 600x2500	RAL9016	92,64	102,796	3 638,
V00306026009016011	30VKP 600x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 600x2600	RAL9016	96,346	107,478	3 783,
V00306026L09016011	30VKL 600x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 600x2600	RAL9016	96,346	107,478	3 783,
V00306026U09016011	30VK 600x2600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 600x2600	RAL9016	96,346	107,478	3 783,
V00306027009016011	30VKP 600x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 600x2700	RAL9016	100,051	111,612	3 929,
V00306027L09016011	30VKL 600x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 600x2700	RAL9016	100,051	111,612	3 929,
V00306028009016011	30VKP 600x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 600x2800	RAL9016	103,757	115,745	4 074,
V00306028L09016011	30VKL 600x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 600x2800	RAL9016	103,757	115,745	4 074,
V00306029009016011	30VKP 600x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 600x2900	RAL9016	107,462	119,879	4 220,
V00306029L09016011	30VKL 600x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 600x2900	RAL9016	107,462	119,879	4 220,
V00306030009016011	30VKP 600x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 600x3000	RAL9016	111,168	124,013	4 365,
V00306030L09016011	30VKL 600x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 600x3000	RAL9016	111,168	124,013	4 365,
V00306030U09016011	30VK 600x3000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 600x3000	RAL9016	111,168	124,013	4 365,
V00309004009016011	30VKP 900x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 900x400	RAL9016	23,32	26,1	816,
V00309004L09016011	30VKL 900x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 900x400	RAL9016	23,32	26,1	816,
V00309004U09016011	30VK 900x0400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 900x400	RAL9016	23,32	26,1	816,
V00309005009016011	30VKP 900x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 900x500	RAL9016	28,55	31,505	1 020,
V00309005L09016011	30VKL 900x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 900x500	RAL9016	28,55	31,505	1 020,
V00309005U09016011	30VK 900x0500, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 900x500	RAL9016	28,55	31,505	1 020,
V00309006009016011	30VKP 900x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 900x600	RAL9016	34,26	37,807	1 224,
V00309006L09016011	30VKL 900x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 900x600	RAL9016	34,26	37,807	1 224,
V00309006U09016011	30VK 900x0600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 900x600	RAL9016	34,26	37,807	1 224,
V00309007009016011	30VKP 900x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 900x700	RAL9016	39,97	44,109	1 428,
V00309007L09016011	30VKL 900x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 900x700	RAL9016	39,97	44,109	1 428,
V00309007U09016011	30VK 900x0700, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 900x700	RAL9016	39,97	44,109	1 428,
V00309008009016011	30VKP 900x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 900x800	RAL9016	45,68	50,411	1 632,
V00309008L09016011	30VKL 900x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 900x800	RAL9016	45,68	50,411	1 632,
V00309008U09016011	30VK 900x0800, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 900x800	RAL9016	45,68	50,411	1 632,
V00309009009016011	30VKP 900x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 900x900	RAL9016	51,39	56,713	1 836,
V00309009L09016011	30VKL 900x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 900x900	RAL9016	51,39	56,713	1 836,
V00309009U09016011	30VK 900x0900, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 900x900	RAL9016	51,39	56,713	1 836,
V00309010009016011	30VKP 900x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 900x1000	RAL9016	57,1	63,015	2 040,
V00309010L09016011	30VKL 900x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 900x1000	RAL9016	57,1	63,015	2 040,
V00309010U09016011	30VK 900x1000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 900x1000	RAL9016	57,1	63,015	2 040,
V00309011009016011	30VKP 900x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 900x1100	RAL9016	62,81	69,317	2 244,
V00309011L09016011	30VKL 900x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 900x1100	RAL9016	62,81	69,317	2 244,
V00309011U09016011	30VK 900x1100, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 900x1100	RAL9016	62,81	69,317	2 244,
V00309012009016011	30VKP 900x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 900x1200	RAL9016	68,52	75,619	2 448,
V00309012L09016011	30VKL 900x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 900x1200	RAL9016	68,52	75,619	2 448,
V00309012U09016011	30VK 900x1200, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 900x1200	RAL9016	68,52	75,619	2 448,
V00309013009016011	30VK 900x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VK 900x1300	RAL9016	74,23	81,921	2 652,
V00309013L09016011	30VKL 900x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 900x1300	RAL9016	74,23	81,921	2 652,

V00309014009016011	30VKP 900x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 900x1400	RAL9016	79,94	88,223	2 856,
V00309014L09016011	30VKL 900x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 900x1400	RAL9016	79,94	88,223	2 856,
V00309014U09016011	30VK 900x1400, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 900x1400	RAL9016	79,94	88,223	2 856,
V00309015009016011	30VK 900x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VK 900x1500	RAL9016	85,65	94,525	3 060,
V00309015L09016011	30VKL 900x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 900x1500	RAL9016	85,65	94,525	3 060,
V00309016009016011	30VKP 900x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKP 900x1600	RAL9016	91,36	100,827	3 264,
V00309016L09016011	30VKL 900x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 900x1600	RAL9016	91,36	100,827	3 264,
V00309016U09016011	30VK 900x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 900x1600	RAL9016	91,36	100,827	3 264,
V00309017009016011	30VK 900x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VK 900x1700	RAL9016	97,07	109,223	3 468,
V00309017L09016011	30VKL 900x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 900x1700	RAL9016	97,07	109,223	3 468,
V00309018009016011	30VK 900x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VK 900x1800	RAL9016	102,78	115,647	3 672,
V00309018L09016011	30VKL 900x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 900x1800	RAL9016	102,78	115,647	3 672,
V00309018U09016011	30VK 900x1800, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 900x1800	RAL9016	102,78	115,647	3 672,
V00309019009016011	30VK 900x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VK 900x1900	RAL9016	108,49	122,071	3 876,
V00309019L09016011	30VKL 900x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 900x1900	RAL9016	108,49	122,071	3 876,
V00309020009016011	30VK 900x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VK 900x2000	RAL9016	114,2	128,495	4 080,
V00309020L09016011	30VKL 900x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 900x2000	RAL9016	114,2	128,495	4 080,
V00309020U09016011	30VK 900x2000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 900x2000	RAL9016	114,2	128,495	4 080,
V00309021009016011	30VK 900x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VK 900x2100	RAL9016	119,91	134,919	4 284,
V00309021L09016011	30VKL 900x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 900x2100	RAL9016	119,91	134,919	4 284,
V00309022009016011	30VK 900x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VK 900x2200	RAL9016	125,62	141,343	4 488,
V00309022L09016011	30VKL 900x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 900x2200	RAL9016	125,62	141,343	4 488,
V00309023009016011	30VK 900x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VK 900x2300	RAL9016	131,33	147,767	4 692,
V00309023L09016011	30VKL 900x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 900x2300	RAL9016	131,33	147,767	4 692,
V00309023U09016011	30VK 900x2300, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 900x2300	RAL9016	131,33	147,767	4 692,
V00309024009016011	30VK 900x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VK 900x2400	RAL9016	137,04	154,191	4 896,
V00309024L09016011	30VKL 900x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 900x2400	RAL9016	137,04	154,191	4 896,
V00309025009016011	30VK 900x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VK 900x2500	RAL9016	142,75	160,615	5 100,
V00309025L09016011	30VKL 900x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 900x2500	RAL9016	142,75	160,615	5 100,
V00309026009016011	30VK 900x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VK 900x2600	RAL9016	148,46	167,934	5 304,
V00309026L09016011	30VKL 900x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 900x2600	RAL9016	148,46	167,934	5 304,
V00309026U09016011	30VK 900x2600, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 900x2600	RAL9016	148,46	167,934	5 304,
V00309027009016011	30VK 900x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VK 900x2700	RAL9016	154,17	174,393	5 508,
V00309027L09016011	30VKL 900x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 900x2700	RAL9016	154,17	174,393	5 508,
V00309028009016011	30VK 900x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VK 900x2800	RAL9016	159,88	180,852	5 712,
V00309028L09016011	30VKL 900x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 900x2800	RAL9016	159,88	180,852	5 712,
V00309029009016011	30VK 900x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VK 900x2900	RAL9016	165,59	187,311	5 916,
V00309029L09016011	30VKL 900x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 900x2900	RAL9016	165,59	187,311	5 916,
V00309030009016011	30VK 900x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VK 900x3000	RAL9016	171,3	193,77	6 120,
V00309030L09016011	30VKL 900x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD, hyg.	30VKL 900x3000	RAL9016	171,3	193,77	6 120,
V00309030U09016011	30VK 900x3000, Kr, 1.0 MPa, t:1, RAL9016, bezZD, hyg.	30VKU 900x3000	RAL9016	171,3	193,77	6 120,
V00333004009016011	33VKP 300x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 300x400	RAL9016	10,72	11,086	555,
V00333004L09016011	33VKL 300x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x400	RAL9016	10,72	11,086	555,
V00333004U09016011	33VK 300x0400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x400	RAL9016	10,72	11,086	555,
V00333005009016011	33VKP 300x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 300x500	RAL9016	13,4	13,858	694,
V00333005L09016011	33VKL 300x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x500	RAL9016	13,4	13,858	694,
V00333005U09016011	33VK 300x0500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x500	RAL9016	13,4	13,858	694,
V00333006009016011	33VKP 300x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 300x600	RAL9016	16,08	16,63	833,
V00333006L09016011	33VKL 300x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x600	RAL9016	16,08	16,63	833,
V00333006U09016011	33VK 300x0600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x600	RAL9016	16,08	16,63	833,
V00333007009016011	33VKP 300x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 300x700	RAL9016	18,76	19,402	972,
V00333007L09016011	33VKL 300x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x700	RAL9016	18,76	19,402	972,
V00333007U09016011	33VK 300x0700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x700	RAL9016	18,76	19,402	972,
V00333008009016011	33VKP 300x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 300x800	RAL9016	21,44	22,174	1 110,
V00333008L09016011	33VKL 300x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x800	RAL9016	21,44	22,174	1 110,
V00333008U09016011	33VK 300x0800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x800	RAL9016	21,44	22,174	1 110,
V00333009009016011	33VKP 300x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 300x900	RAL9016	24,12	24,946	1 249,
V00333009L09016011	33VKL 300x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x900	RAL9016	24,12	24,946	1 249,
V00333009U09016011	33VK 300x0900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x900	RAL9016	24,12	24,946	1 249,
V00333010009016011	33VKP 300x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 300x1000	RAL9016	26,8	27,718	1 388,
V00333010L09016011	33VKL 300x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x1000	RAL9016	26,8	27,718	1 388,
V00333010U09016011	33VK 300x1000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x1000	RAL9016	26,8	27,718	1 388,
V00333011009016011	33VKP 300x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 300x1100	RAL9016	29,48	30,49	1 527,
V00333011L09016011	33VKL 300x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x1100	RAL9016	29,48	30,49	1 527,
V00333011U09016011	33VK 300x1100, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x1100	RAL9016	29,48	30,49	1 527,
V00333012009016011	33VKP 300x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 300x1200	RAL9016	32,16	33,262	1 666,
V00333012L09016011	33VKL 300x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x1200	RAL9016	32,16	33,262	1 666,
V00333012U09016011	33VK 300x1200, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x1200	RAL9016	32,16	33,262	1 666,
V00333013009016011	33VKP 300x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 300x1300	RAL9016	34,84	36,034	1 804,
V00333013L09016011	33VKL 300x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x1300	RAL9016	34,84	36,034	1 804,
V00333013U09016011	33VK 300x1300, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x1300	RAL9016	34,84	36,034	1 804,
V00333014001001011	33VKP 300x1400, Kr, 1.0 MPa, t:1, RAL1001, ZD	33VKP 300x1400	RAL1001	37,52	38,806	1 943,

V00333014009016011	33VKP 300x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 300x1400	RAL9016	37,52	38,806	1 943,
V00333014L09016011	33VKL 300x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x1400	RAL9016	37,52	38,806	1 943,
V00333014U09016011	33VK 300x1400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x1400	RAL9016	37,52	38,806	1 943,
V00333015009016011	33VKP 300x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 300x1500	RAL9016	40,2	41,578	2 082,
V00333015L09016011	33VKL 300x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x1500	RAL9016	40,2	41,578	2 082,
V00333015U09016011	33VK 300x1500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x1500	RAL9016	40,2	41,578	2 082,
V00333016009016011	33VKP 300x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 300x1600	RAL9016	42,88	44,35	2 221,
V00333016L09016011	33VKL 300x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x1600	RAL9016	42,88	44,35	2 221,
V00333016U09016011	33VK 300x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x1600	RAL9016	42,88	44,35	2 221,
V00333017009016011	33VKP 300x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 300x1700	RAL9016	45,56	46,681	2 360,
V00333017L09016011	33VKL 300x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x1700	RAL9016	45,56	46,681	2 360,
V00333017U09016011	33VK 300x1700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x1700	RAL9016	45,56	46,681	2 360,
V00333018009016011	33VKP 300x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 300x1800	RAL9016	48,24	49,427	2 498,
V00333018L09016011	33VKL 300x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x1800	RAL9016	48,24	49,427	2 498,
V00333018U09016011	33VK 300x1800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x1800	RAL9016	48,24	49,427	2 498,
V00333019009016011	33VKP 300x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 300x1900	RAL9016	50,92	52,173	2 637,
V00333019L09016011	33VKL 300x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x1900	RAL9016	50,92	52,173	2 637,
V00333019U09016011	33VK 300x1900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x1900	RAL9016	50,92	52,173	2 637,
V00333020009016011	33VKP 300x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 300x2000	RAL9016	53,6	54,919	2 776,
V00333020L09016011	33VKL 300x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x2000	RAL9016	53,6	54,919	2 776,
V00333020U09016011	33VK 300x2000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x2000	RAL9016	53,6	54,919	2 776,
V00333021009016011	33VKP 300x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 300x2100	RAL9016	56,28	57,665	2 915,
V00333021L09016011	33VKL 300x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x2100	RAL9016	56,28	57,665	2 915,
V00333021U09016011	33VK 300x2100, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x2100	RAL9016	56,28	57,665	2 915,
V00333022009016011	33VKP 300x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 300x2200	RAL9016	58,96	60,411	3 054,
V00333022L09016011	33VKL 300x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x2200	RAL9016	58,96	60,411	3 054,
V00333022U09016011	33VK 300x2200, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x2200	RAL9016	58,96	60,411	3 054,
V00333023009016011	33VKP 300x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 300x2300	RAL9016	61,64	63,157	3 192,
V00333023L09016011	33VKL 300x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x2300	RAL9016	61,64	63,157	3 192,
V00333023U09016011	33VK 300x2300, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x2300	RAL9016	61,64	63,157	3 192,
V00333024009016011	33VKP 300x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 300x2400	RAL9016	64,32	65,903	3 331,
V00333024L09016011	33VKL 300x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x2400	RAL9016	64,32	65,903	3 331,
V00333024U09016011	33VK 300x2400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x2400	RAL9016	64,32	65,903	3 331,
V00333025009016011	33VKP 300x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 300x2500	RAL9016	67,	68,649	3 470,
V00333025L09016011	33VKL 300x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x2500	RAL9016	67,	68,649	3 470,
V00333025U09016011	33VK 300x2500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x2500	RAL9016	67,	68,649	3 470,
V00333026009016011	33VKP 300x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 300x2600	RAL9016	69,68	71,395	3 609,
V00333026L09016011	33VKL 300x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x2600	RAL9016	69,68	71,395	3 609,
V00333026U09016011	33VK 300x2600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x2600	RAL9016	69,68	71,395	3 609,
V00333027009016011	33VKP 300x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 300x2700	RAL9016	72,36	74,141	3 748,
V00333027L09016011	33VKL 300x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x2700	RAL9016	72,36	74,141	3 748,
V00333027U09016011	33VK 300x2700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x2700	RAL9016	72,36	74,141	3 748,
V00333028009016011	33VKP 300x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 300x2800	RAL9016	75,04	76,887	3 886,
V00333028L09016011	33VKL 300x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x2800	RAL9016	75,04	76,887	3 886,
V00333028U09016011	33VK 300x2800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x2800	RAL9016	75,04	76,887	3 886,
V00333029009016011	33VKP 300x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 300x2900	RAL9016	77,72	79,633	4 025,
V00333029L09016011	33VKL 300x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x2900	RAL9016	77,72	79,633	4 025,
V00333029U09016011	33VK 300x2900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x2900	RAL9016	77,72	79,633	4 025,
V00333030009016011	33VKP 300x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 300x3000	RAL9016	80,4	82,379	4 164,
V00333030L09016011	33VKL 300x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 300x3000	RAL9016	80,4	82,379	4 164,
V00333030U09016011	33VK 300x3000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 300x3000	RAL9016	80,4	82,379	4 164,
V00334004009016011	33VKP 400x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 400x400	RAL9016	14,292	14,783	700,
V00334004L09016011	33VKL 400x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 400x400	RAL9016	14,292	14,783	700,
V00334004U09016011	33VK 400x0400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 400x400	RAL9016	14,292	14,783	700,
V00334005009016011	33VKP 400x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 400x500	RAL9016	17,865	18,478	876,
V00334005L09016011	33VKL 400x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 400x500	RAL9016	17,865	18,478	876,
V00334005U09016011	33VK 400x0500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 400x500	RAL9016	17,865	18,478	876,
V00334006009016011	33VKP 400x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 400x600	RAL9016	21,438	22,174	1 051,
V00334006L09016011	33VKL 400x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 400x600	RAL9016	21,438	22,174	1 051,
V00334006U09016011	33VK 400x0600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 400x600	RAL9016	21,438	22,174	1 051,
V00334007009016011	33VKP 400x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 400x700	RAL9016	25,011	25,87	1 226,
V00334007L09016011	33VKL 400x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 400x700	RAL9016	25,011	25,87	1 226,
V00334007U09016011	33VK 400x0700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 400x700	RAL9016	25,011	25,87	1 226,
V00334008009016011	33VKP 400x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 400x800	RAL9016	28,584	29,566	1 401,
V00334008L09016011	33VKL 400x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 400x800	RAL9016	28,584	29,566	1 401,
V00334008U09016011	33VK 400x0800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 400x800	RAL9016	28,584	29,566	1 401,
V00334009009016011	33VKP 400x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 400x900	RAL9016	32,157	33,262	1 576,
V00334009L09016011	33VKL 400x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 400x900	RAL9016	32,157	33,262	1 576,
V00334009U09016011	33VK 400x0900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 400x900	RAL9016	32,157	33,262	1 576,
V00334010009016011	33VKP 400x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 400x1000	RAL9016	35,73	36,958	1 751,
V00334010L09016011	33VKL 400x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 400x1000	RAL9016	35,73	36,958	1 751,
V00334010U09016011	33VK 400x1000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 400x1000	RAL9016	35,73	36,958	1 751,

V00334011009016011	33VKP 400x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 400x1100	RAL9016	39,303	40,654	1 926,
V00334011L09016011	33VKL 400x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 400x1100	RAL9016	39,303	40,654	1 926,
V00334011U09016011	33VK 400x1100, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 400x1100	RAL9016	39,303	40,654	1 926,
V00334012009016011	33VKP 400x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 400x1200	RAL9016	42,876	44,35	2 101,
V00334012L09016011	33VKL 400x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 400x1200	RAL9016	42,876	44,35	2 101,
V00334012U09016011	33VK 400x1200, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 400x1200	RAL9016	42,876	44,35	2 101,
V00334013009016011	33VKP 400x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 400x1300	RAL9016	46,449	48,046	2 276,
V00334013L09016011	33VKL 400x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 400x1300	RAL9016	46,449	48,046	2 276,
V00334013U09016011	33VK 400x1300, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 400x1300	RAL9016	46,449	48,046	2 276,
V00334014009016011	33VKP 400x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 400x1400	RAL9016	50,022	51,742	2 451,
V00334014L09016011	33VKL 400x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 400x1400	RAL9016	50,022	51,742	2 451,
V00334014U09016011	33VK 400x1400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 400x1400	RAL9016	50,022	51,742	2 451,
V00334015009016011	33VKP 400x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 400x1500	RAL9016	53,595	55,438	2 627,
V00334015L09016011	33VKL 400x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 400x1500	RAL9016	53,595	55,438	2 627,
V00334015U09016011	33VK 400x1500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 400x1500	RAL9016	53,595	55,438	2 627,
V00334016009016011	33VKP 400x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 400x1600	RAL9016	57,168	59,134	2 802,
V00334016L09016011	33VKL 400x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 400x1600	RAL9016	57,168	59,134	2 802,
V00334016U09016011	33VK 400x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 400x1600	RAL9016	57,168	59,134	2 802,
V00334017009016011	33VKP 400x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 400x1700	RAL9016	60,741	62,241	2 977,
V00334017L09016011	33VKL 400x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 400x1700	RAL9016	60,741	62,241	2 977,
V00334017U09016011	33VK 400x1700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 400x1700	RAL9016	60,741	62,241	2 977,
V00334018009016011	33VKP 400x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 400x1800	RAL9016	64,314	65,902	3 152,
V00334018L09016011	33VKL 400x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 400x1800	RAL9016	64,314	65,902	3 152,
V00334018U09016011	33VK 400x1800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 400x1800	RAL9016	64,314	65,902	3 152,
V00334019009016011	33VKP 400x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 400x1900	RAL9016	67,887	69,563	3 327,
V00334019L09016011	33VKL 400x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 400x1900	RAL9016	67,887	69,563	3 327,
V00334019U09016011	33VK 400x1900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 400x1900	RAL9016	67,887	69,563	3 327,
V00334020009016011	33VKP 400x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 400x2000	RAL9016	71,46	73,224	3 502,
V00334020L09016011	33VKL 400x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 400x2000	RAL9016	71,46	73,224	3 502,
V00334020U09016011	33VK 400x2000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 400x2000	RAL9016	71,46	73,224	3 502,
V00334021009016011	33VKP 400x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 400x2100	RAL9016	75,033	76,885	3 677,
V00334021L09016011	33VKL 400x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 400x2100	RAL9016	75,033	76,885	3 677,
V00334021U09016011	33VK 400x2100, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 400x2100	RAL9016	75,033	76,885	3 677,
V00334022009016011	33VKP 400x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 400x2200	RAL9016	78,606	80,546	3 852,
V00334022L09016011	33VKL 400x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 400x2200	RAL9016	78,606	80,546	3 852,
V00334022U09016011	33VK 400x2200, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 400x2200	RAL9016	78,606	80,546	3 852,
V00334023009016011	33VKP 400x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 400x2300	RAL9016	82,179	84,207	4 027,
V00334023L09016011	33VKL 400x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 400x2300	RAL9016	82,179	84,207	4 027,
V00334023U09016011	33VK 400x2300, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 400x2300	RAL9016	82,179	84,207	4 027,
V00334024009016011	33VKP 400x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 400x2400	RAL9016	85,752	87,868	4 202,
V00334024L09016011	33VKL 400x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 400x2400	RAL9016	85,752	87,868	4 202,
V00334024U09016011	33VK 400x2400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 400x2400	RAL9016	85,752	87,868	4 202,
V00334025009016011	33VKP 400x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 400x2500	RAL9016	89,325	91,529	4 378,
V00334025L09016011	33VKL 400x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 400x2500	RAL9016	89,325	91,529	4 378,
V00334025U09016011	33VK 400x2500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 400x2500	RAL9016	89,325	91,529	4 378,
V00334026009016011	33VKP 400x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 400x2600	RAL9016	92,898	95,19	4 553,
V00334026L09016011	33VKL 400x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 400x2600	RAL9016	92,898	95,19	4 553,
V00334026U09016011	33VK 400x2600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 400x2600	RAL9016	92,898	95,19	4 553,
V00334027009016011	33VKP 400x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 400x2700	RAL9016	96,471	98,851	4 728,
V00334027L09016011	33VKL 400x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 400x2700	RAL9016	96,471	98,851	4 728,
V00334027U09016011	33VK 400x2700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 400x2700	RAL9016	96,471	98,851	4 728,
V00334028009016011	33VKP 400x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 400x2800	RAL9016	100,044	102,512	4 903,
V00334028L09016011	33VKL 400x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 400x2800	RAL9016	100,044	102,512	4 903,
V00334028U09016011	33VK 400x2800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 400x2800	RAL9016	100,044	102,512	4 903,
V00334029009016011	33VKP 400x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 400x2900	RAL9016	103,617	106,173	5 078,
V00334029L09016011	33VKL 400x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 400x2900	RAL9016	103,617	106,173	5 078,
V00334029U09016011	33VK 400x2900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 400x2900	RAL9016	103,617	106,173	5 078,
V00334030009016011	33VKP 400x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 400x3000	RAL9016	107,19	109,834	5 253,
V00334030L09016011	33VKL 400x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 400x3000	RAL9016	107,19	109,834	5 253,
V00334030U09016011	33VK 400x3000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 400x3000	RAL9016	107,19	109,834	5 253,
V00335004009016011	33VKP 500x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 500x400	RAL9016	15,487	16,576	836,
V00335004L09016011	33VKL 500x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 500x400	RAL9016	15,487	16,576	836,
V00335004U09016011	33VK 500x0400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 500x400	RAL9016	15,487	16,576	836,
V00335005009016011	33VKP 500x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 500x500	RAL9016	19,358	20,722	1 046,
V00335005L09016011	33VKL 500x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 500x500	RAL9016	19,358	20,722	1 046,
V00335005U09016011	33VK 500x0500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 500x500	RAL9016	19,358	20,722	1 046,
V00335006009016011	33VKP 500x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 500x600	RAL9016	23,23	24,867	1 255,
V00335006L09016011	33VKL 500x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 500x600	RAL9016	23,23	24,867	1 255,
V00335006U09016011	33VK 500x0600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 500x600	RAL9016	23,23	24,867	1 255,
V00335007009016011	33VKP 500x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 500x700	RAL9016	27,102	29,012	1 464,
V00335007L09016011	33VKL 500x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 500x700	RAL9016	27,102	29,012	1 464,
V00335007U09016011	33VK 500x0700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 500x700	RAL9016	27,102	29,012	1 464,

V00335008009016011	33VKP 500x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 500x800	RAL9016	30,973	33,157	1 673,
V00335008L09016011	33VKL 500x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 500x800	RAL9016	30,973	33,157	1 673,
V00335008U09016011	33VK 500x0800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 500x800	RAL9016	30,973	33,157	1 673,
V00335009009016011	33VKP 500x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 500x900	RAL9016	34,845	37,303	1 882,
V00335009L09016011	33VKL 500x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 500x900	RAL9016	34,845	37,303	1 882,
V00335009U09016011	33VK 500x0900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 500x900	RAL9016	34,845	37,303	1 882,
V00335010009016011	33VKP 500x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 500x1000	RAL9016	38,717	41,448	2 091,
V00335010L09016011	33VKL 500x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 500x1000	RAL9016	38,717	41,448	2 091,
V00335010U09016011	33VK 500x1000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 500x1000	RAL9016	38,717	41,448	2 091,
V00335011009016011	33VKP 500x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 500x1100	RAL9016	42,588	45,593	2 300,
V00335011L09016011	33VKL 500x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 500x1100	RAL9016	42,588	45,593	2 300,
V00335011U09016011	33VK 500x1100, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 500x1100	RAL9016	42,588	45,593	2 300,
V00335012009016011	33VKP 500x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 500x1200	RAL9016	46,46	49,739	2 509,
V00335012L09016011	33VKL 500x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 500x1200	RAL9016	46,46	49,739	2 509,
V00335012U09016011	33VK 500x1200, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 500x1200	RAL9016	46,46	49,739	2 509,
V00335013009016011	33VKP 500x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 500x1300	RAL9016	50,332	53,884	2 718,
V00335013L09016011	33VKL 500x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 500x1300	RAL9016	50,332	53,884	2 718,
V00335013U09016011	33VK 500x1300, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 500x1300	RAL9016	50,332	53,884	2 718,
V00335014009016011	33VKP 500x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 500x1400	RAL9016	54,204	58,029	2 927,
V00335014L09016011	33VKL 500x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 500x1400	RAL9016	54,204	58,029	2 927,
V00335014U09016011	33VK 500x1400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 500x1400	RAL9016	54,204	58,029	2 927,
V00335015009016011	33VKP 500x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 500x1500	RAL9016	58,075	62,174	3 137,
V00335015L09016011	33VKL 500x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 500x1500	RAL9016	58,075	62,174	3 137,
V00335015U09016011	33VK 500x1500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 500x1500	RAL9016	58,075	62,174	3 137,
V00335016009016011	33VKP 500x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 500x1600	RAL9016	61,947	66,32	3 346,
V00335016L09016011	33VKL 500x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 500x1600	RAL9016	61,947	66,32	3 346,
V00335016U09016011	33VK 500x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 500x1600	RAL9016	61,947	66,32	3 346,
V00335017009016011	33VKP 500x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 500x1700	RAL9016	65,819	71,554	3 555,
V00335017L09016011	33VKL 500x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 500x1700	RAL9016	65,819	71,554	3 555,
V00335017U09016011	33VK 500x1700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 500x1700	RAL9016	65,819	71,554	3 555,
V00335018009016011	33VKP 500x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 500x1800	RAL9016	69,69	75,762	3 764,
V00335018L09016011	33VKL 500x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 500x1800	RAL9016	69,69	75,762	3 764,
V00335018U09016011	33VK 500x1800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 500x1800	RAL9016	69,69	75,762	3 764,
V00335019009016011	33VKP 500x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 500x1900	RAL9016	73,562	79,971	3 973,
V00335019L09016011	33VKL 500x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 500x1900	RAL9016	73,562	79,971	3 973,
V00335019U09016011	33VK 500x1900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 500x1900	RAL9016	73,562	79,971	3 973,
V00335020009016011	33VKP 500x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 500x2000	RAL9016	77,434	84,18	4 182,
V00335020L09016011	33VKL 500x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 500x2000	RAL9016	77,434	84,18	4 182,
V00335020U09016011	33VK 500x2000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 500x2000	RAL9016	77,434	84,18	4 182,
V00335021009016011	33VKP 500x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 500x2100	RAL9016	81,305	88,388	4 391,
V00335021L09016011	33VKL 500x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 500x2100	RAL9016	81,305	88,388	4 391,
V00335021U09016011	33VK 500x2100, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 500x2100	RAL9016	81,305	88,388	4 391,
V00335022009016011	33VKP 500x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 500x2200	RAL9016	85,177	92,597	4 600,
V00335022L09016011	33VKL 500x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 500x2200	RAL9016	85,177	92,597	4 600,
V00335022U09016011	33VK 500x2200, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 500x2200	RAL9016	85,177	92,597	4 600,
V00335023009016011	33VKP 500x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 500x2300	RAL9016	89,049	96,805	4 809,
V00335023L09016011	33VKL 500x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 500x2300	RAL9016	89,049	96,805	4 809,
V00335023U09016011	33VK 500x2300, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 500x2300	RAL9016	89,049	96,805	4 809,
V00335024009016011	33VKP 500x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 500x2400	RAL9016	92,92	101,014	5 018,
V00335024L09016011	33VKL 500x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 500x2400	RAL9016	92,92	101,014	5 018,
V00335024U09016011	33VK 500x2400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 500x2400	RAL9016	92,92	101,014	5 018,
V00335025009016011	33VKP 500x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 500x2500	RAL9016	96,792	105,223	5 228,
V00335025L09016011	33VKL 500x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 500x2500	RAL9016	96,792	105,223	5 228,
V00335025U09016011	33VK 500x2500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 500x2500	RAL9016	96,792	105,223	5 228,
V00335026009016011	33VKP 500x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 500x2600	RAL9016	100,664	109,949	5 437,
V00335026L09016011	33VKL 500x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 500x2600	RAL9016	100,664	109,949	5 437,
V00335026U09016011	33VK 500x2600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 500x2600	RAL9016	100,664	109,949	5 437,
V00335027009016011	33VKP 500x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 500x2700	RAL9016	104,535	114,178	5 646,
V00335027L09016011	33VKL 500x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 500x2700	RAL9016	104,535	114,178	5 646,
V00335027U09016011	33VK 500x2700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 500x2700	RAL9016	104,535	114,178	5 646,
V00335028009016011	33VKP 500x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 500x2800	RAL9016	108,407	118,406	5 855,
V00335028L09016011	33VKL 500x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 500x2800	RAL9016	108,407	118,406	5 855,
V00335028U09016011	33VK 500x2800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 500x2800	RAL9016	108,407	118,406	5 855,
V00335029009016011	33VKP 500x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 500x2900	RAL9016	112,279	122,635	6 064,
V00335029L09016011	33VKL 500x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 500x2900	RAL9016	112,279	122,635	6 064,
V00335029U09016011	33VK 500x2900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 500x2900	RAL9016	112,279	122,635	6 064,
V00335030009016011	33VKP 500x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 500x3000	RAL9016	116,15	126,864	6 273,
V00335030L09016011	33VKL 500x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 500x3000	RAL9016	116,15	126,864	6 273,
V00335030U09016011	33VK 500x3000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 500x3000	RAL9016	116,15	126,864	6 273,
V00336004009016011	33VKP 600x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x400	RAL9016	18,586	19,895	964,
V00336004L09016011	33VKL 600x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x400	RAL9016	18,586	19,895	964,
V00336004U09016011	33VK 600x0400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x400	RAL9016	18,586	19,895	964,

V00336005009016011	33VKP 600x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x500	RAL9016	23,232	24,869	1 205,
V00336005L09016011	33VKL 600x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x500	RAL9016	23,232	24,869	1 205,
V00336005U09016011	33VK 600x0500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x500	RAL9016	23,232	24,869	1 205,
V00336006009016011	33VKP 600x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x600	RAL9016	27,878	29,843	1 446,
V00336006L09016011	33VKL 600x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x600	RAL9016	27,878	29,843	1 446,
V00336006U09016011	33VK 600x0600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x600	RAL9016	27,878	29,843	1 446,
V00336007009016011	33VKP 600x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x700	RAL9016	32,525	34,816	1 687,
V00336007L09016011	33VKL 600x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x700	RAL9016	32,525	34,816	1 687,
V00336007U09016011	33VK 600x0700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x700	RAL9016	32,525	34,816	1 687,
V00336008009016011	33VKP 600x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x800	RAL9016	37,171	39,79	1 928,
V00336008L09016011	33VKL 600x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x800	RAL9016	37,171	39,79	1 928,
V00336008U09016011	33VK 600x0800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x800	RAL9016	37,171	39,79	1 928,
V00336009009016011	33VKP 600x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x900	RAL9016	41,818	44,764	2 169,
V00336009L09016011	33VKL 600x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x900	RAL9016	41,818	44,764	2 169,
V00336009U09016011	33VK 600x0900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x900	RAL9016	41,818	44,764	2 169,
V00336010009016011	33VKP 600x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x1000	RAL9016	46,464	49,738	2 410,
V00336010L09016011	33VKL 600x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x1000	RAL9016	46,464	49,738	2 410,
V00336010U09016011	33VK 600x1000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x1000	RAL9016	46,464	49,738	2 410,
V00336011009016011	33VKP 600x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x1100	RAL9016	51,11	54,711	2 651,
V00336011L09016011	33VKL 600x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x1100	RAL9016	51,11	54,711	2 651,
V00336011U09016011	33VK 600x1100, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x1100	RAL9016	51,11	54,711	2 651,
V00336012009016011	33VKP 600x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x1200	RAL9016	55,757	59,685	2 892,
V00336012L09016011	33VKL 600x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x1200	RAL9016	55,757	59,685	2 892,
V00336012U09016011	33VK 600x1200, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x1200	RAL9016	55,757	59,685	2 892,
V00336013009016011	33VKP 600x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x1300	RAL9016	60,403	64,659	3 133,
V00336013L09016011	33VKL 600x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x1300	RAL9016	60,403	64,659	3 133,
V00336013U09016011	33VK 600x1300, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x1300	RAL9016	60,403	64,659	3 133,
V00336014009016011	33VKP 600x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x1400	RAL9016	65,05	69,633	3 374,
V00336014L09016011	33VKL 600x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x1400	RAL9016	65,05	69,633	3 374,
V00336014U09016011	33VK 600x1400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x1400	RAL9016	65,05	69,633	3 374,
V00336015009016011	33VKP 600x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x1500	RAL9016	69,696	74,606	3 615,
V00336015L09016011	33VKL 600x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x1500	RAL9016	69,696	74,606	3 615,
V00336015U09016011	33VK 600x1500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x1500	RAL9016	69,696	74,606	3 615,
V00336016009016011	33VKP 600x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x1600	RAL9016	74,342	79,58	3 856,
V00336016L09016011	33VKL 600x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x1600	RAL9016	74,342	79,58	3 856,
V00336016U09016011	33VK 600x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x1600	RAL9016	74,342	79,58	3 856,
V00336017009016011	33VKP 600x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x1700	RAL9016	78,989	85,864	4 097,
V00336017L09016011	33VKL 600x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x1700	RAL9016	78,989	85,864	4 097,
V00336017U09016011	33VK 600x1700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x1700	RAL9016	78,989	85,864	4 097,
V00336018009016011	33VKP 600x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x1800	RAL9016	83,635	90,915	4 338,
V00336018L09016011	33VKL 600x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x1800	RAL9016	83,635	90,915	4 338,
V00336018U09016011	33VK 600x1800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x1800	RAL9016	83,635	90,915	4 338,
V00336019009016011	33VKP 600x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x1900	RAL9016	88,282	95,965	4 579,
V00336019L09016011	33VKL 600x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x1900	RAL9016	88,282	95,965	4 579,
V00336019U09016011	33VK 600x1900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x1900	RAL9016	88,282	95,965	4 579,
V00336020009016011	33VKP 600x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x2000	RAL9016	92,928	101,016	4 820,
V00336020L09016011	33VKL 600x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x2000	RAL9016	92,928	101,016	4 820,
V00336020U09016011	33VK 600x2000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x2000	RAL9016	92,928	101,016	4 820,
V00336021009016011	33VKP 600x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x2100	RAL9016	97,574	106,067	5 061,
V00336021L09016011	33VKL 600x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x2100	RAL9016	97,574	106,067	5 061,
V00336021U09016011	33VK 600x2100, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x2100	RAL9016	97,574	106,067	5 061,
V00336022009016011	33VKP 600x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x2200	RAL9016	102,221	111,117	5 302,
V00336022L09016011	33VKL 600x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x2200	RAL9016	102,221	111,117	5 302,
V00336022U09016011	33VK 600x2200, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x2200	RAL9016	102,221	111,117	5 302,
V00336023009016011	33VKP 600x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x2300	RAL9016	106,867	116,168	5 543,
V00336023L09016011	33VKL 600x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x2300	RAL9016	106,867	116,168	5 543,
V00336023U09016011	33VK 600x2300, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x2300	RAL9016	106,867	116,168	5 543,
V00336024009016011	33VKP 600x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x2400	RAL9016	111,514	121,218	5 784,
V00336024L09016011	33VKL 600x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x2400	RAL9016	111,514	121,218	5 784,
V00336024U09016011	33VK 600x2400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x2400	RAL9016	111,514	121,218	5 784,
V00336025009016011	33VKP 600x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x2500	RAL9016	116,16	126,269	6 025,
V00336025L09016011	33VKL 600x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x2500	RAL9016	116,16	126,269	6 025,
V00336025U09016011	33VK 600x2500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x2500	RAL9016	116,16	126,269	6 025,
V00336026009016011	33VKP 600x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x2600	RAL9016	120,806	131,939	6 266,
V00336026L09016011	33VKL 600x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x2600	RAL9016	120,806	131,939	6 266,
V00336026U09016011	33VK 600x2600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x2600	RAL9016	120,806	131,939	6 266,
V00336027009016011	33VKP 600x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x2700	RAL9016	125,453	137,013	6 507,
V00336027L09016011	33VKL 600x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x2700	RAL9016	125,453	137,013	6 507,
V00336027U09016011	33VK 600x2700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x2700	RAL9016	125,453	137,013	6 507,
V00336028009016011	33VKP 600x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x2800	RAL9016	130,099	142,088	6 748,
V00336028L09016011	33VKL 600x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x2800	RAL9016	130,099	142,088	6 748,
V00336028U09016011	33VK 600x2800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x2800	RAL9016	130,099	142,088	6 748,

V00336029009016011	33VKP 600x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x2900	RAL9016	134,746	147,162	6 989,
V00336029L09016011	33VKL 600x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x2900	RAL9016	134,746	147,162	6 989,
V00336029U09016011	33VK 600x2900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x2900	RAL9016	134,746	147,162	6 989,
V00336030009016011	33VKP 600x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 600x3000	RAL9016	139,392	152,237	7 230,
V00336030L09016011	33VKL 600x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 600x3000	RAL9016	139,392	152,237	7 230,
V00336030U09016011	33VK 600x3000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 600x3000	RAL9016	139,392	152,237	7 230,
V00339004009016011	33VKP 900x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 900x400	RAL9016	29,04	31,083	1 307,
V00339004L09016011	33VKL 900x0400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x400	RAL9016	29,04	31,083	1 307,
V00339004U09016011	33VK 900x0400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 900x400	RAL9016	29,04	31,083	1 307,
V00339005009016011	33VKP 900x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 900x500	RAL9016	36,3	38,855	1 634,
V00339005L09016011	33VKL 900x0500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x500	RAL9016	36,3	38,855	1 634,
V00339005U09016011	33VK 900x0500, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 900x500	RAL9016	36,3	38,855	1 634,
V00339006009016011	33VKP 900x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 900x600	RAL9016	43,56	46,627	1 960,
V00339006L09016011	33VKL 900x0600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x600	RAL9016	43,56	46,627	1 960,
V00339006U09016011	33VK 900x0600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 900x600	RAL9016	43,56	46,627	1 960,
V00339007009016011	33VKP 900x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 900x700	RAL9016	50,82	54,399	2 287,
V00339007L09016011	33VKL 900x0700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x700	RAL9016	50,82	54,399	2 287,
V00339007U09016011	33VK 900x0700, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 900x700	RAL9016	50,82	54,399	2 287,
V00339008009016011	33VKP 900x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 900x800	RAL9016	58,08	62,171	2 614,
V00339008L09016011	33VKL 900x0800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x800	RAL9016	58,08	62,171	2 614,
V00339008U09016011	33VK 900x0800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 900x800	RAL9016	58,08	62,171	2 614,
V00339009009016011	33VKP 900x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 900x900	RAL9016	65,34	69,943	2 940,
V00339009L09016011	33VKL 900x0900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x900	RAL9016	65,34	69,943	2 940,
V00339009U09016011	33VK 900x0900, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 900x900	RAL9016	65,34	69,943	2 940,
V00339010009016011	33VKP 900x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 900x1000	RAL9016	72,6	77,715	3 267,
V00339010L09016011	33VKL 900x1000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x1000	RAL9016	72,6	77,715	3 267,
V00339010U09016011	33VK 900x1000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 900x1000	RAL9016	72,6	77,715	3 267,
V00339011009016011	33VKP 900x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 900x1100	RAL9016	79,86	85,487	3 594,
V00339011L09016011	33VKL 900x1100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x1100	RAL9016	79,86	85,487	3 594,
V00339011U09016011	33VK 900x1100, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 900x1100	RAL9016	79,86	85,487	3 594,
V00339012009016011	33VKP 900x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 900x1200	RAL9016	87,12	93,259	3 920,
V00339012L09016011	33VKL 900x1200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x1200	RAL9016	87,12	93,259	3 920,
V00339012U09016011	33VK 900x1200, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 900x1200	RAL9016	87,12	93,259	3 920,
V00339013009016011	33VK 900x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VK 900x1300	RAL9016	94,38	101,031	4 247,
V00339013L09016011	33VKL 900x1300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x1300	RAL9016	94,38	101,031	4 247,
V00339014009016011	33VKP 900x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 900x1400	RAL9016	101,64	108,803	4 574,
V00339014L09016011	33VKL 900x1400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x1400	RAL9016	101,64	108,803	4 574,
V00339014U09016011	33VK 900x1400, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 900x1400	RAL9016	101,64	108,803	4 574,
V00339015009016011	33VK 900x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VK 900x1500	RAL9016	108,9	116,575	4 901,
V00339015L09016011	33VKL 900x1500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x1500	RAL9016	108,9	116,575	4 901,
V00339016009016011	33VKP 900x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 900x1600	RAL9016	116,16	124,347	5 227,
V00339016L09016011	33VKL 900x1600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x1600	RAL9016	116,16	124,347	5 227,
V00339016U09016011	33VK 900x1600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 900x1600	RAL9016	116,16	124,347	5 227,
V00339017009016011	33VK 900x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VK 900x1700	RAL9016	123,42	134,163	5 554,
V00339017L09016011	33VKL 900x1700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x1700	RAL9016	123,42	134,163	5 554,
V00339018009016011	33VKP 900x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 900x1800	RAL9016	130,68	142,055	5 881,
V00339018L09016011	33VKL 900x1800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x1800	RAL9016	130,68	142,055	5 881,
V00339018U09016011	33VK 900x1800, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 900x1800	RAL9016	130,68	142,055	5 881,
V00339019009016011	33VK 900x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VK 900x1900	RAL9016	137,94	149,947	6 207,
V00339019L09016011	33VKL 900x1900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x1900	RAL9016	137,94	149,947	6 207,
V00339020009016011	33VKP 900x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 900x2000	RAL9016	145,2	157,839	6 534,
V00339020L09016011	33VKL 900x2000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x2000	RAL9016	145,2	157,839	6 534,
V00339020U09016011	33VK 900x2000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 900x2000	RAL9016	145,2	157,839	6 534,
V00339021009016011	33VKP 900x2100, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 900x2100	RAL9016	152,46	165,731	6 861,
V00339022009016011	33VK 900x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VK 900x2200	RAL9016	159,72	173,623	7 187,
V00339022L09016011	33VKL 900x2200, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x2200	RAL9016	159,72	173,623	7 187,
V00339023009016011	33VK 900x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VK 900x2300	RAL9016	166,98	181,515	7 514,
V00339023L09016011	33VKL 900x2300, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x2300	RAL9016	166,98	181,515	7 514,
V00339023U09016011	33VK 900x2300, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 900x2300	RAL9016	166,98	181,515	7 514,
V00339024009016011	33VK 900x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VK 900x2400	RAL9016	174,24	189,407	7 841,
V00339024L09016011	33VKL 900x2400, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x2400	RAL9016	174,24	189,407	7 841,
V00339025009016011	33VKP 900x2500, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 900x2500	RAL9016	181,5	197,299	8 168,
V00339026009016011	33VK 900x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VK 900x2600	RAL9016	188,76	206,154	8 494,
V00339026L09016011	33VKL 900x2600, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x2600	RAL9016	188,76	206,154	8 494,
V00339026U09016011	33VK 900x2600, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 900x2600	RAL9016	188,76	206,154	8 494,
V00339027009016011	33VKP 900x2700, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 900x2700	RAL9016	196,02	214,083	8 821,
V00339028009016011	33VK 900x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VK 900x2800	RAL9016	203,28	222,012	9 148,
V00339028L09016011	33VKL 900x2800, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x2800	RAL9016	203,28	222,012	9 148,
V00339029009016011	33VKP 900x2900, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKP 900x2900	RAL9016	210,54	229,941	9 474,
V00339030009016011	33VK 900x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VK 900x3000	RAL9016	217,8	237,87	9 801,
V00339030L09016011	33VKL 900x3000, Kr, 1.0 MPa, t:1, RAL9016, ZD	33VKL 900x3000	RAL9016	217,8	237,87	9 801,
V00339030U09016011	33VK 900x3000, Kr, 1.0 MPa, t:1, RAL9016, bezZD	33VKU 900x3000	RAL9016	217,8	237,87	9 801,